



SALES LIST

AGM Anwar Graphische Maschinen GmbH

| Photo | Ref. No. | Brand | Typ | Age | Size cm | Impression | MachineNo. | Details | Price/€ |
|------------------------|------------------------------|------------|---------------------------------|------|---------|-------------|------------|---|---------|
| | | | | | | | | 12-Colours Offset | |
| | | | | | | | | 10-Colours Offset | |
| | | | | | | | | 9-Colours Offset | |
| | | | | | | | | 8-Colours Offset | |
| | | | | | | | | 7-Colours Offset | |
| | | | | | | | | 6-Colours Offset | |
| Photos | off6-HD-CD-74-6-P3-LX-C-2005 | Heidelberg | CD 74-6-P3+LX-C (C-Format) (X2) | 2005 | 53x74 | 206 Mio. | | Age: 2005. Installation in 2006, Perfection 2/6, CP2000, Axis Control, Autoplate, Ultrasonic Double Sheet Detector, Program-Controlled Washup Device, All Washers For Ink Rollers, Blanket And Impression Cylinders, Alcolor Vario Dampening With Technotrans Beta.C Refrigeration, Ink Temperature Control, Ink Supply InkLine CANopen, Perfect Jacket, IR/Hot Air Dryer, Varnish Supply Unit 550 L/H, Weko Medium Class Powder Sprayer, X2 Extended Delivery, Anilox Coating Unit Varnish Metering With Chambered Blade, Steel Plate With Ramp On Feeder And Delivery, Air Star Pro, Air Cooled | ASK |
| Photos | off6-HD-MOS-PH-24 | Heidelberg | MOS-PH | 1990 | 48x65 | ca. 90 Mio. | | Perfection: 2/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix Powder Spray, IR Dryer, High Pile Delivery | ASK |

| | | | | | | | | | | |
|-------------------------|----------------------------|------------|----------------------|------|--------|--------------|--------|---|-----|--|
| Photos | off6-HD-XL-75-6+L-C-2009 | Heidelberg | XL 75-6+LX3-C Format | 2009 | 53x75 | 314 Mio. | | <p>Straight Machine, Format: Max. 530x750mm, Min. 210x350mm, Largest Printing Area: 510x740mm, Maximum Production Speed: 15.000 Sheets/Hour, Prinect Press Centre With Remote Ink Control, Prinect Press Center Software, Axis Control, Diagonal Register, Preset Plus Feeder, Autoplate, Double Diameter Impression Cylinders, Alcolor Vario Continuous Dampening System, Technotrans Refrigeration, AlcoSmart, Ink Temperature Control, Auto Ink Roller Wash, Auto Blanket Wash, Auto Impression Cylinder Wash, Preset Plus Delivery, Anilox Coater, AirStar, Air-Cooled, UV Package – Delivery (Delivery Includes All Components Required To Equip The Delivery For UV Operation. Machine Is Equipped With DryStar Combination UV, 2 DryStar IR-/Hotair, 1 UV With 3 Lamps á 160 Watt/cm), UV Package – Coating Unit, 6th Printing Unit Is Equipped With Combi-Rollers, Double Sheet Detector – Pulling Device, Extended Delivery – X3, DryStar Combination UV CAN Dryer a/c, CombiStar CAN – Dampening Solution a/c, PowderStar AP232 – Powder Spray, StaticStar Compact – Antistatic Device, Varnish Supply Unit 550/h UV, Second Varnish Circuit With CoatingStar, All Grippers & Rollers Were Replaced Last Year</p> | ASK | |
| Photos | off6-Roland-R306-N-1998 | MAN Roland | R306 N | 1998 | 53x74 | 96 Mio. | 27764B | <p>Perfector 1/5 and 6/0, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Refrigerator, Auto-Wash, Double Size Impression Cylinders, Roland Mabeg Jet Feeder, Steel Plate on Overlap, High Pile Delivery, Autosize, IR Dryer and UV Dryer</p> | ASK | |
| 5-Colours Offset | | | | | | | | | | |
| Photos | off5-HD-SM-CD-102-5-2014 | Heidelberg | CD 102-5 | 2014 | 72x102 | ca. 115 Mio. | | <p>Prinect Press Center, Intellistart, Autoplate, Alcolor Vario Dampening, Technotrans, Inking Unit Temperature Control, Antistatic Device, Auto Wash-Up Devices for Blankets, Ink & Impression Cylinders, Preset Plus Feeder, Preset Delivery, Pull Lay Control, Double Sheet Detector, DryStar IR Dryer, AirStar Cabinet, Powder Spray, Steelplate in Feeder & Delivery, 15.000 Sheet/Hour</p> | ASK | |
| Photos | off5-HD-CD-102-5-L-2001-24 | Heidelberg | CD 102-5+LX | 2002 | 72x102 | | | <p>CP 2000, Alcolor Dampening with Technotrans Refrigeration Circulation, Autoplate, Auto Wash for Inking Rollers, Blankets and Impression Cylinders, Preset Feeder and Delivery, Inking Unit Temperature Control, Dedicated Coating Unit With Anilox Roller, IR Dryer, Powder Sprayer</p> | ASK | |

| | | | | | | | | | |
|-------------------------|-------------------------------|----------------|-----------------------|------|--------|----------|--------|--|-----|
| Photos | off5-XL-75-5-C-2012 | Heidelberg | XL 75-5-C | 2012 | 53x75 | 240 Mio. | | Straight Machine, Format: Max. 530x750mm, Min. 210x350mm, Largest Printing Area: 510x740mm, Maximum Production Speed: 15.000 Sheets/Hour, Prinect Press Center, WALLSCREEN Hardware, Prinect Axis Control, Autoplate SAPC, Preset Plus Feeder and Delivery (Automatic Paper Size and Thickness Setting), Double Diameter Impression Cylinders, Cocking Register (Lateral, Vertical & Diagonal), Automatic Wash-Up Devices For Ink Rollers, Blankets & Impression Cylinders, Alcolor Vario Dampening, Technotrans CombiStar Central Refrigeration, Technotrans Alcosmart, Suction Tape Feeder, Multiple-Sheet Detector & Ultrasonic Double-Sheet Detector, Ink Temperature Control, Air Transfer System, Chromed Impression Cylinders, Steelplate in Feeder and Delivery, High Pile Delivery (X0), FilterStar Compact, CleanStar, Heidelberg IR DryStar, PowderStar Weko AP-500 | ASK |
| Photos | off5-KBA-Performa-66-5-2007 | KBA | Performa 66-5 | 2007 | 48x66 | | | Straight Machine, Touch Screen In Delivery For Machine's Remote Control, Alcolor Dampening, Technotrans Chiller, Inkdot Ink And Register Remote Control, DST Powder Spray, IR Dryer, High Pile Delivery, Speed: 10000 Sheets/Hour | ASK |
| Photos | off5-KBA-RA105U-5+L-ALV2-2004 | KBA | Rapida RA105-5+L PWHA | 2004 | 74x105 | 240 Mio. | 364530 | Straight Machine, Paper Thickness: 100 G/M-1,2MM (Cardboard + Foils), (CX) Cardboard Attachment (Up To 1.2 MM), 5 Colours Plus Coating Tower For UV- And Water Based Varnish, (ALV) Extended Delivery 2600mm, Weko AP 262 Powder Sprayer, 2x UV Interdeck Dryer In 2nd and 5th Unit, 1x UV- And IR- Hot Air Dryer, (FAPC) Fully Automatic Plate Change, (ITC) Inking Unit Temperature Control, Colortronic Control Centre, Varidamp Dampening, Varicontrol, Baldwin Cooling, Intercommunication System, Colour Managment Techion, Prepared For CIP Link, Recovered Rollers, Retrofitting Non-Stop Feeder and Delivery, (ACS) Air Cleaning | ASK |
| 4-Colours Offset | | | | | | | | | |
| Photos | off4-Adast-Dominant-846-2000 | Adast Dominant | 846 | 2000 | 52x74 | | 10067 | Inkdot, Standard Dampening, High Pile Delivery, Powder Sprayer, Speed: 10.000 Sheets/Hour | ASK |
| Photos | off4-HD-MOVP-H-1990-H | Heidelberg | MOVP-H | 1990 | 48x65 | 180 Mio. | | Perfection: 2/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix Powder Spray, IR Dryer, High Pile Delivery | ASK |
| Photos | off4-HD-SM-102-4-P-3-2003 | Heidelberg | SM 102-4P3 | 2003 | 72x102 | | 545175 | Perfection: 2/2, 4/0, Automated Perfecting Device, Electronic Double & Missing Sheet Control, Steelplate in Feeder & Delivery, Inking Unit Temperature Control, Alcolor Automatic Film Dampening with Technotrans Refrigeration, CP 2000 Control Center, CP 2000 Istant Gate, CP 2000 MasterLevel, Autoplate (Semi-Automatic Plate Loader), Auto Wash-Up Devices for Ink Rollers, Blankets and Impression Cylinders, Preset Feeder Automatic Paper Size, Non-Stop Pile Feeder, Electronic Pullay Control, High Pile Delivery, Non-Stop Delivery, Powder Sprayer, Eltex Antistatic Device, Speed: 13.000 Sheets/Hour | ASK |

| | | | | | | | | | |
|-------------------------|-----------------------------|------------|------------------|------|---------|--------------|---------|---|-----|
| Photos | off4-SM-74-4-P3-11-2006 | Heidelberg | SM 74-4-P3-H | 2006 | 53x74 | ca. 150 Mio. | | Perfection 2/2, Prinect Press Center, Autoplate, Digital Controls, Touch Screen Control, Alcolor Dampening with Baldwin Refrigerator, All Wash-Up Devices, Static Star Antistatic, Powder Sprayer, Thickness: 0,03-0,6mm, High Pile Delivery | ASK |
| Photos | off4-HD-SM-74-4-P-H-1996 | Heidelberg | SM 74-4-P-H | 1996 | 53x74 | | | Perfection: 2/2, Steel Plates In Feeder And Delivery, Double Sheet Detection, CPC 104, CP Tronic, IVT Graphic Combi IR-Dryer, Autoplate, All Program-Controlled Wash-Up Devices For Inking Rollers, Blankets and Impression Cylinder, Alcolor Dampening With Technotrans Refrigerator, Inking Unit Temperature Control, High Pile Delivery, Grafix Powder Sprayer | ASK |
| Photos | off4-HD-PM-52-4-2006-721487 | Heidelberg | PM GTO 52-4-P | 2006 | 36x52 | 77 Mio. | 721487 | Perfection 2/2, Plus Version, Pull Lay Control, DDS Dampening with Technotrans Refrigerator, Single Sheet Feeder, Quick Action Clamps, Double Sheet Control, Sheet Decurler, Powder Spray, Format: Max. 36x52cm, Min. 10,5x18cm Max. Speed: 8000 S/H | ASK |
| Photos | off4-HD-SM-52-4-P-3-1996 | Heidelberg | SM 52-4-P3 | 1996 | 36x52 | | | Perfection: 2/2, Alcolor Dampening with Refrigeration System, Autoplate, CP-Tronic, CPC 1.04, Automatic Washing Devices For Inking Rollers, Blankets And Impression Cylinders, Powder Spray | ASK |
| Photos | off4-Roland-R304-HOB-1996 | MAN Roland | R304 HOB | 1996 | 53x74 | 168 Mio. | 26381B | Perfector 2/2, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Cooling Refrigerator, Auto-Wash, Roland Mabeg Jet Feeder, Steel Plate on Overlap, Steel Plate on the Lining, Non-Stop Device, Super Blue, Bacher Registry System Quick Bars, Powder Sprayer, High Pile Delivery, Capacity: 15000 Sheets/h, Paper Thickness: 0,04-0,6mm, Max Paper Size: 53x74cm, Min Paper Size: 26x40cm, Start of Print: 9.5-10.5mm, Plate Format: 605x745, Plate Thickness: Max 0,3mm | ASK |
| Photos | off4-Ryobi-754+L-2006 | Ryobi | 754+L | 2006 | 788x600 | 66 Mio. | 1379 | Ryobi PCS-H Printing Control System, Ryobi RPC Semi-Auto Plate Change, Auto-Wash For Blankets, Impression Cylinders & Ink Rollers, Ryobi Program Inking, Plate Register Remote Control Device (Vertical, Lateral & Diagonal), Oscillating Bridge Roller, Harris & Bruno Coater System, Standard Accessories | ASK |
| 2-Colours Offset | | | | | | | | | |
| Photos | off2-HD-GTOZP-52-nag | Heidelberg | GTOZP 52 | 1992 | 36x52 | 22 Mio. | 705473N | Plus Version, Alcolor Dampening with Baldwin Cooling Circulation | ASK |
| Photos | off2-HD-GTOZP-52-1990-701 | Heidelberg | GTOZP 52 | 1990 | 36x52 | 34 Mio. | 701982 | Perfection: 1/1, Plus Version, CPC 101, Alcolor Dampening with Baldwin Cooling Circulation | ASK |
| Photos | off2-HD-GTOZP-52/46-700081N | Heidelberg | GTOZP 52/46 + NP | 1990 | 36x46 | 26 Mio. | 700081N | Standard Dampening, Equipped with NP Unit | ASK |
| Photos | off2-HD-GTO-46ZP-1981 | Heidelberg | GTO 46ZP | 1981 | 33x46 | | 672147N | Perfection 1/1, Standard Dampening | ASK |
| Photos | off2-HD-Mozp-s-1982 | Heidelberg | MOZP-S | 1982 | 48x65 | | 603007 | Perfection Machine 1/1, Quick Action Plate Clamps, Powder Spray, Standard Dampening | ASK |
| Photos | off2-HD-PM-74-2-2004 | Heidelberg | PM 74-2 | 2004 | 52x74 | 40 Mio. | | Straight Machine, Stream Feeder, Double Sheet Detection, Electronic Side Lays Control, Alcolor Dampening With Baldwin Cooling Refrigeration, CP Tronic, Printmaster PM 74 Press Control, Easyplate, Weko Powder Sprayer, Speed: Up To 13.000 Sheets/Hour | ASK |

| | | | | | | | | | |
|-------------------------|-------------------------|------------|-----------|----------|--------|-------------|--------|--|-----|
| Photos | off2-HD-SM-102-2P-2010 | Heidelberg | SM 102-2P | 2010 | 72x102 | | | Perfection: 1/1, Prinect Press Center, Autoplate, Auto-Wash, Alcolor Dampening with Technotrans Cooling, Chromed Cylinders, High Pile Delivery, Powder Spray, Electronic Side Lay Control, Double Sheet Detector, Complete with all Standard Accessories | ASK |
| Photos | off2-HD-SM-102-2P-Ge | Heidelberg | SM 102-2P | 2000 | 72x102 | 123 Mio. | | Perfection: 1/1, CP 2000, Autoplate, Auto-Wash, Alcolor Dampening with Technotrans Cooling, Chromed Cylinders, High Pile Delivery, Powder Spray, Electronic Side Lay Control, Double Sheet Detector, Complete with all Standard Accessories | ASK |
| Photos | off2-HD-SM-102-Z-1993 | Heidelberg | SM 102Z | 1993 | 72x102 | 65 Mio. | 535374 | Straight Machine, CPC 102, CP Tronic, Auto Wash-Up Devices For Blanket, Impression Cylinders and Ink Rollers, Quick Action Plate Clamps, Alcolor Dampening With Baldwin Cooling Refrigeration And Circulation, Chromed Cylinders, Steelplate in Feeder & Delivery, Side Lay Control, Double Sheet Control, Missing Sheet Detector, Stream Feeder, Superblue, Grafix Exactomat Powder Spray, High Pile Delivery, Speed: 13000 Sheets/Hour | ASK |
| Photos | off2-HD-SM-52-2-2006 | Heidelberg | SM 52-2P | 2006 | 36x52 | ca. 48 Mio. | | Perfecting 1/1, CP Tronic, Autoplate, Automatic Wash-Up Devices For Inking Rollers, Blankets And Impression Cylinders, Alcolor Vario Dampening, Technotrans Balcontrol BC 713 EFS Refrigeration System, Double Sheet and Side Lay Detector, Segmented Ink Knives, Graphix Alphatronic 200 Duster Powder Sprayer, Non-Stop Feeder & Delivery, Speed Up to 15000 Sheets/Hour, Standard Accessories | ASK |
| Photos | off2-HD-SM-52-2-18 | Heidelberg | SM 52-2 | 2000 | 36x52 | | | Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour | ASK |
| Photos | off2-HD-SM-52-1998-2024 | Heidelberg | SM 52-2 | 1998 | 36x52 | | | Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour | ASK |
| Photos | off2-HD-72-Z-1982 | Heidelberg | 72Z | 1982 | 52x72 | 58 Mio. | 518485 | Straight Machine, Standard Dampening, Weko Powder Spray | ASK |
| Photos | off2-HD-SormZ-1973-505 | Heidelberg | SormZ | 1973 | 52x72 | | 505907 | Standard Dampening | ASK |
| Photos | off2-Polly-226-APH-2000 | Polly | 266 APH | 2000 | 48x66 | | | Standard Dampening, Inkdot, High Pile Delivery | ASK |
| Photos | off2-Polly-226-APH-1998 | Polly | 266 APH | 1998 | 48x66 | | | Kompakt Dampening, High Pile Delivery | ASK |
| Photos | off2-Polly-725-PBND | Polly | 725 PBND | 1996 | 48x66 | | | Standard Dampening, V-Feeder, Low Pile Delivery | ASK |
| Photos | off2-Polly-725-PBVD | Polly | 725 PBVD | 1996 | 48x66 | | 14439 | Standard Dampening, V-Feeder, High Pile Delivery | ASK |
| Photos | off2-Ryobi-522-HXX | Ryobi | 522 HXX | 1999 | 36x52 | | 1644 | Suction Stream Feeder, Double Sheet Control, AAC (Aqua Automatic Control System) Ryobimatic Dampening with Refrigeration & Re-Circulation Unit, Semi Auto Plate Change, Automatic Ink Roller and Blanket Washing Unit, Low Pile Delivery | ASK |
| 1-Colours Offset | | | | | | | | | |
| Photos | off1-Gestetner | Gestetner | 211 | ca. 1989 | A3 | | 268433 | Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-1995 | Heidelberg | GTO 52 | 1995 | 36x52 | | 711924 | Kompakt Dampening | ASK |

| | | | | | | | | | |
|--------------------------------------|-----------------------------------|---|-------------------|----------|----------|----------------------------------|------------|--|-----|
| Photos | off1-HD-GTO-52-707499 | Heidelberg | GTO 52+NP | 1992 | 33x46 | 42 Mio. | 707499 | With NP Unit, Small GTO 46 Plate Cylinder, Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-1992-DE | Heidelberg | GTO 52 | ca. 1992 | 36x52 | 39 Mio. | | Varn Kompakt Dampening | ASK |
| Photos | off1-HD-GTO-52-S-24 | Heidelberg | GTO 52 | 1991 | 36x52 | 28 Mio. | 702222 | Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-698564 | Heidelberg | GTO 52 | 1990 | 36x52 | | 698564 | Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-695451N | Heidelberg | GTO 52 | 1989 | 36x52 | | 695451N | Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-E-S-24 | Heidelberg | GTO 52 | 1988 | 36x52 | | | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kord-64-1982 | Heidelberg | KORD 64 | 1982 | 46x64 | | 360052 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kord-64-1973 | Heidelberg | KORD 64 | 1973 | 46x64 | | 346956 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kord64-1971 | Heidelberg | KORD 64 | 1971 | 46x64 | | 341852 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1985 | Heidelberg | KORS | 1985 | 52x72 | | 361233 | Standard Dampening | ASK |
| Photos | 1-col-HD-KORS-1978 | Heidelberg | KORS | 1978 | 52x72 | | 354966 | Standard Dampening | ASK |
| Photos | 1-col-Hei-KORS-1974 | Heidelberg | KORS | 1974 | 52x72 | | 348459 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1969 | Heidelberg | KORS | 1969 | 52x72 | | 331699 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1968 | Heidelberg | KORS | 1968 | 52x72 | | 329041 | Standard Dampening | ASK |
| Photos | off1-HD-PM-52-1-pl | Heidelberg | PM 52-1 | 2004 | 36x52 | | 720845 | DDS Dampening, Plus Version, Standard Accessories | ASK |
| Photos | off1-HD-MO-E-601914 | Heidelberg | MO-E | 1981 | 48x65 | 42 Mio. | 601914 | Standard Dampening | ASK |
| Photos | off1-HD-SORS-1974 | Heidelberg | SORS | 1974 | 72x102 | | 507622 | Standard Dampening; Powder Spray | ASK |
| Photos | off1-HD-Sorm-1994 | Heidelberg | Sorm | 1994 | 52x72 | | 537218 | Standard Dampening | ASK |
| Photos | off1-Roland-Practica-PR00 | MAN Roland Practica | PR00 + NP | 1991 | 36x52 | | 8835 | Serie: 182, NP Unit, Standard Dampening | ASK |
| Photos | off1-Rota-R36K-2004 | Rotaprint | R36 K | ca.2004 | 36x50 | | | Standard Dampening | ASK |
| Accessories Printing Machines | | | | | | | | | |
| Photos | Acc-printing-Baldwin-2007 | Baldwin | Automix 229 D-1 | 2007 | | Baldwin Refrigerator | 2656-11256 | Brand New Baldwin Refrigerator Automix 229 D-1 With Digital Display | ASK |
| Photos | Acc-Off-Citot-Printline-2008 | Citot | Printline | 2008 | | Inline Finisher | | RSP System for Inline Finishing | ASK |
| Photos | Acc-Off-Autowash-Cloth-Cutter | Cloth Unwinder | | | | Cloth Unwinder | | Autowash Cloth Unwinding Unit | ASK |
| Photos | Acc-HD-GTO-Counterpressureplate | Heidelberg | | | | Plate For Impression Cylinder | | GTO Gegendruckblech / Counterpressure plate | ASK |
| Photos | Acc-printing-Foellmer-OK90 | Foellmer | OK90 | | | Tab Inserter | | Tab Inserter | ASK |
| Photos | Acc-printing-Feket-KAG-VK-UV | Feket | KAG VK UV Curing | 2009 | 72 | UV Dryer / Curing | 540 | Volts: 380, 3 Phase, 50/60 Hz, 2 KVA, 7 Amp., Weight: 300KG | ASK |
| Photos | Acc-printing-FWR-100-DE | FWR | 100 | | | Rollerwasher | | Rollerwasher | ASK |
| Photos | Acc-printing-Gerhard-Busch-TW-02 | Gerhard Busch | TW 02 | | | Printing Rollers Cleaning System | 30/1281 | Printing Rollers Cleaning System | ASK |
| Photos | Acc-NP for-GTO-52786633 | Heidelberg | NP for GTO 52 | | 52 | N&P Unit | 786633 | NP for GTO 52 | ASK |
| Photos | ctp-HD-CP31-1997 | Heidelberg | CPC31 | 1997 | max. 102 | Plate Scanner | 34373 | Plate Scanner/Plate Reader for Heidelberg Speedmaster SM 102/SM 74, SM 52, Plate Image reader, for measuring the printing part of the surface of offset plates and stores the measured values on the job Memory card or in the CPC data Memory, for on-line transfer of the values to the press's control unit (for calculation of ink fountain zone openings and ink stripe widths in CPC 1 control unit, for all types of printing plates up to SM 102 plates format | ASK |
| Photos | Acc-printing-Mikro-Jet | Mikro Jet | Addressing System | | | Addressing System | | With 3 Printing Heads And Variable Support System 140x75cm With Rotary Encoder | ASK |
| Photos | Acc-Off-NP-Unit-SM-52 | NP | Unit for SM 52 | | SM 52 | N&P Unit | | | ASK |
| Photos | Acc-Off-Numbering-Unit-for-GTO-52 | Numbering and Perforation Unit for GTO 52 | N+P Unit | | 52 | N&P Unit | | Numbering Unit for GTO 52 machine | ASK |

| | | | | | | | | | |
|---|--------------------------------------|--|---------------|----------|---------|-------------------|---------|--|-----|
| Photos | Acc-Off-NP-Unit-for-GTO46 | Numbering and Perforation Unit for GTO 46 | N+P Unit | | 46 | N&P Unit | | Complete with all standard Parts | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS | Numbering and Perforation Unit for MOE/MOS | N+P Unit | | 65 | N&P Unit | | Numbering Unit for MO machines | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS-2 | Number and Perforation N&P unit for MO-E or MO-S | N+P Unit | | 65 | N&P Unit | | Number and Perforation N&P unit for MO-E or MO-S | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS-3 | N&P for MO-E oder MO-S | N+P Unit | | 65 | N&P Unit | | Number and Perforation N&P unit for MO-E or MO-S | ASK |
| Photos | Acc-Off-Perforating-shaft | Perforating Shaft | | | | Perforation Shaft | | Perforating Shaft | ASK |
| Photos | Acc-Off-Schneider-F60-796 | Schneider | F60 | | 360x360 | Envelope Feeder | 796 | Artikel No. 184.102, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height | ASK |
| Photos | Acc-Off-Schneider-648 | Schneider | 190-101 | | 360x360 | Envelope Feeder | 648 | Artikel No. 190-101, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height | ASK |
| Photos | Acc-Off-Stenz-Feeder | Stenz | Feeder | | | | | | ASK |
| Photos | Acc-Off-Vacuomatic-MK4 | Vacuomatic | MK4 | | | Paper Counter | 358480 | Paper Counting Machine, Counting Head With Blower And Counter, Strip Insertion, Strip Shot (approx. 5mm), Min. of Shot 5 Sheets, Max. Stacking Height: 230mm, Counting Speed Upto 2000 Sheets/Minutes, Counter Max. 999.999, Material 25-240g/m2 | ASK |
| Photos | Acc-Off-Vacuomatic-CUT1-19673 | Vacuomatic | C.U.T.I | | | Tab Inserter | 19673 | Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour | ASK |
| Photos | Acc-Off-Vacuomatic-CUT12 | Vacuomatic | CUT12 | | | Tab Inserter | | Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour | ASK |
| Envelope Printing Machines | | | | | | | | | |
| Offset Rotations Printingmachine | | | | | | | | | |
| Reel to Sheet Cutter | | | | | | | | | |
| Cutting Machines | | | | | | | | | |
| Photos | cut-Adast-Maxima-MS-115-1-1988 | Adast Maxima | MS 115-1 | 1988 | 115 | | 5521327 | Air Table, Side Tables, Standard Accessories | ASK |
| Photos | cut-Adast-Maxima-MS80-52 | Adast Maxima | MS80 | ca. 1989 | 80 | | 5271455 | Air Table, Side Tables, Standard Accessories | ASK |
| Photos | cut-Adast-Maxima-MS80-2-s | Adast Maxima | MS 80-2 | | 80 | | | Air Table, Side Tables, Standard Accessories | ASK |
| Photos | cut-Adast-Maxima-MS-80-B | Adast Maxima | MS 80-B | | 80 | | | Air Table, Side Tables, Standard Accessories | ASK |
| Photos | cut-Dahle-Manual-Cutter | Dahle | Manual Cutter | ca. 1995 | | | | Manual Cutter | ASK |
| Photos | cut-Eba-550-2004 | EBA | 550 | 2004 | 55 | | 5072437 | Keypad Programming, Hydraulic Precision Drive For Blade And Clamping, Guarded Front Table Area, An Electronic Hand Wheel For Fine Adjustment Of The Back Fence, Cutting Length: 550mm, Cutting Height: 95mm, Narrow Cut: 32mm-60mm, Table Depth: 570mm, Power Back Gauge, Perspex Guards, Hydraulic Cut, Hydraulic Clamp, Single Phase Power | ASK |
| Photos | cut-manual-cutter-wod | Manual Cutter | | ca. 1991 | | | | Manual Cutter | ASK |

| | | | | | | | | | |
|-------------------------------------|---------------------------------------|----------------|---------------------|----------|-----|--------|---------------------|---|-----|
| Photos | cut-Polar-176-ED-2001 | Polar | 176 ED | 2001 | 176 | | | Complete Cutting Line Equipped With: Colour Display TFT 10,4" Monitor, Programmable, 198 Programs Memory, Chrome Air Table, Side Air Tables, Light Barriers, Polar Lift, Polar Jogger, Polar Transomat, Polar Unloader, Books And Tools | ASK |
| Photos | cut-Polar-115-E-1998 | Polar | 115 E | 1998 | 115 | | 6831502 | Chromed Air Bed, Light Barriers, Programmable, Colour Display, Side Air Tables, Complete with Standard Accessories | ASK |
| Photos | cut-Polar-115-CE-1974 | Polar | 115 CE | 1974 | 115 | | 4461450 | Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-92-X-7711520 | Polar | 92 X | 2007 | 92 | | 7711520 | Chromed Air Table, Light Barriers, Programmable, Colour Display, Side Air Tables, Complete with Standard Accessories | ASK |
| Photos | cut-Polar-107-EL-A | Polar | 107 EL | | 107 | | | Side Tables, Air Table, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-90-EL-71-0523 | Polar | 90 EL | 1971 | 90 | | 71/0523 | Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-90-ST-1969 | Polar | 90 ST | 1969 | 90 | | 3/69/0938 | Side Tables, Light Barriers, Standard Accessories | ASK |
| Photos | cut-Polar-82-EL-1967 | Polar | 82 EL | 1967 | 82 | | 67/0523 | Side Tables, Standard Accessories | ASK |
| Photos | cut-Polar-71-717 | Polar | 71 | | 71 | | | Scale Programme, Knife Changing Tools, 2 Spare Knives, Standard Accessoires | ASK |
| Photos | cut-Schneider-Senator-115H-S-Line-200 | Schneider | Senator 115H S-Line | 2000 | 115 | | M-115H-010-09/20-00 | Digital Programs TSC, Colour Display, Chromed Air Table, Chromed Side Air Tables, Light Barriers, Standard Accessories | ASK |
| Photos | cut-Schneider-Senator-78-24 | Schneider | Senator 78 E-Line | 2002 | 78 | | | Side Tables, Light Barriers, Chromed Air Table, Program, Standard Accessories | ASK |
| Photos | cut-Schneider-PS-650-1965 | Schneider | PS 650 | 1965 | 65 | | 2074 | Plate Bending Machine Schneider PS 650, Heavy Standing Model, Working Width 650 mm, Attached Hand Lever Shears, Cutting Width Approx. 150 mm | ASK |
| Photos | cut-wohlenberg-115-MCS-TV-Yi | Wohlenberg | 115 MCS-TV | ca. 1992 | 115 | | 3139-037 | Programs, Colour Display, Air Table, Side Air Tables, Light Barriers, Hydraulic Clamp, Standard Accessories | ASK |
| Photos | cut-Wohlenberg-92 | Wohlenberg | 92 | 2003 | 92 | | 3857-006 | Chromed Air Table, Programs, Side Tables, Light Barriers, Colour Display, Standard Accessories | ASK |
| Photos | cut-wohlenberg-76-2000 | Wohlenberg | 76 | 2000 | 76 | | 3776-005 | Chromed Air Table, Programs, Air Side Tables, Light Barriers, Colour Display, Standard Accessories | ASK |
| Accessories Cutting Machines | | | | | | | | | |
| Jogger | | | | | | | | | |
| Photos | cut-Baumann-BSB3-L-211163 | Baumann | BSB 3 L | ca. 2001 | | Jogger | 211163 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-Baumann-BSB2-L | Baumann | BSB 2L | ca. 2004 | | Jogger | 211.645 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-Gerhard-Zöll-701-6271889 | Gerhard Zöll | 701 | | | Jogger | 6271889 | Jogger | ASK |
| Photos | cut-Heinz-Steffens | Heinz Steffens | | | | Jogger | | Jogger | ASK |
| Photos | cut-Perfecta-SAB 105A-7162 | Perfecta | SAB 105A | ca. 1989 | | Jogger | 7162 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-accessories-Jogger, PolarRAB5 | Polar | RAB5 | ca. 1992 | | Jogger | | Jogger With Air Removal Pressing Roll | ASK |
| Photos | jog-polar-rab5 | Polar | RAB5 | 1993 | | Jogger | 6381237 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-polar-rb2 | Polar | RB2 | 1995 | | Jogger | 6581158 | Paper Jogger | ASK |
| Photos | cut-polar-rb2-1991 | Polar | RB2 | 1991 | | Jogger | 6181525 | Paper Jogger | ASK |
| Photos | cut-Polar-RAL6-5781095 | Polar | RAL6 | 1987 | | Jogger | 5781095 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-polar-jogger-rab2-1994 | Polar | RAB2 | 1994 | | Jogger | 6481340 | Jogger With Air Removal Pressing Roll and Bizerba MCI-Z Weighting Device | ASK |
| Lift | | | | | | | | | |

| | | | | | | | | | |
|---|-------------------------------------|----------------------|---------------------------|----------|--------------------|-------------------------|----------|---|---------------------|
| Photos | pile-Lift-Ewert-Butler-1200-1994 | Ewert Butler | 1200 | 1994 | | Lift | 2906 910 | Capacity: 1200 KG, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 390 KG, Lifting Height: 1000mm, Operating Pressur: 850 N/cm2 | ASK |
| Photos | pile-Lift-Ewert-Butler-1200-2906821 | Ewert Butler | 1200 | 1992 | | Lift | 2906821 | Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V | ASK |
| Photos | cut-Hunkeler-PF | Hunkeler | | | | Lift | | | Palletlift ASK |
| Photos | cut-Hunkeler-PF-2 | Hunkeler | | | | Lift | | | Palletlift ASK |
| Photos | cut-Hunkeler-106 | Hunkeler | | ca. 1986 | | Lift | 106 | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1000-3 | Hunkeler | AS1000 | ca. 1994 | | Lift | | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1004-13940 | Hunkeler | AS1004 | ca. 1991 | | Lift | 13940 | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1000-90-AS59 | Hunkeler | AS1000 | ca. 1990 | | Lift | 90-AS59 | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1000-2 | Hunkeler | AS1000 | ca. 1988 | | Lift | | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1000-85AS031 | Hunkeler | AS1000 | ca. 1985 | | Lift | 85AS031 | | Palletlift ASK |
| Photos | cut-Hunkeler-AS1000-85AS019 | Hunkeler | AS1000 | ca. 1985 | | Lift | 85AS019 | | Palletlift ASK |
| Photos | cut-Hunkeler-AB1000-56A8037 | Hunkeler | AB1000 | ca. 1982 | | Lift | 56A8037 | | Palletlift ASK |
| Photos | cut-Lechner-G900K-B-1729 | Lechner | G900K/B | 1986 | | Lift | 1729 | | Palletlift ASK |
| Photos | cut-Lechner-G900B-1985 | Lechner | G900B | 1985 | | Lift | 1709 | | Palletlift ASK |
| Photos | cut-Lechner-G900K-1336 | Lechner | G900K | 1978 | | Lift | 1336 | | Palletlift ASK |
| Photos | cut-Lechner-G900K-B-1275 | Lechner | G900K/B | 1978 | | Lift | 1275 | | Palletlift ASK |
| Photos | cut-Lechner-G900S-832 | Lechner | G900S | 1973 | | Lift | 832 | | Palletlift ASK |
| Photos | cut-Lechner-G900S-831 | Lechner | G900S | 1973 | | Lift | 831 | | Palletlift ASK |
| Photos | cut-Polar-BFA1000-W-3-6276025 | Polar | BFA 1000-W-3 | 1992 | | Lift | 6276025 | Paper Palletlift, Overhead Control Panel | ASK |
| Photos | cut-Polar-L600-3-EV | Polar | L600-3 EV | 1987 | | Lift | 5772408 | | Paperlift ASK |
| Photos | lift-Polar-L600-G3-1996 | Polar | L600-G-3 | 1996 | | Lift | 6672506 | | Paperlift ASK |
| Photos | acc-cut-Polar-LL600/3-1987 | Polar | LL 600/3 | 1987 | | Lift | 5772023 | | Paper Pile Lift ASK |
| Pile Turner | | | | | | | | | |
| Photos | pile-turn-Albo | Albo | Paper System 1000 | | | Pile Turner | | | Pile Turner ASK |
| Photos | pile-turn-Baumann-BSW3-900-1989 | Baumann | BSW3-900 | 1989 | 800x1200 | Pile Turner | 800024 | Opening Width Max. 1400mm, Opening Width Min. 630mm | ASK |
| Photos | pile-turn-Busch-SE-125 | Busch | SE 125 | 2008 | 800x1200 | Pile Turner | 110/1629 | Sheet Max. Format: 800x1200mm, Stack Heights Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG | ASK |
| Photos | pile-turn-Busch-SWH-125 | Busch | SWH 125 | 1999 | 80x120 | Pile Turner | 407/846 | Sheet Max. Format: 800x1200mm, Stack Height Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG | ASK |
| Photos | pile-turn-Meyer-1000-1992 | Meyer | 1000 | 1992 | | Pile Turner | 007 | Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW | ASK |
| Photos | pile-turn-Thando-101-1993 | Thando | 101 (Riensch & Held 1000) | 1993 | | Pile Turner | 1459 | Serial: 14, Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW | ASK |
| Transomat | | | | | | | | | |
| Side Tables | | | | | | | | | |
| Photos | cut-Perfecta-Seitentische | Perfecta Side Tables | | | 3 Pieces available | Side Tables for Cutting | | | Side Tables ASK |
| Cylinders/Platens (letter Press) | | | | | | | | | |
| Photos | cyl-HD-SBB-1979-Grey | Heidelberg | SBB | 1979 | 56x82 | Cylinder | | Standard Accessories | ASK |
| Photos | cyl-HD-SGS-1976 | Heidelberg | SGS | 1976 | 72x104 | Cylinder | 38829 | Power: 14kW, Speed: max 3600 c/h, Sheet Counter, 2 Chases, Cylinder Jacket, Standard Accessories | ASK |

| | | | | | | | | | |
|---------------------------------|--------------------------------|------------------|--------------------------------------|----------|-------|--------------|----------|--|-----|
| Photos | cyl-HD-S-Cyl-fr | Heidelberg | S Cylinder | 1958 | 54x72 | Cylinder | 12684 | Standard Dampening | ASK |
| Photos | cyl-Adast-Gr-GPE-1984-38 | Adast Grafopress | GPE | ca. 1984 | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-Adast-Grafopress-ca-1984 | Adast Grafopress | GPE | ca. 1984 | 26x38 | Platen | 65807 | Standard Accessories | ASK |
| Photos | cyl-Adast-Grafopress-GPE-60469 | Adast Grafopress | GPE | 1982 | 26x38 | Platen | 60469 | Standard Accessories | ASK |
| Photos | plat-HD-GT-Platen-1969 | Heidelberg | GT Tiegel A3 | 1969 | 34x46 | Platen | GT65177N | Standard Accessories | ASK |
| Photos | plat-HD-GT-Tiegel-A3-63660N | Heidelberg | GT Tiegel A3 | 1966 | 34x46 | Platen | 63660N | Standard Accessories | ASK |
| Photos | plat-HD-GT-Tiegel-1962-61120N | Heidelberg | GT Tiegel A3 | 1962 | 34x46 | Platen | 61120N | Standard Accessories | ASK |
| Photos | plat-HD-GT-Tiegel-DE-18 | Heidelberg | GT Tiegel A3 | | 34x46 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1954 | Heidelberg | Tiegel A3 | 1954 | 34x46 | Platen | 54587N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-T193126N | Heidelberg | TP Tiegel A4 | 1980 | 26x38 | Platen | T193126N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1980 | Heidelberg | Tiegel A4 | 1980 | 26x38 | Platen | T192818N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1975 | Heidelberg | Tiegel A4 | 1975 | 26x38 | Platen | T188401E | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1974 | Heidelberg | Tiegel A4 | 1974 | 26x38 | Platen | T185819E | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1971 | Heidelberg | Tiegel A4 | 1971 | 26x38 | Platen | 179442N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1967 | Heidelberg | Tiegel A4 | 1967 | 26x38 | Platen | T160654N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-123054N | Heidelberg | Tiegel A4 | 1959 | 26x38 | Platen | 123054N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-spic | Heidelberg | Tiegel A4 | 1958 | 26x38 | Platen | 121361N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-120548N | Heidelberg | Tiegel A4 | 1958 | 26x38 | Platen | 120548N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-116513N | Heidelberg | Tiegel A4 | 1957 | 26x38 | Platen | 116513N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-116130N | Heidelberg | Tiegel A4 | 1957 | 26x38 | Platen | 116130N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-111549N | Heidelberg | Tiegel A4 | 1956 | 26x38 | Platen | 111549N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-111006N | Heidelberg | Tiegel A4 | 1956 | 26x38 | Platen | 111006N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-46148N | Heidelberg | Tiegel A4 | 1953 | 26x38 | Platen | 46148N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-42286N | Heidelberg | Tiegel A4 | 1952 | 26x38 | Platen | 42286N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-30837 | Heidelberg | Tiegel A4 | 1950 | 26x38 | Platen | 30837 | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-föhl1 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-föhl2 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-DE-24 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-NN | Heidelberg | Tiegel A4 | 1956 | 26x38 | Platen | 110735 | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-PT | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Hot Stamping / Embossing | | | | | | | | | |
| Photos | hot-stamp-Baier-Geba-9-A | Baier | Geba 9/A | | 15x23 | Hot Stamping | 80415 | Semi-Auto Baier Geba 9/A Hot Stamping Machine, 220/380 Volts, 10 Ampere, Embossing Pressure: 4 Tons, Stamping Surface 150x230mm, With Motor Driven Foil Feeding Device | ASK |
| Photos | hot-stamp-Baier-s | Baier | | | | Hot Stamping | | Hot Stamping Machine | ASK |
| Photos | cyl-HD-SBD-1970-35806 | Heidelberg | SBD Cylinder with Steuer Hotstamping | 1970 | 64x90 | Hot Stamping | 35806 | Cylinder with Steuer Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication | ASK |

| | | | | | | | | | |
|---------------------------------------|-----------------------------------|-------------------------------|--------------------------------|----------|---------|---------------------|------------|---|-----|
| Photos | cyl-HD-s-cylinder-10692 | Heidelberg | S Cylinder | 1957 | 54x72 | Hot Stamping | 10692 | Cylinder with Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication | ASK |
| Photos | hot-stamp-HD-Platen-1965 | Heidelberg | A3 GTP Platen with Hotstamping | 1965 | 34x46 | Hot Stamping | 63175 | A3 Platen with Hot Stamping | ASK |
| Photos | hot-stamp-HD-Platen-1970-175805N | Heidelberg | A4 Platen with Hotstamping | 1970 | 26x38 | Hot Stamping | 175805N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-HD-Platen-1969-T170370N | Heidelberg | A4 Platen with Hotstamping | 1969 | 26x38 | Hot Stamping | T170370N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-HD-Platen-1968-T167848N | Heidelberg | A4 Platen with Hotstamping | 1968 | 26x38 | Hot Stamping | T167848N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-HD-Platen-1961-T134532N | Heidelberg | A4 Platen with Hotstamping | 1961 | 26x38 | Hot Stamping | T134532N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-RBZ-P350x240 | RBZ Ratio-Betrieb der Zentrag | POMA P350x240 | ca. 1984 | 35x24 | Hot Stamping | 30895 | Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit | ASK |
| Photos | hot-stamp-Krause-Yi | Karl Krause | | | | Hot Stamping | 114779 | Hand Driven Embossing Hot Stamping Machine With Heading Sliding Table | ASK |
| Photos | hot-stamp-Schmedt-DE-2424 | Schmedt | Prägnant | | | Hot Stamping | | Hot Stamping | ASK |
| Accessories for Goldpunch | | | | | | | | | |
| Carton & Packaging | | | | | | | | | |
| Window Patcher | | | | | | | | | |
| Folder Gluer | | | | | | | | | |
| Photos | folglu-Jagenberg-Diana-125-3-2002 | Jagenberg | Diana 125-3 | 2002 | 110x125 | Folder Gluer | 1010031127 | With Jagfeed and Jackpack 40-2 Delivery | ASK |
| Photos | folglu-Jagenberg-Diana-90-1-1989 | Jagenberg | Diana 90-1 | 1989 | 75x91,5 | Folder Gluer | 1.044.816 | Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories, With JackPack Delivery Unit | ASK |
| Photos | folglu-Jagenberg-Diana-90-1-1984 | Jagenberg | Diana 90-1 | 1984 | 75x91,5 | Folder Gluer | 1.044.262 | Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories | ASK |
| Photos | folglu-PLVega | Vega | Folder Gluer | | | Folder Gluer | | | ASK |
| Kartonage | | | | | | | | | |
| Diff. Book Production Machines | | | | | | | | | |
| Photos | diff-Bobst-ER-1650 | Bobst | ER 1650 | 1960 | | Rotary Board Cutter | 13492 | Serie No. 66605/60, Format: Max 1650x1200cm, Min: 200mm, Capacity: 3600 Sheets/Hour, Rotary Board Cutter | ASK |
| Photos | diff-mansfeld-85625 | Mansfeld | Rotary Board Cutter | | 150 | Rotary Board Cutter | 85625 | Rotary Board Cutter | ASK |
| Photos | diff-Rotary-Board-Cutter-140 | Rotary Board Cutter | | | 140 | Rotary Board Cutter | | Rotary Board Cutter | ASK |

| | | | | | | | | | |
|------------------------|--|---------------------|-----------------------------------|----------|---------|---|------------|--|-----|
| Photos | diff-bpm-Bobst-ER | Bobst | ER 1300 | ca. 1962 | | Corrugated sheet slotting machine (Rotations-Schlitz und Stanzmaschine) | 12062 | Corrugated sheet slotting machine (Rotations Schlitz- und Stanzmaschine, Stärke der Pappe: 0,5 – 4 mm, Stärke der Wellpappe: 3–7 mm, Leistung (Geschwindigkeit): bis 3600 einzelne Zuschnitte pro Stunde, Schlitz- und Heftrand werden beiseitig in einem Durchgang ausgeführt, Böden oder Deckel können in einem Arbeitsgang einzeln, und mit Zentralo-schnitt doppelt, hergestellt werden, Bei zusätzlicher Lieferung einer Schneide- und Riilvorrichtung kann Wellpappe in einem Arbeitsgang gestanzt, geschlitzt und in einer Richtung gerillt und beschnitten werden, Automatische Abfall-Auswerfvorrichtung, Serie 5301, Max: 1300x1200mm, Min: 250mm, 3600/Hours) | ASK |
| Photos | diff-bpm-bobst-2-side-rill | Bobst | Standard 1300 | 1960 | | 2 Side Rotary creasing and slotting Machine | 13612 | 2 Side Rotary creasing and slotting Machine, serie 69175/60, Max: 1300mm, Min: 135x80mm, 100m./minute | ASK |
| Photos | diff-bpm-bobst-Standard-serie-5310 | Bobst | Standard 1300 | ca. 1961 | | 2 Side Rotary creasing and slotting Machine | 12072 | (serie 5310) 2 Side Rotary creasing and slotting Machine, Max: 1300mm, Min: 135x80mm, 100m./minute | ASK |
| Photos | diff-CCCP-Slitter/Rewinder-2836 | CCCP | Russian | 1975 | | Slitter / Rewinder Reel To Reel | 2836 | Slitter/Rewinder Reel To Reel | ASK |
| Photos | diff-Graphic-Wizard | Graphic Wizard | | | | Numbering machine | | Numbering machine | ASK |
| Photos | diff-Book-Block-Rounder-Fomm-FBR-67 | Fomm | FBR 67 | 1964 | | Case Straightening Machine | 39868 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-Knut-1030-56-1 | Knut | 1030/56/1 | 2001 | | Case Straightening Machine | 2293 | 380 Volts, 50Hz, 3 Phase, Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-bpm-Prakma-GI-162021 | Prakma | GI | ca. 1973 | | Case Straightening Machine | 162021 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-Tiflex-S.A.-T240GM-1989 | Tiflex S.A. | T240GM | 1989 | | Case Straightening Machine | 789 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-bpm-K-Tränklein-1413-66-4 | Karl Tränklein | | ca. 1971 | | Case Straightening Machine | 1413/66/4 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-Karl-Tränklein-Yi | Karl Tränklein | | | | Diff. Book Production Machines | | Universal Cutter, Index Cutter | ASK |
| Photos | diff-KECK-SK-11-Yi | KECK | SK 11 | 1990 | 700x800 | Diff. Book Production Machines | 839 | Box Gluing Machine, Format: Max. 700x800mm, Min. 80x100mm, Counter, Equipped With Bühnen 6040 Gluing | ASK |
| Photos | diff-bpm-Finger-Hole | Finger Hole | Machine | | | Diff. Book Production Machines | 31650 | | ASK |
| Photos | diff-Reece-BKR-Repress-1965 | Reece | Folding Machine, Model BKR Repres | 1965 | | Straightening-Pressing Machine under Steam | | Straightening-Pressing Machine under Steam Pressure, Heater Watts: 4800, Volts 220, Phase 1 | ASK |
| Photos | diff-bpm-Karl-Krause-207369 | Karl Krause Leipzig | | | | Rise and Fall Die cutting machine | 207369 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-bpm-Krause-Biagosch-Y50-12EM58 | Krause Biagosch | Y50-12EM58 | 1958 | | Rise and Fall Die cutting machine | 308701 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-bpm-Krause-Biagosch-YFM120-20Z-58 | Krause Biagosch | YFM120-20Z-58 | 1958 | | Rise and Fall Die cutting machine | 308522 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-unknown-rise-and-fall | Unknown | Rise and Fall Die Cutting Machine | | | Rise and Fall Die Cutting Machine | 8-80-10555 | Rise and Fall Die Cutting Machine | ASK |
| Photos | diff-Krause-1-Yi | Krause Biagosch | J108Cn/61 | 1961 | | Diff. Book Production | 311777 | | ASK |
| Photos | diff-Krause-2-Yi | Krause Biagosch | J108 HN/63 | 1963 | | Diff. Book Production | 313520 | | ASK |
| Photos | diff-bpm-Krause-306874 | Krause Biagosch | U 135 Y/56 | 1956 | | Creasing Machine | 306874 | Creasing Machine | ASK |
| Photos | diff-Krause-Biagosch-J130R-60-Yi | Krause-Biagosch | J130R/60 | | | Diff. Book Production | 310862 | | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|------------------------------|------------------|----------|---------|--|--------|--|-----|
| Photos | diff-Krause-Biagosch-Y-50-12-EM-2 | Krause-Biagosch | Y 50-12-EM/2 | | | Diff. Book Production | 311138 | Universal Cutter, Index Cutter | ASK |
| Photos | diff-Krause-J108Cn-61-Yi | Krause | | | | Diff. Book Production | | Universal Cutter, Index Cutter | ASK |
| Photos | diff-Krause-YEM120-Yi | Krause | YFM120 | | | Diff. Book Production | | Universal Cutter | ASK |
| Photos | diff-bpm-Krause | Krause | Creasing Machine | | | Creasing Machine | | Creasing Machine | ASK |
| Photos | diff-bpm-Preusse-&-Co | Preusse & Co. | Creasing Machine | ca. 1968 | | Creasing Machine | 41659 | Creasing Machine | ASK |
| Photos | diff-Creasing-Machine-NN | Creasing Machine | | | | Creasing Machine | | Creasing Machine | ASK |
| Photos | diff-mubea-kl30-44810 | Mubea | KL30 | 1977 | | | 44810 | (Stanze / Punch) | ASK |
| Photos | diff-bpm-Preusse-&-Co-38603 | Preusse & Co. | | | | Corner Cutter For Corrugated Boxes | 38603 | Corner Cutter For Corrugated Boxes | ASK |
| Photos | diff-Pressing-Unit-NN | Pressing Unit | | | | Pressing Unit | | Pressing Unit | ASK |
| Photos | diff-Punching-Numbering-machine | Punching & Numbering machine | | ca. 1970 | | Punching & Numbering machine | | Punching & Numbering machine | ASK |
| Photos | diff-Schmedt-PräKant-0603 | Schmedt | PräKant 0603 | 2002 | | Turning In Machine/Cover Edge Wrapping Machine | 887 | Hard Cover Edge Wrapping Machine, Format: Min: 150x150 mm, Max: 600x600 mm, Max. Board Thickness: 6 mm, Min.: 1,5 mm | ASK |
| Photos | diff-schmedt-PräRund | Schmedt | PräRund 1700 | 2002 | | Book Case Rounder | 559 | Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregeltem Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom) | ASK |
| Photos | diff-Schmedt-Bock-Back-Rounder | Schmedt | PräRund1700 | 2001 | | Book Case Rounder | 520 | Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregeltem Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom) | ASK |
| Photos | diff-Schmedt-PräDeck-2310-2002 | Schmedt | PräDeck 2310 | 2002 | | Hard Cover Mounting Table | 95 | Hard Cover Mounting Table | ASK |
| Photos | diff-Schmedt-PräDeck-2300-2001 | Schmedt | PräDeck 2300 | 2001 | | Hard Cover Mounting Table | 75 | Hard Cover Mounting Table | ASK |
| Photos | lam-Sirozo | Sirozo | | | | Diff. Book Production | | Diff. Book Production | ASK |
| Photos | diff-Jagenberg-Cornet | Jagenberg | Cornet | | | Diff. Book Production | | Hot Sealing Tape For Cardboard Corner Gluing | ASK |
| Photos | diff-Jagenberg-Cornet-2 | Jagenberg | Cornet | | | Diff. Book Production | | Hot Sealing Tape For Cardboard Corner Gluing | ASK |
| Die-Cutter | | | | | | | | | |
| Photos | die-cut-BobstSPO-1575EEG-574004 | Bobst | SPO 1575 EEG | ca. 1971 | 105x157 | Die Cutting | 574004 | Fully Automatic Flatbed Die-Cutter, Non-Stop Feeder, Automatic Introduction With Large Vacuum Plate, Double Sheet Cleaning Station, Platin Unit, Turn Die Cutting Frame, (Batch Delivery) Non-Stop Delivery With Belt, Cutting Force 300 TON, 4.500 Speed/H, Working With Corrugated Cardboard Of Thickness Max. 9,5 mm, Min. 0,8mm, The Machine Can Cut On Micro-Corrugated Cardboard, Jobs Quick Change Device, Working With Compact Stock Of Thickness 1 mm And Beyond, Cutting Force 350 TON, Format: Max. 1055x1575mm, Min. 400x600mm, Standard Accessories | ASK |

| | | | | | | | | | |
|------------------------|----------------------------------|------------------|---------------------------|----------|------------|-------------|--------------|--|-----|
| Photos | die-cut-Busch-B-EST-1970 | Busch | B EST | 1970 | 18x18 | Die Cutting | 4310 | Automatic Die-Cutting/Lable Punching Machine, Max. Punching Size: 180x180mm, Min. Punching Size: 20x20mm, Max. Feeding Height: 150mm, (Height of Punching Die 60/70mm), Punching Strokes 12 p/min., Machine Output 720.000 Sheets/Hour, (Insertion 1000 Sheets/80gsm), Punching Pressure 2.500 Kg | ASK |
| Photos | die-cut-Iberica-Varioplan-JR-105 | Iberica | Varioplan JR-105 | 1997 | 75x105 | Die-Cutting | 97118 | Stripping Device, Varioplan System, Mabeg Non-Stop Feeder with Pre-Loader, Non-Stop Delivery, Centerline, Elevated, Sidelay On Operator And Off-Side, Formats: Max. 750x1050mm, Min. 350x400mm, Max. Cardboard Thickness: 1,8mm, Max. Corrugated Cardboard Thickness: 3mm, Speed: 9000 Sheets/Hour | ASK |
| Photos | die-cut-Kerma-24 | Kerma | | 1971 | 70x100 | Die-Cutting | 4784/71 | Die-Cutter | ASK |
| Photos | cyl-lemm-gaby-1991 | Lemm | Gaby | 1991 | | Die-Cutting | | Capacity: 60t, Bar: 150 | ASK |
| Photos | die-cut-TMZ-Unitcutter-5001-Yi | TMZ | Unitcutter 5001 | 1982 | 64x86 | Die Cutting | C-2164 | Format: Max. 64x86cm, Min. 32x32cm, Pressure: 120 Tons, Capacity: 6000 Sheets/Hour | ASK |
| Photos | die-cut-Victoria-A3 | Victoria | | | A3 | Die-Cutting | | Brand New / Unused, With Auto Feeder | ASK |
| Photos | die-cut-Wupa-PS-4.3-Flatbed | Wupa | PS 4.3 Flatbed Die Cutter | | 80x112 | Die-Cutting | | Mabeg Non-Stop Feeder, Stripping Device, 100-2000 g/m2, Max. 6500 Strokes Per Hour, 320 Tons Cutting Pressure, Format: Max. 800x1120mm, Min. 500x360mm, Standard Accessories | ASK |
| Perfect Binders | | | | | | | | | |
| Photos | p-bin-Bourg-BBF-2005-2 | Bourg (CP Bourg) | BBF 2005 | ca. 1996 | | 1 Clamp | 11949039 | 1 Clamp Perfect Binder, Delivery Belt | ASK |
| Photos | p-bin-Bourg-BBF-2005 | Bourg (CP Bourg) | BBF 2005 | ca. 1993 | | 1 Clamp | | 1 Clamp Perfect Binder, Delivery Belt | ASK |
| Photos | p-bin-HD-Eurobind-EB-600 | Heidelberg | Eurobind EB-600 | 2008 | 440x320x50 | 1 Clamp | FM DDA000062 | 1 Clamp Perfect Binder For Hotmelt Adhesive, Glue Vapor Extraction, Flaps And Creasing Tools, Envelope Double Sheet Control, Touch Screen With Simple Setting Via Icons, Preheating Timer, For Spine And Side Gluing, Copy Counter, Error Analysis, Etc., Pneumatic Opening And Closing Pliers, Automatic Adjustment Of Nipper Opening According To Block Thickness, Side Gluing Disc According To Block Thickness, Back Creasing According To Block Thickness, Creasing Depth, Positioning Of The Rear Envelope Guide Rail According To The Envelope Width, Adjustable Milling Depth 0-3mm, Backworking Station With A Combination Tool With Dust Cutters, Height Adjustable Notching Knife And Ring Brush, Hotmelt Adhesive Basin With Two Application Rollers And Glue Squeegee And Integrated Side Gluing Unit With Slanted Discs (Production Possible Without Side Glue), Cover feeder With Integrated Double Creasing Unit (Decorative Creasing Possible), Automatic Envelope Pressing, Belt Delivery With Single Compartment Stacker, Speed: 600 Cycles, Book Block Height: 120mm-440mm, Book Block Width: 120mm-320mm, Book Block Thickness: 2mm-50mm, Grammages: 60-170g/m2, Cover Width: 242mm-710mm, Cover Height: 120mm-440mm, Cover Grammage: 120mm-30 g/m2, Milling Depth : 0-3mm) | ASK |

| | | | | | | | | | |
|------------------------|----------------------------|---------|--------|----------|--|----------|--------|--|-----|
| Photos | p-bin-Horizon-BQ470-2009 | Horizon | BQ 470 | 2009 | Impressions: 356424, Format: 320x320x65 | 4 Clamps | 307023 | Fully Automated 4 Clamps Perfect Binder With PUR Gluing Unit from SM Klebetechnik GX2311, AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1350 Cycles/Hour, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories | ASK |
| Photos | p-bin-Horizon-BQ470-MU-PUR | Horizon | BQ 470 | | Impressions: 3894653, Format: 320x320x65 | 4 Clamps | 322007 | Fully Automated 4 Clamps Perfect Binder With PUR Gluing Unit & EVA Gluing Unit, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1350 Cycles/Hour, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories | ASK |
| Photos | p-bin-Horizon-BQ-270 | Horizon | BQ 270 | ca. 2007 | 320x320x50 | 1 Clamp | 349003 | Max. Book Size: 320x320mm, Min. Book Size: 135x105mm, Book Thickness 1 to 50mm, Max Production Speed 500 Cycles/Hour (About 300 Books) | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------|----------------|---------------------------|----------|---|----------|----------------------|--|-----|
| Photos | p-bin-Horizon-BQ 270-C | Horizon | BQ 270-C | ca. 2009 | Impressions: 12761 Books, Format: 320x320x50 | 1 Clamp | | 1-Clamp Automated Perfect Binder, Format: Sheet Size: Max. 320x320mm, Min. 148x105, Format: Cover Size: Max. 660x320mm, Min. 230x135mm, Book Thickness: 1 to 50mm, Cover Weight Range: 80-300 g/m ² , Cover Pile Height: Max. 70mm, Max. Production Speed: 500 Cycles/Hour (About 300-400 Books/Hour), Color Touchscreen Control Display Panel, 200 Memories For Repeat Orders Saveable Jobs, Double And Miss Detection, 1 Carriage Clamp Automatically Adjusted To The Input Book Thickness, Automatic Book Thickness Caliper, Milling And Roughening Station, Adjustable Milling Depth From 0mm To 3mm, Glue Tank With Dual Application Rollers And Side Gluing Roller (Adjustable Amount Of Glue And Glue Lenght Through The Color Touchscreen, Spine Gluing, Side Gluing, Nipping Station, Suction Drum Cover Feeder, 4x Cover Scoring/Creasing, PUR Gluing System SM Klebetechnik, Typ: AN 533604, AGE: 2009, Serial No. 09083899, ALKO Dust Extraction, Delivery To A Vertical Stacker Below The Book Loading Station, Power: 400V/50Hz - 2,7kW, Standard Accessories | ASK |
| Photos | p-bin-horzion-bq-260-087211 | Horizon | BQ 260 | ca. 2001 | 650x320x40 | 1 Clamp | O87211 | 1 Clamp Perfect Binder, Hot Melt Glue, Side Gluing System, Milling Station, Automatic Cover Feeder, Delivery, Binding Thickness 1-40mm, Book Spine Lenght Max. 320mm, Min. 75mm, Cover Max: 650x320mm, Speed With Milling Max. 540 Books/Hour, Dust Exhaust | ASK |
| Photos | p-bin-horzion-bq-260-s | Horizon | BQ 260 | ca. 2001 | 650x320x40 | 1 Clamp | | 1 Clamp Perfect Binder, Hot Melt Glue, Side Gluing System, Milling Station, Automatic Cover Feeder, Delivery, Binding Thickness 1-40mm, Book Spine Lenght Max. 320mm, Min. 75mm, Cover Max: 650x320mm | ASK |
| Photos | p-bin-MM-Amigo-1580 | Müller Martini | Amigo 1580 | 2003 | 400x270x40 | 4 Clamps | NN15628/FE74211 3 | 4 Clamps Hotmelt Rotary Binder, Hand Feed Position, Spine Preparation, Spine Gluing Unit, Side Gluing Unit, Pile Cover Feeder with 4 Line Scoring, Cover Nipping & Pressing Unit, Delivery, Format: Book Height: 120 to 400mm, Book Width: 95 to 270mm, Book Thickness: 3 to 40mm, Cover Width: 193 to 580mm, Speed: 1500 Books/Hour | ASK |
| Photos | p-bin-Müller-Martini3020 | Müller Martini | 3020 | ca. 1989 | 400x270x40 | 5 Clamps | 9 30870 A398 | Cover Size: Max. 610x410mm, Format: Max. 400x270x40mm, Min. 120x100x3mm, Thickness: 3mm to 40mm, Speed: Max. 3.000 Cycles/Hour, 900-2500 Books/Hours, Cover Feeder With Scoring, Milling And Roughening Station, Hot-Melt Spine Gluing Unit, Hot-Melt Side Gluing Unit, Delivery | ASK |
| Photos | p-bin-Planax-FII | Planatol | Planax Perfect Binder FII | ca. 2011 | 380x350x36 | 1 Clamp | 74074 | Cold Glue Perfect Binder, Format: Lenght Max. 380mm, Height Max. 350mm, Thickness Max. 36mm, Capacity: Ca. 170-220 Books/Hour, Slot Capacity Up To 0,8mm Deep And Up To 36mm Block Thickness, Milling Performance: (Continuously Adjustabel) from 0 To 1,8mm Depth, Up To Approx. 25mm Block Thickness, Paper Dust Extraction | ASK |

| | | | | | | | | | |
|----------------------------|---------------------------------|--------|--------|----------|------------|---------------|--------|--|-----|
| Photos | p-bin-Sulby-1250-3-Clamps | Sulby | 1250 | 1995 | 432x290x45 | 3 Clamps | | 3 Clamps Perfect Binder, Auto Cover Feeder With Scoring (Suction), Hot Spine Gluing & Milling & Notching Unit, Speed: Up To 1250 Books Per Hour, Book Block Format: Max. 432x290, Min. 125x105mm, Binding Thickness: 3 to 45mm, Conveyor Delivery | ASK |
| Photos | p-bin-Sulby-MKIII-Lu | Sulby | MKIII | ca. 1996 | 432x285x45 | 1 Clamp | D12409 | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/Hour | ASK |
| Photos | p-bin-sulby-mkII-ca.1989 | Sulby | MKII | ca. 1989 | 432x285x45 | 1 Clamp | B11015 | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/Hour | ASK |
| Photos | p-bin-sulby-mkII-1988-sul | Sulby | MKII | ca. 1988 | 432x285x45 | 1 Clamp | B9202 | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/Hour | ASK |
| Perfect Bindingline | | | | | | | | | |
| Photos | perf-bin-line-Kolbus-KM473-2006 | Kolbus | KM 473 | 2006 | 460x320x70 | 59 Mio. Books | 726 | Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 804, AGE: 2006, Basic Frame with 21 Gathering Stations, 20 Standard Feeders, 1 Hand Feeding Station, Book Block Feeder, ZA 800 Stacker Delivery, AGE: 2006, Kolbus VA 422 End Sheet Unit, AGE: 2006, Air Center Becker CS ZU804/01 Vacuum Unit, AGE: 2006, Reject Unit AS 841 To The Right, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder. Perfect Binder: Kolbus KM 473, AGE: 2006, 32 Clamps, Hand Feeding, Co-Pilot System Monitor, Main Milling Station, Equalized Milling Station, Notching Station, Micro-Notching Station, Brushing Station With Roller Brush, 2 x Pre-Melters LH 370, AGE: 2006, Nordson PUR Spine Gluing System, Hotmelt Spine Gluing Unit, Hotmelt Side Gluing Unit, Gauzing/Lining Station, IR Heating At Curve, Scoring Station For 4 Scores, 2 Pressing/Nipping Stations, Stream Cover Feeder SAL 411.A With Shingle Conveyor, AGE: 2006, Gripper Carriage Delivery, Lay Down Device And Reject Station, Transport And Drying Line, Capacity: Max. 8.000 Cycles/Hour, Formats: Max. 383x320x70mm, Max. 460x190x70mm, Min. 105x100x3mm. Three Knife Trimmer: Kolbus HD 150.B, AGE: 2006, Co-Pilot, Right Hand In-Feed, Counter Stacker, Silicon Spraying Device, Standard Cutting Cassettes 7-18. Format: Circumcised: Max. 310x430x80mm, Min. 100x120x2mm, Uncircumcised: Max. 310x430x80mm, Capacity: Max. 6.600 Cycles/Hour, Kolbus (Rima) XRS 130 Compensating Stacker, AGE: 2005, All Belts Are Included. | ASK |

| | | | | | | | | | |
|---|---|----------------|--------------------|----------|--------------|------------------------------------|---------------|--|-----|
| Photos | perf-bin-line-Müller-Martini-Type-3016-18 | Müller Martini | 3016-18 MONOSTAR | 1998 | 420x305x60 | Perfect Binding Line | 9402359 | Müller Martini Perfect Binding Line, Equipped With: Gathering Machine: Müller Martini Type 1571, 12 Stations, Plus Hand Station, Transfer Element / Reject Gate Müller Martini 3641, Transfer Element To Binder Müller Martini 3643. Perfect Binder: Müller Martini 3016-18 (1998) M-Mo. 94.02359, MONOSTAR with 18 Clamps, Milling and Notching Station, Hot-Melt Spine and Side Gluing with Pre-Heating Tank, Stream Cover Feeder, Pressing Station, Conveyor Belts to Trimmer. Three Knife Trimmer: Müller Martini Merit 3671 (1998), Müller Martini 3631 (1998) Stacker Delivery, Mechanical Speed: 5.000 Cycles/Hour, Format: Min. 100x140mm, Max. 420x305mm, Book Thickness: Min. 3mm, Max. 60mm, Cover Width (Open): Min. 203mm, Max. 642mm. | ASK |
| Photos | perf-bin-line-MM-Panda-1997 | Müller Martini | Panda II | ca. 1997 | 268x369x40mm | Perfect Binding Line | | Formats: Minimum Book Size: 114x120mm, Maximum Book Size: 268x369mm, Minimum Book Thickness: 3mm, Maximum Book Thickness: 40mm, Mechanical Speed: 3600 Cycles/Hour, 16 Stations Müller Martini 1541 Gathering Stations With Hand Feed And Criss Cross, Spiral Raceway, Connection to Binder, 9 Clamp 1530 Binder, Cover Feeder, Milling & Roughening, Hotmelt Spine & Side Glue, Premelter, Pressing Station | ASK |
| Photos | perf-bin-line-Müller-Martini-3006-18-Starbinder | Müller Martini | 3006-18 Starbinder | ca. 1996 | 420x305x60 | Perfect Binding Line | 9907541 C005 | Müller Martini Perfect Binding Line, Equipped With: Endsheets Feeder, Perfect Binder: Müller Martini 3006-18 with Stream Cover Feeder with 18 Stations, Book Block Feeder, Hot-Melt Spine And Side Gluing With Pre-Melter, Spiral Lay Down Balance or Drying Conveyor to Trimmer. Three Knife Trimmer: Müller Martini 3670 With Cassettes for Quick Change, Stacker Delivery, Max. Size: 450x310mm, Max. Speed 6.000 Cycles/Hour, Max. Size Head/Tail: 420mm, Max. Size Spine/Front: 305mm, Production: 4.000 Books/Hour. | ASK |
| Accessories Perfect Binding Line | | | | | | | | | |
| Photos | acc-perf-bl-HD-HSB-34 | Heidelberg | HSB-34 | 2003 | | Semi Automatic Bundler/Stacker | FH.DFAA-00020 | Product No. 707826, Semi Automatic Stacking And Bundling Device, Working Width: 34cm, Min. Format: 14x8cm, Max. Format: 34x23cm, Max. Pile Length: 55cm, Pressure: 6 Bar | ASK |
| Photos | acc-perf-bl-Itra-Bedelec-2005 | Itra / Bedelec | | 2005 | 450mm | Accessories Perfect Binding Line | ORD05-233 | Powered Conveyor Belt With Pressure Guides | ASK |
| Photos | acc-perf-bl-MBO-ET-46 | MBO | ET-46 | 1988 | 460mm | Accessories Perfect Binding Line | 80880266 | Serial No. 880610822, Corner Conveyor Table ET-46, 24 Pin Control Plug, Independent Control, Height Adjustable, Running Direction Left and Right | ASK |
| Photos | acc-perf-MartiniITM | Müller Martini | ITM + KFA | ca. 1991 | | Solo Feeder with KFA Cross Folding | 73097 | Folding Machine For Papers, Layers, Automatic Feeder Type KFA, Belt Feed, Knife Folding Device For Swiss Postal Folding, Delivery, Vacuum Pump | ASK |
| Photos | acc-perf-bl-Müller-Martini-pump | Müller Martini | | ca. 1989 | | Accessories Perfect Binding Line | | Mobile Automatic Feeder with Vacuum Pump | ASK |
| Photos | acc-perf-bl-Rima-System-109216-10 | Rima System | RS-1016S | 2009 | | Stacker Delivery | 109216-10 | Compensating Stacking Delivery For Saddle Stickers, Perfect Binders Or Inserters, Products Size: Max. 12.63" x 18.50", Min. 4.00" x 6.00", Thickness Max. 1.25", Stacking Height Max. 9.25", Operating Speed: Upto 12.000/Hour, Delivery Height: 34.50" | ASK |

| | | | | | | | | | |
|--|---------------------------------------|-------------------|--------------------|----------|-------|--|--------------|---|-----|
| Photos | acc-perf-bl-Rima-System-117321-10 | Rima System | RS-11 9-1/4" | 2003 | | Stacker Delivery | 117321-10 | Compensating Stacking Delivery For Saddle Stickers, Perfect Binders Or Inserters, Products Size: Max. 12.63" x 18.50", Min. 4.00" x 6.00", Thickness Max. 1.25", Stacking Height Max. 9.25", Operating Speed: Upto 12.000/Hour, Delivery Height: 34.50" | ASK |
| Photos | acc-perf-bl-Rima-103545-10 | Rima | RS-10S 9-1/4" | ca. 1998 | | Stacker Delivery | 103545-10 | Stacking Delivery | ASK |
| Photos | acc-perf-bl-Solema-50m-Drying-Station | Solema | 50m Drying Station | 2009 | | Drying Station | | Drying Station | ASK |
| Photos | acc-perf-bl-Solema-1999 | Solema | | 1999 | | Stacker Delivery | 15034 | Stacking Delivery | ASK |
| Book Sewing Machine | | | | | | | | | |
| Photos | IshidaTF-8A-816 | Ishida | TF-8A | 1987 | 32x42 | Book Sewing Machine | 816 | Automatic Book Sewing Machine With Feeder | ASK |
| Photos | bk-sewing-Polygraph-Brehmer-381-4E | Polygraph Brehmer | 381/4E | ca. 1986 | 27x36 | Book Sewing Machine | | Semi Automatic Sewing Machine With Chain Feeder, Format: Max. 270x360mm, Min. 70x120mm | ASK |
| Photos | bk-sewing-Polygraph-Brehmer-381-4 | Polygraph Brehmer | 381/4 | ca. 1983 | 27x36 | Book Sewing Machine | | Semi Automatic Sewing Machine With Chain Feeder, Format: Max. 270x360mm, Min. 70x120mm | ASK |
| Accessories Book Sewing Machine | | | | | | | | | |
| Photos | Acc-sew-headop-38 | Headop Feeder | 38 | ca. 1991 | | Automatic Signature Feeder | 11002 | Automatic Signature Feeder | ASK |
| Photos | Acc-sew-LBW-340 | Polygraph Brehmer | LBW 340 | | | Thread Sealing Machine | 341 | Thread Sealing Machine | ASK |
| Photos | Acc-sew-Polygraph-Brehmer-301 | Polygraph Brehmer | 301 | | | Thread Sealing Machine | O1500 72/002 | Thread Sealing Machine | ASK |
| Diary Production | | | | | | | | | |
| Photos | diary-Garudan-GPS-F-6032-HS-22 | Garudan | GPS/F-6032 HS-22 | | | Diary Production / Fully Automatic Sewing Machine | 903 | Heavy Material, Sewing Area: 600x320, Max. Sewing Speed (for Stich Lenth Up to 3mm = 2500 spm, For Rotary Hook = 2300 spm, Stitch Lenght: 0,1-12,7 mm, Number of Needles: 135x17, Nm. 120-160, Lift of Presser Foot Max. 20 mm (Strock: 0-7mm), Lift of Feeding Frame: Standard 35 mm, Memory Device: USB Compatible, Unlimited No. of Stiches in Memory, Unlimited No. of Patterns in Memory, 750 W Servomotor Driving Unit, Power Supply: 1-Phase 220 V, 240 V, 50/60 Hz (Power Input 2 KW), Air Consumption 0,6 Mpa (6 Kg/cm2), Ambient Temperature 5°C - 40°C, Fully Automatic Sewing Machine | ASK |
| Photos | diary-Kiefel-1532 | Kiefel | | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 1532 | High Frequency Welding Machine With Kiefel Generator Typ 1200 Sb, Gen. HF, 4,5/7,8 A, 1,5 HF-kW, Air Cooles, ca. 4 cbm/min. | ASK |
| Photos | diary-Kiefel-KH500-2407-775 | Kiefel | KH 500 | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 2407/775 | KW 0,75, 220/380V, High Frequency Welding Machine With Körting Generator Typ Fixuy G3500 Sb, M-NO. 60 364 689, Gen. HF, 4 HF-kW, 27,12 MHz, 380V, 15,5/27A, 50 Hz, Air Cooled, 8,5 cbm/min. | ASK |
| Photos | diary-Kiefel-KH500-2407-930 | Kiefel | KH 500 | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 2407/930 | 3 KW, 380 V, High Frequency Welding Machine With Kiefel Generator Typ G3500 Sd, No. 60364861, Gen. HF, 4 HF-KW, 27.12 MHz, 380V, 15,5 A, 50 Hz, Air Cooled, 8,5 cbm/min., Weight: ca. 280 KG | ASK |
| Photos | diary-Kiefel-1153 | Körting | FP 150 B | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 6.415 305 | High Frequency Welding Machine With Körting Generator Typ Fixus G2000 Sb | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------|---|---------------|------|--|---|----------|--|-----|
| Photos | diary-Körting-FP-150 | Körting | FP 150 B | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 6415 356 | High Frequency Welding Machine With Körting Generator G2000 Sb, No. 60210544, Gen. HF, 2,3 HF-kW, 27,12 MHz, 380/220 V, 8,6/14,9 A, 50 Hz, Weight: 236 KG, Air Cooled, ca. 8,5 cbm/min. | ASK |
| Photos | diary-Milan-PM5-S | Milan | PM5/S | 2000 | | Diary Production / Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse mit Heissfolien | 100010 | Automatic Folding Press Machine With Hotstamping Option, 380V, 50 Hz, 4,5kW | ASK |
| Photos | diary-moenus-1333 | Moenus | 1333 | | | Diary Production / Schwenkarmstanze / Swing Arm Punch | 110893 | Hydraulic Swing Arm Punch for Manual Loading of Material and Tooling, Especially Suitable for Smaller Batch Sizes or Smaller Part Dimensions, Pressure Capacity: 250 KN, Punching Surface ca. 3x50cm, Swiveling Support Table ca. 45x90cm, Power: 380 Volts | ASK |
| Photos | diary-protos-709125N | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 709125N | Diary Production | ASK |
| Photos | diary-protos-709572N | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 709572N | Diary Production | ASK |
| Photos | diary-protos-1653001 | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 1653001 | Diary Production | ASK |
| Photos | diary-protos-1652-450 | Protos | 1652/450 | 1996 | | Diary Production | 283 | 380V, 700W, 3,5A, Working Width: 450mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine) | ASK |
| Photos | diary-protos-1652-1991 | Protos | 1652 | 1991 | | Diary Production | 1652257 | U: 220 V, Working Width: 420mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine) | ASK |
| Photos | diary-Saval-Mirus-TTL4-LR | Saval | Mirus TTL4-LR | | | Diary Production | 001 | Sheeter for Unwinding, Cutting and Stacking All Flexible Materials Like Thin Laminated Plastic, Woven-Non-Woven Material (Both Rugged Textile Fiber As Spanbond And Elastic Textile Fiber As Spunlacs) And Paper. Automatic Control System Each Material Roll Can be Unwinded According To An Optimal Material Tensioning. A Dragging Collet Positioned After The Cross Cut Allows To Stack On A Pallet The Sheets Automatically Without Needing Any Operator. Very Good Tolerances On Length are possible Even With Grammage Up To 20 GR/M2, Material: Plastic, Woven-Non-Woven, Paper, Grammage: From 20 GR/M2, Shear Cut Slitting System, Automatic Stacking System | ASK |
| Photos | diary-Slotting-Machine-305203 | Slotting Machine | | | | Diary Production | 305203 | Slotting Machine | ASK |
| Photos | diary-various-leather | Various Original Leather for Diaries and Covers | | | | Diary Production | | Raw Material | ASK |
| Photos | diary-Weldan-Denmark-5011-PR-TD | Weldan Denmark | 5011-PR-TD | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 04/91 | Automatic High Frequency Welding Machine With Auto Feeder, On-Line Inserter, On-Line Hot Foil Stamping, Auto On-Line Slitter, Promotional Card, Wallet & Pouch Making Machine, 1 Phase, 220+PE Volts, 91 A, Wittmann Tempo Basic C90 | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|------------------|------|------|--|---|--------|--|-----|
| Photos | diary-WSK-Fritz-Wagner-1465-1995 | WSK Fritz Wagner | 1465 | 1995 | | Diary Production / Fully Automatic Sewing Machine | 121759 | Pfaff, M-No. 3554, M-NO. 67016, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine | ASK |
| Photos | diary-WSK-Fritz-Wagner-1465-1993 | WSK Fritz Wagner | 1465 | 1993 | | Diary Production / Fully Automatic Sewing Machine | 115639 | Pfaff, M-No. 901-1081-001402, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine | ASK |
| Photos | diary-WSK-Fritz-Wagner-350-1992 | WSK Fritz Wagner | 350 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 133329 | Fully Automatic Folding Press Machine with 2 Heads, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1995 | WSK Fritz Wagner | 348 | 1995 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 103359 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1995-2 | WSK Fritz Wagner | 348 | 1995 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 103259 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1994 | WSK Fritz Wagner | 348 | 1994 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 117049 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1993 | WSK Fritz Wagner | 348 | 1993 | | Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse | 104439 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110129 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-2 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110329 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-3 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110429 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-4 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 110529 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-5 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 110229 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1991 | WSK Fritz Wagner | 348 | 1991 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 134419 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |

| | | | | | | | | | |
|--|----------------------------------|-----------------|-------------------|----------|---------|--|---------------|---|-----|
| Photos | diary-WSK | WSK | | | | Diary Production / Automatic Folding Press Machine / Umbugpresse | | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-Zehma-707650 | Zehma | 707650 | 1979 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 1042 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Pad Making Machine | | | | | | | | | |
| Three Knife Trimmer | | | | | | | | | |
| Photos | 3-t-Kolbus-HD-150A-1991-249 | Kolbus | HD 150A | 1991 | 32x42x8 | Three Knife Trimmer | 249 | Infeed Belt, Integrated Pre-Stacker, Integrated Control Panel, Security Guards, Delivery Belt, Max Untrimmed Size: 12.20" x 15.74" x 3.14", Max Trimmed Size: 11.80" x 15.27" x 3.14", Min Trimmed Size: 3.90" x 4.72" x 0,78", Max Thickness: 3.15", Max. Stacking Height: 3,14", Front Cutt-Off Width: 1,57", Head And Tail Cutt Off Width: 1,96", Capacity: 6.600 Cycles/Hour | ASK |
| Photos | 3-t-Perfecta-SDY-1 | Perfecta | SDY-1 | 1984 | 345x520 | Three Knife Trimmer | | Max Pile Height: 110 mm, Speed/Capacity: up to 25 Cuts/Minute, Semi Auto Feed, Conveyor Belt, Standard Accessories | ASK |
| Photos | 3-t-Perfecta-SDY-EZ | Perfecta | SDY-EZ1 | 1986 | 34,5x52 | Three Knife Trimmer | P425-82-00002 | Automatic Three Knife Trimmer, Standard Accessories | ASK |
| Photos | 3-t-Perfecta-D30-42-1970 | Perfecta | D30/42 | 1970 | 300x420 | Three Knife Trimmer | 38221/70 | Standard Accessories | ASK |
| Photos | 3-t-Sperr-Lechner-SL-III-M-1976 | Sperr & Lechner | SL III M | 1976 | 460x350 | Three Knife Trimmer | 159/1221 | Semi Auto Feed, Conveyor Belt, Format: Max. 460x350mm, Min. 70x50mm, Pile Height: Max. 120mm, Output: Up To 25 Cycles/Min., Standard Accessories | ASK |
| Photos | 3-t-Stahl-VBF-135-1992-H | Stahl | VBF 135 | ca. 1992 | 30x38 | Three Knife Trimmer | | Format: Max. 300x380 mm Min. 60x80 mm, Semi Auto Feed, Conveyor Belt, Standard Accessories | ASK |
| Photos | 3-t-Wohlenberg-Trim-Tec-75I | Wohlenberg | Trim-Tec 75I | 2002 | 32x42 | Three Knife Trimmer | 3815-004 | Format Max: 42x32cm, 500-4500 c/h, 9-75 c/min, Max Pile Height: 70, Standard Accessories | ASK |
| Photos | 3-t-Wohlenberg-44FS50-3282-009 | Wohlenberg | 44FS50 | ca. 1990 | 32x42 | Three Knife Trimmer | 3282-009 | Three Knife Trimmer With In-Feed, Magazine, Cutting Device, Delivery Belt | ASK |
| Accessories Three Knife Trimmer | | | | | | | | | |
| Saddle Stickers / Collators / Gathering Machines / Booklet Makers | | | | | | | | | |
| Photos | saddl-HD-Stichmaster-ST-450-2011 | Heidelberg | Stichmaster ST450 | 2011 | 32x48 | Saddlesticker | DKAO-00250 | Format: Untrimmed: Min. 85x128mm, Max. 320x480mm, Format: Trimmed: Min. 80x120mm, Max. 315x475mm, Product Thickness: Max. 12mm, Capacity: 14000 Cycles/Hour, Colour Monitor Touch Screen Control For All Functions, Automatic Format Pre-Setting, Feeders: 1 Hand Feeder, Horizontal Signature Feeders: 6x DHU 450, Vertical Signature Feeders: 2x DVU 450, Cover Feeder CHU 450, Stitching Unit ST 450 with 2 Stitching Heads 45-N14, Thickness Control, Delivery To The Left, Reject Gate For Incomplete Products, Three Knife Trimmer TR 450, With Heidelberg CHA Automatic Compensation Stacker, Delivery To The Left, Machine Condition: Excellent, Machine Was Complete Overhaultd In 2019, After That Was Very Rare Used | ASK |

| | | | | | | | | | |
|------------------------|---|----------------|---------------------|----------|-----------|---------------|----------------|---|-----|
| Photos | saddl-HD-Stichmaster-ST-400-2006 | Heidelberg | Stichmaster ST400 | 2006 | 32x48 | Saddlesticher | | Format: 6 Feeder Stations 2x DHU Feeder & 4x DVU Feeders, UFA Cover Feeder, ST400 Sticking Unit with 2 Sticking Heads, TR400 Trimmer, Delivery, Rima Stackler, Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour | ASK |
| Photos | saddl-HD-Stichmaster-ST-400-2 | Heidelberg | Stichmaster ST400 | 2003 | 32x48 | Saddlesticher | 390100 | Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Feeder Stations, 3x DVU 400 Vertical Feeder, 3x DHU 400 Feeders, 1x CHU 400 Cover Feeder, Sticking Unit ST 400 with 2 Sticking Heads, Three Knife Trimmer TR 400, Delivery | ASK |
| Photos | saddl-HD-Stichmaster-ST-400 | Heidelberg | Stichmaster ST400 | 2002 | 32x48 | Saddlesticher | O037/02 | Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 DVU Vertical Feeders, 1x Cover Feeder, ST400 Sticking Unit with 2 Sticking Heads, ST400 Three Knife Trimmer, Delivery | ASK |
| Photos | saddle-HD-Stichmaster-ST-100-6-Stations | Heidelberg | Stichmaster ST100.2 | 2009 | 30,5x34,9 | Saddlesticher | FJ.DABO-001460 | 6 Stations, Cover Feeder, ST100.2 Sticking Unit, ST100 Three Knife Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, Product Thickness Max. 1 cm, Capacity: 9000 Cycles/Hour, Standard Accessories | ASK |
| Photos | saddle-HD-Stichmaster-ST100.2-2007 | Heidelberg | Stichmaster ST100.2 | 2007 | 30,5x34,9 | Saddlesticher | FJ.DABO-001409 | 4 Stations, Cover Feeder, ST100.2 Sticking Unit, ST100 Three Knife Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, Product Thickness Max. 1 cm, Capacity: 9000 Cycles/Hour, Standard Accessories | ASK |
| Photos | saddle-HD-Stichmaster-ST100-2003 | Heidelberg | Stichmaster ST100 | 2003 | 30,5x34,9 | Saddlesticher | 311137 | 6 Stations, Cover Feeder, ST100 Sticking Unit, ST100 Three Knife Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, Product Thickness Max. 1 cm, Capacity: 9000 Cycles/Hour, Standard Accessories | ASK |
| Photos | saddl-MM-Bravo-1999 | Müller Martini | Bravo | 1999 | 32x48 | Saddlesticher | 179219 | 6 Feeder Stations, 1x Cover Feeder, Sticking Unit with 2x HK 75, Three Knife Trimmer, Delivery, M-No.103403-10, Capacity: 12000 Cycles/Hour | ASK |
| Photos | saddl-MM-Presto-2001 | Müller Martini | Presto | 2001 | 30x36 | Saddlesticher | Z0514096 | 9242 Hours, 3 Double Feeders, 1 Hand Feeder, 1 Cover Feeder 1522, Sticking Unit 1528, Three Knife Trimmer, Delivery, Format: Max. 365x305mm, Min. 148x105mm, Max. 360x300mm, Min. 140x75mm, Sticking Thickness: Max. 10mm, Capacity: 9000 Cycles/Hour, Standard Accessories | ASK |
| Photos | sad-col-Duplo-DC-1200 | Duplo | DC-1200 | ca. 1990 | | Collator | 71234288 | 12 Stations Collator | ASK |
| Photos | sad-col-Guternic AB-Typ-Plockmatic 12 | Guternic AB | Plockmatic 12 | ca. 1984 | | Collator | 120101263 | 12 Stations Collator | ASK |

| | | | | | | | | | |
|------------------------|------------------------------------|-------------------|----------------|----------|-------|----------------|------------|--|-----|
| Photos | sad-col-Horizon-VAC-100 | Horizon | VAC 100C | ca. 1999 | 35x50 | Collator | 45524 | Horizon VAC-100C, 10 Stations Collator, Technology: Touch & Work, Suction And Blowing Air Collating Tower, Error Prevention: Missing Sheet, Double Sheet And Jam Control, Job Memory: 9 Memory Locations For Repeat Jobs, Double Cycle (Non-Stop Operation), Insertion (1-Fold and 2-Fold), Booklet Programs, Block Programs, Selective Collating, Format: Max. 500x350mm, Min. 148x120mm, Paper Weight: 40-250g/sqm, Output: Up To 9500 Sets/Hour, Loading Capacity: 55mm/Station, Power: 230V, 50/60Hz - 1,86kW, Horizon PJ-77 Jogger Delivery, Machine No: 476003 | ASK |
| Photos | sad-col-Horizon-AC-8000S | Horizon | AC 8000S | ca. 1997 | 31x47 | Collator | 38006 | Air Suction Collator With 8 Stations, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jugger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/bin, Capacity: Upto 2400 Cycles/Hour, Jogger Delivery | ASK |
| Photos | sad-col-Lindaco-3025 | Lindaco | 3025 | ca. 1979 | | Collator | 3005-1592 | 12 Stations Collator | ASK |
| Photos | coll-Plockmatic-100-DocuVac | Plockmatic | 100 DocuVac | 1998 | 30x44 | Collator | 100024100 | 8 Stations Collator with Plockmatic 101 DocuStack, Capacity: Upto 1800 Brochure/Hour | ASK |
| Photos | coll-Plockmatic-60 | Plockmatic | 60 | | | Collator | 60101581 | Sticher | ASK |
| Photos | col-Theissen-Bonitz-TB-Sprint 303 | Theissen Bonitz | TB Sprint 303 | 1995 | 35x50 | Collator | | 12 Stations Collator with QS 303 Sticking Unit, Capacity: 3100 Cycles/Hour, Format: Max. 35x50cm, Min. 6,5x10cm, Grammage Upto 1000/gramm/m2, Stacking Height: Max. 300mm, Double & Missing Sheet Control | ASK |
| Photos | col-Theissen-Bonitz-TB-ECO-A308-FP | Theissen & Bonitz | TB ECO A308 FP | 2000 | 31x43 | Collator | A308FP2663 | 8 Stations Collator, Stacking Height: 5cm, Paper Thickness: 20-1000g, Format Max: 31x43cm, Format Min: 10,5x14,8cm, Capacity: 3100/Hour | ASK |
| Photos | col-TMF-N14 | TMF | N14 | 1991 | | Collator | Z-2088 | 14 Stations Collator, Delivery | ASK |
| Photos | col-TMF10 | TMF | N10 | ca. 1985 | | Collator | L1250 | 10 Stations Collator, Delivery | ASK |
| Photos | bk-let-Duplo-5000-040501222 | FKS Duplo | 5000 | ca. 2008 | 35x50 | Booklet Makers | O40501222 | 6212267, 2 x 10 Stations (20 Bins) Duplo Collator DC-10/60, M-No. 040600126/-129, Duplo Connecting Bridge, M-No. 040200317, Duplo Lifting Unit LUL-HM, M-No. 040600026, Duplo Sticking Unit With 2 Hohner Universal 43/6 Heads, Duplo DBM-500T Trimmer, M-No. 040600855, Total Cuts: 7929640, Brochure Repress Station, M-No. 00152158, Duplo Stacker System 5000 For Product Delivery, M-No. 040601504, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour | ASK |
| Photos | bk-let-Duplo-5000 | Duplo | 5000 | ca. 2006 | | Booklet Makers | | Collator section DC-10/60 (20 bins), Minimum size 120 x 148 mm, Maximum size 350 x 500 mm, Bin capacity 60 mm, Paper stock 40 - 300 gram, Speed 5.000 booklets per hour or 10.000 sets per hours, Booklet maker Duplo, DBM500 stitcher/folder + Duplo DBM600T trimmer, Stitching heads 2 x Hohner | ASK |
| Photos | bk-let-Duplo-2004-20 | Duplo | 5000/2000 | ca. 2004 | 35x50 | Booklet Makers | | 2 x 10 Stations (20 Bins) Duplo Collator 5000 10 Bins & Duplo Collator 2000 10 Bins, Duplo Connecting Bridge, Duplo Sticking & Trimming Unit, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour | ASK |

| | | | | | | | | | |
|---|-----------------------------------|----------------|-------------------|----------|-------|---------------------------|----------------|--|-----|
| Photos | bk-let-Duplo-5000-System | Duplo | 5000 System | | 35x50 | Booklet Makers | | Format: Max. 350x500mm, Min. 120x148mm, 2x 10 DC-10/60 Stations Collator (20 Bins), Duplo Bridge, Duplo Sticher & Folder, Duplo DBM-500 Trimmer, Delivery, Bin Capacity: 60mm, Paper Stock 40-300 Gram, Speed: 5.000 Booklets/Hours or 10.000 Sets Per Hour | ASK |
| Photos | bk-let-Duplo-5000-s | Duplo | 5000 System | | 35x50 | Booklet Makers | | Format: Max. 350x500mm, Min. 120x148mm, 2x 10 DC-10/60 Stations Collator (20 Bins), Duplo Bridge, Duplo Sticher & Folder, Duplo DBM-500 Trimmer, Delivery, Bin Capacity: 60mm, Paper Stock 40-300 Gram, Speed: 5.000 Booklets/Hours or 10.000 Sets Per Hour | ASK |
| Photos | bk-let-Duplo-DC-8000S | Duplo | DC-8000S | 1996 | 37x65 | Booklet Makers | 61201001 | 2 X 8 Stations (16 Bins) Collator DC8000S, SN-No.30400968 & SN-No.21001603, Sticking Unit, Duplo DC48TW Trimmer, SN-No.61201001 | ASK |
| Photos | bk-let-Barenthin-with-SPF-10II-92 | Barenthin | with SPF-10II | 1992 | | Booklet Makers | 106008 | Format: A5-A3, 30 Stations = 3x 10 Stations Barenthin GmbH Collators, with Horizon SPF-10II Sticking Unit | ASK |
| Photos | bk-let-Bourg-Collator | Bourg | BT 12/BT15 | 1998 | 35x50 | Booklet Makers | 228040054 | 12 & 15 Stations (27) Collator, AGT Sticking Unit, PAT Trimmer | ASK |
| Photos | bk-let-Horizon-AC-8000-S-42212 | Horizon | AC-8000S | 1997 | 31x47 | Booklet Makers | 42212 | Complete Booklet Maker, Exist with: 8 Stations Horizon AC 8000S Collator with Air Suction, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jagger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/b, Horizon SPF-10 Sticking And Folding Unit, Horizon FC-10 Trimmer, M-No. 12039, Delivery | ASK |
| Photos | bk-let-Horizon-Stielow-MC-8-m | Horizon | MC-8 | 1995 | 32x47 | Booklet Makers | 39035 | 24 Stations MC-8 Collators (3x8 Stations), Horizon SPF-10 Sticking & Folding Unit SPF-10, Format A5 to A3, Serial No. 39035 | ASK |
| Photos | bk-let-Horizon-MC-8a | Horizon | MC-8 | 1994 | 32x47 | Booklet Makers | 09028 | 8 Stations MC-8a Collator, M-No. 09028, Horizon SPF-10 Sticking & Folding Unit, M-No. 19021, Delivery | ASK |
| Photos | bk-let-Horizon-MC-8m | Horizon | MC-8m | ca. 1992 | 32x47 | Booklet Makers | 57018 | 32 Stations MC-8 Collators (4x8 Stations), Horizon SPF-20 Sticking & Folding Unit, M-No. 016012, Horizon FC-20 Trimmer, M-No. 016004 | ASK |
| Photos | bk-let-Horizon-MAC-80 | Horizon | MAC-80 | ca. 1993 | 31x47 | Booklet Makers | 15319 | 2 x 8 Stations (16) MAC-80 Collator, SPF-10II Sticking & Folding Unit, FC-10II Trimmer | ASK |
| Photos | bk-let-Horizon-MAC-8a-8-Stations | Horizon | MAC-8 | ca. 1992 | 31x47 | Booklet Makers | 11018 | Complete Booklet Maker, Exist with: 8 Stations Collator MAC-8a, M-No. 11018, With Horizon SPF-10 Sticking and Folding Unit, M-No. 24038 and Horizon FC-10 Trimmer, M-No. 09032, Jogging Delivery | ASK |
| Photos | bk-let-Horizon-VAC-100 | Horizon | VAC-100 | 1998 | 35x50 | Booklet Makers | 64025 | 2 x 10 Stations (20), Sticking Unit SPF-10II Sticher & Folder, Fronttrimmer FC-10II Trimmer, 40.000 Exp./hr. | ASK |
| Photos | bk-let-ricoh-75656 | Ricoh | Booklemaker SR 85 | 2000 | | Booklet Makers | 75656 | Collator | ASK |
| Accessories Saddle Stickers / Collators / Gathering Machines | | | | | | | | | |
| Photos | sad-col-Mü-Mart-6254 | Müller Martini | 6254 | 1994 | | Accessories Saddlesticher | 35366-95 | Accessories Saddlesticher | ASK |
| Photos | sad-col-Mü-Mart-338-CS-70 | Müller Martini | 338 CS-70 | 1995 | | Accessories Saddlesticher | 9701497 | Accessories Saddlesticher | ASK |
| Photos | sad-col-Mü-Mart-314 | Müller Martini | 314 | | | Accessories Saddlesticher | 99.12964/C.419 | (type 310-14) | ASK |
| Photos | sad-col-Reel-Holder | Reel Holder | | | | Reel Holder | | Reel Holder | ASK |
| Photos | sad-col-Sticking-Wires | Sticking Wires | | | | Sticking Wires | | Sticking Wires | ASK |
| Folding Machines | | | | | | | | | |
| Photos | fol-cfm-345 | CFM | 345 | ca. 1985 | 34x46 | | | Small Table Folder | ASK |
| Photos | fol-Duplex | Duplex | Folder | ca. 1978 | 35x55 | | | Small Table Folder | ASK |
| Photos | fol-Duplo-Paperfolder | Duplo | Paperfolder | | 35x55 | | | Paperfolder | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|------------------------|------------------------|----------|-----------|--|-------------------------------|--|-----|
| Photos | fol-GUK-FA49/4-1991 | GUK | FA 49/4 | 1991 | 49x66 | | 30477 | Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-GUK-FA72-4-37587 | GUK | FA 72/4 STAT 1, F4 | 1997 | 72x102 | | 37587 | Flatpile Feeder, 4 Pockets, 4 Pockets, 2 Pockets, Delivery | ASK |
| Photos | fol-GUK-K49/4-FE | GUK | K 49/ 4 FE | 1987 | 49x66 | | 24340 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-GUK-K-52-4-1994-s | GUK | K 52/4 KTL- F 4 | 1994 | 52x72 | | | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-Guk-K49-4-FE-1986 | GUK | K49/4-FE | 1986 | 49x66 | | 23925 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-guk-jen-hu | GUK | K72-4-KTL-F4 | 1997 | 72x102 | | 24478 | Flatpile Feeder, 4 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-GUK-K72-6KL-F4-1998 | GUK | K72/6KL-F4 | 1998 | 72x102 | | 39071 | Flatpile Feeder, 6 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-HD-Quickfolder-T34B-2-P-4 | Heidelberg | Quickfolder T34B-2-P-4 | ca. 2001 | 35,5x50,8 | | | Format: Max. 35,5x50,8cm, Min. 7,6x12,7cm, Fold Length: 5,1 - 34,3cm, Folding Speed: 180 M/Min., Paper Weight Up to 170 Grams Paper, With Display And Program For Automatic Settings, Suction Drum With Double Sheet Control And Front Blowers For Sheet Separation, Anti-Noise Hood, Counter, Delivery | ASK |
| Photos | fol-HD-Stahlfolder-KD-94-2001 | Heidelberg Stahlfolder | KD 94/4KL | 2001 | 94x118 | | 704914/01-302164 | Roundpile Feeder, 4 Pockets, 2 Knives, SB-46 MP.D Delivery | ASK |
| Photos | fol-HD-Stahlfolder-KD-94-1999 | Heidelberg Stahlfolder | KD 94/4KL | 1999 | 94x118 | | fol-HD-Stahlfolder-KD-94-1999 | Roundpile Feeder, 4 Pockets, 2 Knives, SBP-M 46.D Delivery | ASK |
| Photos | fol-HD-Stahl-KD66-4KTL-2003 | Heidelberg Stahlfolder | KD66/4KTL | 2003 | 66x96 | | | Flatpile Feeder, 4 Pockets, 2 Knives, SBP Stacker Delivery | ASK |
| Photos | fol-HD-Stahlfolder-KH-82-2007 | Heidelberg Stahlfolder | KH 82/4KL | 2007 | 82x118 | | 1224422876 | Roundpile Feeder, 4 Pockets, 2 Knives | ASK |
| Photos | fol-HD-Stahl-KH-66-2009 | Heidelberg Stahlfolder | KH-66 | 2009 | 66x96 | | | Flatpile Feeder, 4 Pockets, 2 Knives, SBP Stacker Delivery | ASK |
| Photos | fol-HD-Stahl-KH78-2008 | Heidelberg Stahlfolder | KH-78 | 2008 | 78x108 | | 1224424910 | Serial No. FH.FNJO-01302, CP 2000 Control Panel, Pallet Feeder, 4 Pocket, 2 Knives, Desta Pressing Unit with Stream Delivery BAS-SA 500, AGE 2007, Serial No. 2035, Max: 230 m/min, Capacity: 50.000 cycles/hour | ASK |
| Photos | fol-HD-Stahl-KH-78-82-4KTL+TSH-50 | Heidelberg Stahlfolder | KH-78/82-4KTL + TSH 50 | 2008 | 82x112 | | 1224425683 | Serial No. FH.FNJO-00255, CP 2000 Control Panel, Pallet Feeder, 4 Pockets, 2 Knives with TSH 50, AGE: 2009, Serial No. FH.FDMCO-00299, Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare | ASK |
| Photos | fol-HD-Stahl-PFH-82-2006 | Heidelberg Stahlfolder | PFH-82 | 2006 | 82x112 | | 1224418808 | Serial No. FH.HCCO-00630, Pallet Feeder, 4 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-HD-Stahl-TH 66-8-4 | Heidelberg Stahlfolder | TH-66 | 2011 | 66x96 | | 1224435471 | Serial No. FH.FAVO-00708, Roundpile Feeder, 1st Station: 8 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-HD-Stahlfolder-TH-82-2009 | Heidelberg Stahlfolder | TH-82 | 2009 | 82x112 | | 1224426195 | Serial No. FH-ESCA-02357, CP 2000 Control Panel, Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-HD-Stahlfolder-TI-40 | Heidelberg Stahlfolder | TI-40 | 2005 | 40x74 | | 1224406595 | Serial No. FH.FANB-000076, Flatpile Feeder With Tremathead And DCT Control, 4 Pockets, Delivery, Equipped With Heidelberg Gluing Unit, Format: Max. 40x84cm, Min. 10x15cm | ASK |
| Photos | fol-HD-Stahlfolder-TI-52-2009 | Heidelberg Stahlfolder | TI-52 | 2009 | 52x72 | | 1224426196 | Serial No. FH.FAFP-001439, Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-Horizon-AFC-504-AKT | Horizon | AFC-504 AKT | ca. 2004 | 54x76 | | 2912 | Speed: 230 m/min, Full Automatic Adjustment Control, Touch & Work Technology, Memory Storage for Folding Programs, Flate Pile Feeder, 4 Pockets, 1 Knife, Anti Noise Hood, Delivery Conveyor, Standard Accessories | ASK |

| | | | | | | | | |
|------------------------|--|--------------------|----------------|----------|--------|------------------|--|-----|
| Photos | fol-Martin-Yale-959- | Martin Yale | 959 Autofolder | ca. 1987 | 35x55 | 959220 | serial: 5105 ,2 Pockets, Delivery | ASK |
| Photos | Fold-MB-Bäuerle-CAS-52-44X | MB Bäuerle | CAS 52/4+4+X | 2009 | 52x72 | 01058245 | Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, M-No. 01958220, MB Bäuerle Mobile Knife, M-No. 01133002, Incl. Window Pocket, Digital Setting, Minimum Folding Length: 35mm, Delivery | ASK |
| Photos | fold-MB- Mathias-Bäuerle-CAS 52-4+4+X-2008 | MB Mathias Bäuerle | CAS 52/4+4+X | 2008 | 52x72 | 020458051 | Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, MB Bäuerle Mobile Knife, Digital Setting, Minimum Folding Length: 35mm, Delivery | ASK |
| Photos | fol-Multipili-382-79831001 | MB Multipili | 382 | ca. 1979 | 38x52 | 79831001 | Suction Feeder, 2 Pockets, Compressor, Table Folding Machine | ASK |
| Photos | fol-MB-Multipili-382-77430446 | MB Multipili | 382 | ca. 1977 | 38x52 | 77430446 | Suction Feeder, 2 Pockets, Table Folding Machine | ASK |
| Photos | fol-MB-Multipili-382-kro-de | MB Multipili | 382 | ca. 1982 | 38x52 | | Suction Feeder, 2 Pockets, Delivery | ASK |
| Photos | fol-MBO-B-30-R | MBO | B30-1-30/4 | 1989 | 72x102 | 30539 | Serial No. R09/105, Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-mbo-t800 | MBO | T 800-1-82/4 | ca. 2001 | 80x120 | 32427 | Serial No. R11/47, Roundpile Feeder with Overhead Digital Panet, HSS Gluing System, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Pressing Delivery | ASK |
| Photos | fol-MBO-T49-4x-C04 17 | MBO | T49/4X | 1985 | 49x69 | 855037 | Flatpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery | ASK |
| Photos | fold-mbo-t500-2008 | MBO | T500 | 2008 | 50x70 | 38.292/10.000 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fold-mbo-t500-2-x | MBO | T500-2-X | 1994 | 50x70 | 3335 | Serial No. M12/42, Flatpile Feeder, Overhead Control Panel, 4 Pockets, 1 Cross Fold Knife, Delivery | ASK |
| Photos | fol-MBO-terb | MBO | T52/44 | 1988 | 52x72 | 880210483 | Serial No. 50871101, Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-MBO-T52/4X-130119 | MBO | T52/4X | 1980 | 52x72 | 130119 | Serial No. 80025129, Roundpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery | ASK |
| Photos | fold-MBO-T520-4-4-X-2001 | MBO | T520-4/4/X | 2001 | 52x72 | 93879-FA | Serial No. R12/53, Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Knife, Delivery | ASK |
| Photos | fold-Morgana-Junior | Morgana | Junior 90422 | | | | | ASK |
| Photos | fold-Morgana-Junior-904222 | Morgana | Junior 904222 | | A3 | 041761 FEAAW | High Speed Paper Folding Machine, Counting and Batching, Digital Plate Adjustment For Accurate Reading, Sound Hoods, 6 Fold Types, Double Sheets and Jam Detector, Suction Feeding, Complete with Perforation Unit and Perforation Blades, Up To 240gsm, Speed: 27000 Sheets/Hours | ASK |
| Photos | fold-Morgana-Major-Folder | Morgana | Major Folder | | | | | ASK |
| Photos | fold-Multieffekt-5045 | Multieffekt | 5045 | | 45x75 | | Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-Nagel-Docu-Fold-s | Nagel | Docu-Fold | 2006 | | | Folding Machine | ASK |
| Photos | fol-Otto-Klingner-Type-45 | Otto Klingner | Type 45 | ca. 1975 | 45x55 | 1147 | 2 Pockets, Table Folding Machine | ASK |
| Photos | fol-schmidt-k52-1-832 | Schmidt | K52 | ca. 1979 | 52x72 | 1-832 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-HD-Stahl-T52 3T/4-4-T-109138 | Stahl | T52 3T/4-4-F | 1998 | 52x72 | 109138-262710 | Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-HD-Stahl-T52-4-KT-1991 | Stahl | T52/4-KT | 1991 | 52x72 | | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-Stahl-T52-4+4+X-1991 | Stahl | T52/4+4+X | 1991 | 52x72 | 42202-173149 | Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pocket, Knife, Delivery) | ASK |
| Photos | fol-StahlT52/4 | Stahl | Ti52/4-Fi | 1998 | 52x72 | 114591/98-267759 | Flatpile Feeder with Tremat Head, 4 Pockets, SAK 56 S2 Delivery | ASK |
| Photos | fol-Stahl-TS49-4K-FSA | Stahl | TS49/4K-FSA | 1983 | 49x65 | 24264/83 | Flatpile Feeder, 4 Pockets, Delivery | ASK |

| Accessories Folding Machines | | | | | | | | | |
|-------------------------------------|---|------------------|------------------------------|----------|-----------|---------------------|----------------|--|-----|
| | | Gluing station | Opimatic | ca. 1981 | | Gluing Station | | Gluing station | ASK |
| Photos | fol-Gluing-station | Gluing station | Opimatic | ca. 1981 | | Gluing Station | | Gluing station | ASK |
| Photos | acc-fol-HD-Twinstacker-TSH-70 | Heidelberg | Twinstacker TSH-70 | 2006 | 700x340mm | Accessories Folding | 1224417222 | Serial No. FH.DMA0-00272, The Twinstacker TSH Vertical Stack Delivery Is The Economical Solution To Broadly Cover The Medium To High Capacity Range. The Delivery Transports The Individually Pressed Sheets Through The Belt Section Without Marking. Subsequently, The Stacks Are Formed From The Top In Catch Baskets And Laid Out Alternately – In Two Stacking Levels Arranged One Above The Other. This Enables Effective Non-Stop Operation. The Simple Handling With Good Accessibility Also Facilitates The Processing Of Multiple-Ups. The Height-Adjustable Feed Table Ensures That The TSH Twinstacker Can Be Positioned Easily And Flexibly At The Various Preliminary Stations. Whether Laying Out Isolated Sheets Or Even In A Shingle Stream – The Twinstacker TSH Convinces In Every Respect With Its Performance. User-Friendly Stack Delivery, Mark-Free Laying Out Up To Two Uses, With User-Friendly Ergonomic Removal, Format: Max. 700x340mm, Min. 100x100mm, Product Thickness Max. 6mm, Stacking Height Per Level Max. 10cm, Optimal For One-Man Operation On Folding Machines With High Machine Speeds Of Up To 18,000 Cycles, MCT Control Panel | ASK |
| Photos | acc-fol-HD-TSH-50 | Heidelberg | Twinstacker TSH 50 | 2009 | | Accessories Folding | FH.FDMC0-00255 | Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-0080-03 | Heidelberg | Folding Coupling Box | 2012 | | Accessories Folding | | Folding Coupling Box | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-FH-GKAO-02690 | Heidelberg | Folding Coupling Box | 2011 | | Accessories Folding | | Folding Coupling Box, Serial No. FH.GKAO-02690 | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-0263-01 | Heidelberg | Folding Coupling Box | 2011 | | Accessories Folding | | Folding Coupling Box, Serial No.: 0263.01 | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-1224425134 | Heidelberg | Folding Coupling Box | 2008 | | Accessories Folding | | Folding Coupling Box | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box | Heidelberg | Folding Coupling Box | 2007 | | Accessories Folding | 1224422746 | Folding Coupling Box, Serie: FH.GKAO-01785 | ASK |
| Photos | acc-fol-HD-Stahl-VSA-86-D-MKE-D | Heidelberg Stahl | VSA 86.D+MKE.D | | | Accessories Folding | 111181-263542 | Pressing Delivery | ASK |
| Photos | acc-fol-HD-Stahl-SAK-66-3-47945-210009 | Heidelberg Stahl | SAK 66.3 | | 66 | Accessories Folding | 47945-210009 | Delivery | ASK |
| Photos | fol-Hawe-HC-24 | Hawe | 11/2-X24 | | | Accessories Folding | | Lift | ASK |
| Photos | fol-MBO-Coupling-Box-16-10-Pin-DC-AC | MBO | Coupling Box 16/10 Pin DC/AC | | | Coupling Box | | Coupling Box 16/10 Pin DC/AC | ASK |
| Photos | fol-Multieffect-delivery | Multieffect | Delivery | | | Delivery | | Delivery | ASK |
| Photos | fol-MBO-Access-Fold-2 | MBO | Accessories Folding Machines | ca. 1976 | | Delivery | | Delivery | ASK |
| Photos | fol-MBO-A76 | MBO | A76 | ca. 1979 | 76 | Delivery | | Delivery for Folding Machine | ASK |
| Photos | fol-MBO-Access-Fold-SAB-46 | MBO | SAB 46 | | 46 | Delivery | | Delivery for Folding Machine | ASK |

| | | | | | | | | | |
|--------------------------------|--|------------|---------------------|----------|---------|---------------------------------------|---------------------------|---|-----|
| Photos | fol-MBO-PA46-80810411 | MBO | PA 46 | 1980 | 46 | Pressing Delivery | 80810411, Ser:81056004 | MBO Pressing Delivery Unit | ASK |
| Photos | acc-fol-MBO-A56-DC-24-G | MBO | A56-DC-24 | | | Pressing Delivery | 93879-FA | Pressing Delivery | ASK |
| Photos | acc-fol-MBO-T520-3-Delivery | MBO | T520-3-X | | | Pressing Delivery | 93879-FA | Pressing Delivery | ASK |
| Photos | fol-Morgana-UFO5 | Morgana | UFO5 Crossfolder | | | Cross Folding Unit | D35038V6AB | Cross Folding Unit | ASK |
| Photos | fol-Palamides-BA700 | Palamides | BA700 | 1999 | | Bundle Delivery with Pressing Station | 102-9-700-016 | Serial 0317, Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm | ASK |
| Photos | fol-Palamides-BA700-2 | Palamides | BA700 | 1999 | | Bundle Delivery with Pressing Station | 1026-700-011 | Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm | ASK |
| Photos | fol-Stahl-SAK78-3 | Stahl | SAK78.3 | 1989 | 78 | Delivery | 38745/89-158148 | Delivery | ASK |
| Photos | fol-Stahl-SAK78-2 | Stahl | SAK78.2 | 1989 | 78 | Delivery | 30223-116172 | Delivery | ASK |
| Photos | acc-fol-HD-Stahl-2.66 | Stahl | 2.78 (2nd Station) | | 78 | Folding Station | | 2nd Unit for Folding Machine, 4 Pockets | ASK |
| Photos | fol-Stahl-2.TF66-4 | Stahl | 2.TF66-4 | 1991 | 66 | Folding Station | 42835-177077 | 2nd Station | ASK |
| Photos | fol-Stahl-2-TV-66-4LD1 | Stahl | 2.TV 66/4LD1 | 1979 | 66 | Folding Station | 13856/79 | Folding Station | ASK |
| Photos | fol-Stahl-MKE-112-D | Stahl | MKE 112.D | 1997 | 112 | Marking Device | 96886-97-254002 | Marking Device MKE 112 | ASK |
| Photos | fol-Stahl-MKE86 | Stahl | MKE 86 | ca. 1988 | 86 | Marking Device | 33736-135060 | Marking Device MKE 86 | ASK |
| Photos | fol-Stahl-MKE66-1991 | Stahl | MKE66 | 1991 | 66 | Marking Device | 41733-91-174047 | Marking Device MKE66 | ASK |
| Photos | fol-stahl-ps66.2-44191 | Stahl | PS 66.2 | ca. 1992 | 66 | Pressing Delivery | 44191-180558 | Pressing Delivery Unit | ASK |
| Photos | fol-stahl-ps66-27262-84 | Stahl | PS 66 | 1984 | 66 | Pressing Delivery | 27262/84 | Pressing Delivery | ASK |
| Photos | fol-Stahl-SBP46.2-47872 | Stahl | PS 46.2 | ca. 1994 | 46 | Pressing Delivery | 47872-207503 | Pressing Delivery | ASK |
| Photos | acc-fol-Stahl-SB-66-MP.D-705665 | Stahl | SB-66-MP.D | | 66 | Accessories Folding | 705665-300012 | Pressing Delivery, Accessories Folding machine | ASK |
| Photos | fol-Stahl-VFZ-52-D | Stahl | VFZ 52.D | | | Mobile Knife | 88174-248008 | Mobile Knife | ASK |
| CTP / CTF / Plate Maker | | | | | | | | | |
| Photos | ctp-Agfa-Acento-2007 | Agfa | Acento II E | 2007 | 37x83 | CTP | | | ASK |
| Photos | ctp-Agfa-Acento-E-2005 | Agfa | Acento-E | 2005 | 37x83 | CTP | 0949680501 | All Rip and Software Included, 2400 dpi, Formats: Min. 324x660mm, Max. 370x830mm, PST 26 Compact Stacking Delivery, 16 Diodes Laserhead, Infrarot 830nm thermal, chemical free thermal CTP with Autofeeding | ASK |
| Photos | ctp-Agfa-Xcalibur-VLF | Agfa | Xcalibur VLF | | 140x178 | CTP | | Agfa Xcalibur VLF With Online Processor, Voilet Technology With Complete Software, Processor And RIP, Full Online | ASK |
| Photos | ctp-HD-Suprasetter-A52-A75-2015-PJ002750 | Heidelberg | Suprasetter A52/A75 | 2015 | 67x75 | CTP | PJ002750 | PJ.003.0000, CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 64 Diodes, External Drum, Throughput 17 Plates/Hour At 2540 DPI, With Plate Processor Raptor 85 Thermal, Complete With Software And Dongles, Laser Exposure Time: 211232 Pieces, Total Exposed Plates: 5937 Hours, Complete With Accessories | ASK |

| | | | | | | | | | |
|------------------------|--|------------|--|------|---------|-----------------|------------|---|-----|
| Photos | ctp-HD-Suprasetter-CD-2010 | Heidelberg | Suprasetter A52/A75 Gen III | 2010 | 67x75 | CTP | | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Laser Type Gen3 / 160-, with 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Prinect MetaDimension Software (12.0 License Service Dongle), Signa Station: Workstation Monitor Mouse, Complete with Accessories, Plate Processing Station: Glunz & Jensen C85 Processor, Advand PST 26 Stacker | ASK |
| Photos | ctp-HD-Suprasetter-A52-A75-Gen-III | Heidelberg | Suprasetter A52/A75 Gen III | 2010 | 67x75 | CTP, 1325 Hours | PJ001632 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ001632, Age: 2010, Laser Type Gen3 / 160-, with 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Prinect MetaDimension Software (12.0 License Service Dongle), Signa Station: Workstation Monitor Mouse, Laser Exposure Time: 54575 Pieces, Total Exposed Plates: 1325 h, Complete with Accessories, Plate Processing Station: Glunz & Jensen C85 Processor, M-No. 95455-0115, Age: 2010, Advand PST 26 Stacker | ASK |
| Photos | ctp-HD-Suprasetter-A52-A74-2008 | Heidelberg | Suprasetter A52/A74 | 2008 | 67x75 | CTP | PJ000790 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ000790, 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Workstation Monitor Mouse, Laser Exposure Time: 62313 Pieces, Total Exposed Plates: 3566 h, PST 26 Compact Stacker, Complete with Accessories | ASK |
| Photos | ctp-HD-Suprasetter 105-2007 | Heidelberg | 105 | 2007 | 79x103 | CTP | PL001614 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 2xLaser Heads, Solution: 2400, 2540 dpi, Format: Max. 790x1030mm, Min. 370x323mm, Plate Thickness: 0,15-0,35mm, Speed: 23 Plates/Hour | ASK |
| Photos | ctp-Fujifilm-Luxel-Vx-6000-CTP | Fujifilm | Luxel Vx 6000 CTP | 2008 | 672x760 | CTP | | Singal Plate Feed, Extra Large Imaging Area, Maximum 760x672mm, Semi-Automatic & Manual Configurations | ASK |
| Photos | ctp-Kodak-Lotem-800-II-Quantum | KODAK | Lotem 800 | | | CTP | | ATAG ECO 206LG, M-No. 10495, AGE: 2007, Kodak Debris Removal Cabinet, Serial No. DC6147, AGE: 2007, IMAF ATAG STA 130 CTP, M-No. 10519, AGE: 2007 Plate Processor | ASK |
| Photos | ctp-Screen-Plate-Rite-PT-R4100-2005 | Screen | Plate Rite PT-R4100 | 2005 | 66x83 | CTP | 679 | Max. 830x660, Min. 324x370, Thermal CTP, Resolutions: 2,400/2,438/540 dpi, Plate Stacker M-No. 03SDS1040, Screen AT-4000 Processor BridgeGlunz & Jensen Raptor 85 Thermal | ASK |
| Photos | ctf-DPX-System-Eskofot | Eskofot | DPX System Purup | | | CTF | | CTF: Computer to Film | ASK |
| Photos | ctf-HD-Signasetter-1250i-Kodak-Polychrome-PC32 | Heidelberg | Signasetter 1250i Kodak Polychrome PC 32 | 1997 | 72x102 | CTF | 1966 | Internal Drum Imager A0, Automatic Sheet Pliers, Online Developer Kodak Kodakmatic 1250i, PC Control 1 Delta Tower, Heidelberg Signastation | ASK |
| Photos | ctf-HD-Signasetter-Pro-Model-1250 | Heidelberg | Signasetter Pro Model 1250 with Kodak Polychrome | | | CTF | 10564-0012 | CTF: Computer to Film | ASK |
| Photos | ctf-Agfa-Accuset-1000 | Agfa | Accuset 1000 | | | Film Exposure | | Film Exposure | ASK |
| Photos | ctf-SGB-Filmexposure | SGB | Film Exposure | | | Film Exposure | | Film Exposure | ASK |
| Photos | ctf-Alfalith-T51-365 | Alfalith | T51 | | | Film Processor | 365 | Film Processor | ASK |
| Photos | ctp-Bacher-wod | Bacher | with Agfa Elantrix 125S Plate Processor | | | Light Table | 6765 | Light Table | ASK |
| Photos | ctp-Bacher-schom-de | Bacher | | | | Light Table | | Light Table | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------------|-----------------------------|----------------------------|----------|--------|-----------------|-----------------|--|-----|
| Photos | Light-Table-Biromatika-MO-T-405 | Biromatika MO | T 405 | | | Light Table | 34324044 | Serial no: 1163, Light Table | ASK |
| Photos | ctp-Boettcher-Renner-light-table | Böttcher + Renner (Sixt) | | | | Light Table | | Light Table | ASK |
| Photos | light-tab-Just-2024 | Just | Color-Control Professional | | 72x96 | Light Table | | Light Table | ASK |
| Photos | light-tab-Just | Just | Color-Control Professional | | | Light Table | | Light Table | ASK |
| Photos | ctp-light-table-vo | Light Table | | | | Light Table | | Light Table | ASK |
| Photos | ctp-Mega-Stahl-699-2-91314 | Mega Stahl | 699-2 | 1991 | | Light Table | 91314 | Light Table | ASK |
| Photos | ctp-Mega-Stahl-bosn | Mega Stahl | Light Table | | | Light Table | | Light Table | ASK |
| Photos | ctp-Megastahl-Light-Table | Megastahl | Light Table | ca. 1975 | | Light Table | | Light Table | ASK |
| Photos | ctp-Mega-Stahl-wod | Mega Stahl | Light Table | | | Light Table | 6765 | Light Table | ASK |
| Photos | ctp-Proofprint-on-movable-Table | Proofprint-on-movable-Table | Proofprint Table | | | Light Table | | Proofprint Table / Light Table | ASK |
| Photos | ctp-Agfa-Printon-CDL-2000-S-91370 | Agfa | Printon CDL 2000 S 2168 | | | Plate Exposure | 91370 | Plate Exposure | ASK |
| Photos | ctp-Agfa-Printon-CDL-2000-S | Agfa | Printon CDL 2000 S | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | ctp-Bacher-Reprou-2000 | Bacher | Reprou 2000 | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-Degra-Unicop-620 | Degra | Unicop 620 | ca. 1984 | 50x62 | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-Eskofot-263FPP | Eskofot | 263 FPP | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-O.M.S.-Typ-Copystar-A2-Nr-99-2060 | O.M.S. | Typ Copystar A2 | | | Plate Exposure | Nr. 99-2060 | Plate Exposure | ASK |
| Photos | p-m-Plate-Exposure-HU | Plate Exposure | | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | pl-exp-Polygraph-slow | Polygraph | 7203.2 | | | Plate Exposure | 6597 | Plate Exposure | ASK |
| Photos | p-m-Sack-190855 | Sack | Typ 190855 | | 65x85 | Plate Exposure | 19941612 | Plate Exposure, (Kom Nr. T4-1612) | ASK |
| Photos | p-m-Sack-300920 | Sack | 300920 | | | Plate Exposure | Kom-Nr. 87-2351 | Fabrik Nr.30871568 | ASK |
| Photos | p-m-Screen-P-641-FW-92 | Screen | P-641-FW | 1992 | 70x100 | Plate Exposure | 521200516 | Plate Exposure | ASK |
| Photos | p-m-Multimat-O 64-3180 | Theimer Multimat O 64 | 3180 | 1982 | 64x72 | Plate Exposure | 86120166 | Plate Exposure | ASK |
| Photos | ctf-Plate-Processor-Agfa-Akrana-85 | Agfa | Arkana 85 | 2018 | 85 | Plate Processor | AW41057B | Plate Thickness: 0.15-040mm, Speed: 160cm/min., Thermal Plate Processor Incl. Conveyor, Plates: Energy Elite Eco, Positive-Working Digital Thermal Offset Plate, Min. Plate Width: 200mm, Max. Plate Width: 850mm, Min. Plate Length: 300mm, Plate Throughput: 95 Plates/Hour (Landscape), Plate Throughput: 67 Plates/Hour (Portrait) | ASK |
| Photos | ctf-Plate-Processor-Glunz-&-Jensen | Glunz & Jensen | Interplater 88 | 2004 | 88 | Plate Processor | 90097-0880 | Plate Processor | ASK |
| Photos | p-p-Bacher-2005 | Bacher | Type: 2005.01 | 2000 | | Plate Punch | 2491 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-2670 | Bacher | 2045 | 1983 | | Plate Punch | 2670 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-4530 | Bacher | 2045 | ca. 1980 | | Plate Punch | 4530 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-2832 | Bacher | 2045 | 1981 | | Plate Punch | 2832 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-1023 | Bacher | 2045 | | | Plate Punch | 1023 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2042-6809 | Bacher | 2042 | | | Plate Punch | 6809 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2002 | Bacher | 2002.06 | 2003 | | Plate Punch | 4084 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-Controll-2000 | Bacher | Controll 2000 | | | Plate Punch | | Plate Punch | ASK |

| | | | | | | | | | |
|---|--|------------------------------|---------------------------|----------|----------|-----------------------------------|---------------|--|-----|
| Photos | pl-punch-Bacher | Bacher | Plate Punch | | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-Beil-425-T-H-1998 | Beil | 425-T-H | 1998 | 52 | Plate Punch | 10666 | Plate Punch | ASK |
| Photos | pl-punch-beil-4 | Beil | BRS 425-T-St | 1990 | | Plate Punch | 5406 | Plate Punch | ASK |
| Photos | pl-punch-Beil-425-T-H-AP | Beil | 425-T-H-AP, Typ: 11100097 | 2009 | | Plate Punch | 26646 | Plate Punch | ASK |
| Photos | pl-punch-beil-635-T-110 | Beil | Type 635-T-110 | 2000 | | Plate Punch | 13660FA251922 | Plate Punch | ASK |
| Photos | pl-punch-Billows-Protocol-Register | Billows | Protocol Register System | ca. 1975 | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-Kieper-285-97 | Kieper | Plate Punch | 1997 | | Plate Punch | 285-97 | Plate Punch | ASK |
| Photos | pl-punch-Horst-Kieper | Horst Kieper | | 1997 | | Plate Punch | 285-97 | Plate Punch | ASK |
| Photos | pl-punch-Liorigrafic | Liorigrafic | Plate Punch | | | Plate Punch | 661880 | Plate Punch | ASK |
| Photos | pl-punch-montaloch | Montaloch | Plate Punch | | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-OPS-24-2 | Offset Plate Punch | OPS-24-2 | | | Plate Punch | 001315 | Offset Plate Punch | ASK |
| Photos | pl-Plate-Punch-3.2.1974.3 | Plate Punch | | | | Plate Punch | 3.2.1974.3 | Plate Punch | ASK |
| Photos | pl-Plate-Punch-70-14-870100 | Plate Punch | | | | Plate Punch | 70-14-870100 | Plate Punch | ASK |
| Photos | pl-punch-plate-punch-RP22 | RP | 22 | ca. 1994 | | Plate Punch | | Plate Punch, RP22, serial 0559 | ASK |
| Photos | ctp-Mega-Stahl-1840 | Mega Stahl | 1840 1000 | ca. 1992 | | Plates Test Station | oo2387 | Offsetplates Test Station / Offsetplatten-Prüfstand | ASK |
| Photos | Plotter-epsonstylus-pro11880 | Epson | Stylus Pro 11880 | | 162,6 cm | Plotter | KU20000024 | Print Resolution: 2.880 x 1.440 dpi | ASK |
| Photos | Plotter-Epsonstylus-Pro9900 | Epson | Stylus Pro 9900 | 2011 | 111,8 cm | Plotter | LFXE000687 | 2.880x1.440 dpi, 0,8 min for printing in DIN A1 format, more then 40 qm/h, (44 Zoll) Plotter | ASK |
| Photos | p-l-epson-pro-7900-K161A | Epson | Stylus Pro 7900 | 2009 | | Plotter | | Model K161A | ASK |
| Photos | plott-epson-stylus-pro-4900A | Epson Stylus Pro 4900 | K181A | 2014 | | Plotter | 101508-11 | Plotter | ASK |
| Photos | Plotter-Mutoh-ValuejetVJ1624 | Mutoh | Valuejet VJ 1624 | 2011 | 162,5 cm | Plotter | G06U000115 | Format: Max. Material Format 162,5 cm (63,97"), Max. Printing Format 1615mm (63,58"), Max. Material Thickness: | ASK |
| Photos | pre-press-mores-Electro-Power-Trim-250 | Neolt Electro Power Trim 250 | EL PW Trim 250 | | 250 | Roll Cutter / Laminator Schneider | 6391609481 | Roll Cutter / Laminator Schneider | ASK |
| Photos | pre-press-mores-Prepress-Solution-CE98 | Prepress Solution CE98 | Model RM-3 | | | | 984939 | | ASK |
| Photos | pre-press-mores-Prepress-Solution-CE94 | Prepress Solution CE94 | Model RM-3 | 1994 | | | 943129 | | ASK |
| Accessories CTP | | | | | | | | | |
| Photos | AccCTP-Epson-Stylus-Color-1520 | Epson | Stylus Color 1520 | | | CTP Accessories | 3KFY017091 | CTP Accessories | ASK |
| Mores CTP | | | | | | | | | |
| Photos | ctp-mores-Busch-w.vollm | Busch | DO | 1994 | | | 945/691 | | ASK |
| Photos | ctp-Deitenbach-906-S | Deitenbach | 906 S | ca. 1998 | | Platwasher | 982047 | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Deitenbach-93771 | Deitenbach | 93771 | ca. 1998 | | Platwasher | o36395 | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Küvette | Küvette | | | | Küvette | | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Küvette-an | Küvette | | | | Küvette | | Platwasher/Küvette | ASK |
| Photos | ctp-kuevette-Lefra | Lefra | 10550-100 | 1993 | | Küvette | 4905 | Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Wiro Binding / Calender Production | | | | | | | | | |
| Photos | cal-Amia-Compact-1 | Amia | Compact A2 Brevettata (1) | | | Calender Production Machine | | Calender Production Machine | ASK |

| | | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|---------------------------|----------|-------|-----------------------------------|-------------------|---|-----|
| Photos | cal-Amia-Compact-2 | Amia | Compact A2 Brevettata (2) | | | Calender Production Machine | | Calender Production Machine | ASK |
| Photos | diff-bomco-em2 | Bomco | EM2 | 2000 | | Wire-O-Closure | 1907/00 | Pitch: PERL | ASK |
| Photos | diff-bpm-jack-burn-prot | Jack Burn | PROT | ca. 1973 | | Wiro Closing Machine | T1/9602 | Wiro Closing Machine | ASK |
| Photos | calend-Lamirel-S.A. | Lamirel | 500 | | | Calender Production | 960353 | Lamirel S.A. | ASK |
| Photos | cal-Lamirel-Megastar-Fellowes | Lamirel | Megastar Fellowes | 2019 | 42 cm | Wirobinding / Calender Production | | Electrical Wire-O-Punching Machine, For All Document Binding Needs In Formats Upto 42cm or 161/2" with Foot Drive Control, Equipped with 2 Dies | ASK |
| Photos | wiro-leitz-impressbind-280 | Leitz | Impressbind 280 | | | Wirobinding / Calender Production | 100307661B | Wirobinding / Calender Production | ASK |
| Photos | wiro-renz-srw | Renz | SRW 3:1 4x4 mm | | | Wirobinding / Calender Production | 26310020. 32789 | Wirobinding / Calender Production | ASK |
| Photos | wiro-renz-bosn | Renz | | | | Wirobinding / Calender Production | | Wirobinding / Calender Production | ASK |
| Photos | wiro-Renz-Eco-S-360 | Renz | Eco S 360 | | | Wirobinding / Calender Production | | Wirobinding / Calender Production | ASK |
| Photos | cal-Renz-ECL-500 | Renz | ECL 500 | | 500 | Wirobinding / Calender Production | | Electric Wire Comb Closer For Wire Binding, For Combs Pitch 3:1 And 2:1, Approx. 400 Circles/Hour, Can Close Wire Combs | ASK |
| Photos | Rilecart-FAR-5-55-2001 | Rilecart | FAR-5/55 | 2001 | | Wirobinding / Calender Production | F5 0144 | Automatic Wire-O-Punching Machine, WireBind, Including 5 Dies | ASK |
| Photos | wiro-Iberica-71 | Iberica | 71 | | | Wirobinder | 7906 | Wirobinder | ASK |
| Photos | wiro-Wiro-Closing-Machine-NN | Wiro Closing Machine | | | | Wiro Closing Machine | | Wiro Closing Machine | ASK |
| Photos | wiro-Wire-O-Punching-AP | Wire-O-Punching | | | | Wire-O-Punching Machine | | Wire-O-Punching Machine | ASK |
| Digital Printers | | | | | | | | | |
| Photos | dig-prin-canon-2012 | Canon | 6010 SRA/3 | 2012 | | Digital Printers | F146002 | | ASK |
| Photos | digital-printer-IMAX | I-MAX | | 2020 | | 3D UV Printer | 8090t30 | I-Max 3D UV Printer, 60x90cm Printable Area, Printable On All Surfaces Flat Or Round On Any Materials: Paper, Wood, Glas, Metal, Tiles, Stone, Rigid PVC Board, Organic Board, Plastic, Leather, Rubber, Special Paper, Porcela, Cancas etc., Print On Object Thickness Upto 15cm, 3 SQM Per Hour (4 Pass), Print On Almost Every Materials, Less Maintainness Cost, Low Ink Consumption Cost, Max. Printing Resolution: 2880 dpi * 1440 dpi, Water Cycling Cooling System, CISS Built Inside Ink System, Automatic Height Adjustment With Sensor, Equipped With Vacumm Suction System, Image Format: Tiff, Bmp, Jpg, Eps, Pdf, CAD, Rip Software: Maintop, Photoprint. Ref-NO.: digital-printer-IMAX | ASK |
| Photos | dig-prin-Konica-C5501-Digi | Konica | Minolta BizHub Pro C5501 | | | Digital Printers | T00164756 | Fiery X3eTY2-10, 3 Selection For Different Paper Trays And Additional Large Capacity Magazine, Paper Thickness From 80g/m To 350g/m, From DIN A6 - A3+ | ASK |
| Photos | dig-Ricoh-Pro-C900 | Ricoh | Pro C900 | | 30x42 | Digital Printers | | Color Digital Press with High Capacity Tray and Finisher Unit, Fiery Rip, Format: 30x42, Standard Accessories | ASK |
| Photos | dig-prin-Xerox-DocuColor-5000 | Xerox | DocuColor 5000 | 2004 | | Digital Printers | 01965/POSTEL/2004 | Product Identifier: FVB-1, 2400 dpi, Fiery EXP50 RIP, Speed: 50 Pages/Minute, Resolution: 600x600 dpi, Paper Capacity: Dual 2000 Sheet Paper Drawer | ASK |
| UV Surface Coater | | | | | | | | | |
| Diverses | | | | | | | | | |
| Banding/Strapping Machines: | | | | | | | | | |
| Photos | ban-Alsleben-OB-360-N | Alsleben | OB-360N | | | Banding Machine | | Banding Machine | ASK |
| Photos | ban-Akebono-30130 | Akebono | OB-301 | 2000 | | Banding Machine | 3013065 | Banding Machine | ASK |

| | | | | | | | | | |
|----------------------------------|----------------------------------|----------------------|---------------|----------|-------|--|----------|---|-----|
| Photos | ban-Akebono-96-4854 | Akebono | OB 300 | 1998 | | Banding Machine | 96-4854 | Banding Machine | ASK |
| Photos | ban-Akebono-03-3327 | Akebono | OB-301 | 2000 | | Banding Machine | 3013327 | Banding Machine | ASK |
| Photos | ban-Compac-Tippy | Compac Tippy | Pack auto | | | Banding Machine | | Banding Machine | ASK |
| Photos | ban-Lugrama | Lugrama | | | | Banding Machine | | Banding Machine | ASK |
| Photos | strap-H-D-Hagenauer-Denk | H+D Hagenauer + Denk | | | | Strapping Machine | | Strapping Machine | ASK |
| Photos | strap-Schneider-5301-2007 | Schneider OZGA OHG | S 2003 L | 2007 | | Strapping Machine | 5301 | Strapping Machine | ASK |
| Photos | strap-Schneider-5302-2007 | Schneider OZGA OHG | S0 2004 Q | 2007 | | Strapping Machine | 5302 | Strapping Machine | ASK |
| Photos | strap-Sato-1050-2H-28 | Sato | 1050-2H-28 | | | Strapping Machine | 47013498 | Strapping Machine | ASK |
| Photos | strap-Signode-KRS-60-60-Yi | Signode | KRS 60/60 | 1985 | | Strapping Machine | 65370 | | ASK |
| Photos | strap-TP-100En | TP-100En | | | | Strapping Machine | | Fully Automatic Strapping Machine, Band Thickness: 0,55mm, Working Height: 800mm, Frame Width: 850mm, Depth: 1440mm, 30 Strapping Per Minute, Band Width: 12mm, Core Diameter: 200mm, Frame Height: 600mm, Frame Width: 600mm, Suitable For Material: Polypropylene (PP), Band Tension: 15-70Kg | ASK |
| Board Cutters: | | | | | | | | | |
| Photos | bo-cut-AK-N | Board Cutter | | | | Board Cutter | | Manual Board Cutter | ASK |
| Photos | bo-cut-Board-Cut-HU | Board Cutter | | | | Board Cutter | | Board Cutter | ASK |
| Photos | bo-cut-Board-Cut-No.2 | Board Cutter | | | 125 | Board Cutter | | Board Cutter | ASK |
| Photos | diff-bpm-board-cutter | Board Cutter | | | | Board Cutter | | 3 m, Board Cutter | ASK |
| Photos | bo-cut-Ernst-F-Hofmann-Perfekta | Ernst F. Hofmann | Perfekta | ca. 1984 | | Board Cutter | | Board Cutter | ASK |
| Photos | bord-cut-Karl-Krause-7183 | Karl Krause | | | | Board Cutter | 7183 | Board Cutter | ASK |
| Photos | bo-cut-Robust | Robust | | | 125 | Board Cutter | | Board Cutter | ASK |
| Photos | bo-cut-schimanek-10 | Schimanek | 10 | | | Board Cutter | 24127 | Board Cutter | ASK |
| Book Block Rounder | | | | | | | | | |
| Book Back Lining Machines | | | | | | | | | |
| Photos | more-Matador-Perfekt-11B-9910 | Matador | Perfekt 11B | ca. 1988 | | Book Back lining machine | 9910 | Book Back lining machine, one-sided lamination with De-curling device for perfect lie-flat sheets | ASK |
| Photos | more-Matador-Perfekt-11B-ca.1985 | Matador | Perfekt 11B | ca. 1985 | | Book Back lining machine | | Book Back lining machine, one-sided lamination with De-curling device for perfect lie-flat sheets | ASK |
| Photos | more-Matador-Perfekt-11B-DE-24 | Matador | Perfekt 11B | | | Book Back lining machine | | Book Back Lining Machine, One-Sided Lamination With De-Curling Device For Perfect Lie-Flat Sheets / Tool For Adhesive Tape For Writing Pad Or Books | ASK |
| Photos | bbIm-Multiplex-RAS-40-Super | Multiplex | RAS 40 Super | | 45x75 | Fälzelmaschine, Book Back Lining Machine | 506 | Fälzelmaschine, Book Back Lining Machine | ASK |
| Photos | more-Planatol-Planax-TB390 | Planatol | Planax TB 390 | 1991 | A5-A4 | Book Back lining machine | | Bordering and Book Back lining machine for bookbinderies / Einfass- und Fälzelmaschine für Buchbindereien | ASK |
| Book Production | | | | | | | | | |

| | | | | | | | | | | |
|---|--------------------------------|----------------------------|-----------------|----------|-----------|--------------------------|---------|---|-----|--|
| Photos | Ochsner-GA91-1991 | Ochsner | GA 91 | 1991 | | Book Production | OCH1968 | Ochsner Edge Gilding Machine, For Semi-Automatic Edge Gilding of a Variety of Books, Hand Feeding Area for End Boards and Book Blocks, 4 Sanding Stations, 1st Cross Sanding Station with 100 Grade Sanding Belt, 2nd Linear Sanding Station with 180 Grade Sanding Belt, 3rd Linear Sanding Station with 240 Grade Sanding Belt, 4th Linear Sanding Station with 320 Grade Sanding Belt, Brushing Station, Dust Bag Extraction Unit, Pre-Heating of Book Blocks, Gild Foil Application with 2 Rollers, Electrical and Mechanical Guarding, Main Control Panel with Timer For Pre-Heating, Foil Cutter, Return Conveyor, Format: Book Size: Max. Any Standard Book Sizee Plus Larger Formats, Min. 68x102mm, Production: at Block Thickness of 75mm ca. 50 Blocks/Hour, Pocket Diary Size: 25 Blocks/Hour Desk Diary Size | ASK | |
| Book Block Production | | | | | | | | | | |
| Photos | Book-Block-Pr-Kolbus-HL-70-296 | Kolbus | HL 70 | 1970 | 28x40 | Book Block Production | 296 | Head & Tail Banding Machine with Gauzing Stations, Cold Glue Applicator, Standard Accessories | ASK | |
| Book Inserting Machines/Casing-In Machines | | | | | | | | | | |
| Photos | more-prakma-2 | Prakma | EH/1 | | 38 | Manual Casing-In Machine | 156111 | Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h | ASK | |
| Photos | more-prakma-EH-1kon | Prakma | EH/1 | | 38 | Manual Casing-In Machine | | Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h | ASK | |
| Photos | more-prakma-EH-1-s | Prakma | EH/1 | | 38 | Manual Casing-In Machine | | Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h | ASK | |
| Photos | diff-Schmedt-Präleg-1815-2003 | Schmedt | Präleg 1815 | 2003 | | Casing-In-Machine | 681 | Block Height: 80-340mm, Block Width: 110-450mm, Block Thickness: 2-80mm, Capacity: 200-300 Pcs/h) | ASK | |
| Book Press | | | | | | | | | | |
| Photos | book-Press-DE-2424 | Book Press | | | | Book Press | | Book Press | ASK | |
| Photos | book-Press-3 | Hunkeler | P.D.E. 001 R. | 2005 | 32x45 | Book Press | 4226-7 | Book Press | ASK | |
| Photos | book-Press-Hunkeler-ADP-4944-1 | Hunkeler | ADP 50/70 | | | Book Press | 4944-1 | Book Press | ASK | |
| Photos | book-Press-HunkelerADP32-44 | Hunkeler | ADP 32/44 | | 450x300mm | Book Press | 2440-7 | Hydraulic Book Press, Format: 450x300mm, Stacking Height: 350mm, Rollable, Mechanical Drive | ASK | |
| Photos | book-Press-Multiple-Polygraph | Polygraph | K14K | ca. 1974 | | Book Press | 74-025 | Multiple Book Pressing Machine | ASK | |
| Photos | book-Press-Schimanek-UB-Bonn-2 | Schimanek | UB Bonn | | | Book Press | | Book Press | ASK | |
| Photos | book-Press-Schimanek-UB-Bonn | Schimanek | UB Bonn | | | Book Press | | Book Press | ASK | |
| Photos | book-pr-Sperr-Lechner-1657 | Sperr & Lechner | Splek SLIIA-100 | 1996 | | Book Press | 1657 | Twin Book Press, Bar Max. 70, Delivery Volume: 8,5 l/min, Power Requirement: 3 KW, Rotation/Minute: 1400, Pressure: 3,000kp | ASK | |
| Photos | book-Pr-Tecno-Meccanica | Tecno Meccanica | Book Press | | | Book Press | | Book Press | ASK | |
| Photos | book-pr-Twin-Book-Press-NN | Twin Book Press | | | | Twin Book Press | | Twin Book Press | ASK | |
| Photos | book-pr-Zasadnicza-PIS-5t-1975 | Zasadnicza Szkota Zawodowa | PIS-5t | 1975 | | Book Press | 478 | Weight: 300KG | ASK | |
| Bundling Press | | | | | | | | | | |
| Photos | bundl-Press-AK-1 | Bundling Press | | | | Bundling Press | | Bundling Press/Book Press | ASK | |

| | | | | | | | | | |
|-------------------------------|------------------------------|----------------|------------------|------|---------|------------------|-----------|---|-----|
| Photos | bundl-Press-AK-2 | Bundling Press | | | | Bundling Press | | Bundling Press/Book Press | ASK |
| Photos | bundl-Hunkeler-9814 | Hunkeler | | | 700mm | Bundling Press | 9814 | Bundle Press For Folding Sheets, Stacking Length: 700mm, Hydraulic, Rollable | ASK |
| Photos | bundl-Tränklein-B.P. | Tränklein | B.P. | | 700mm | Bundling Press | 462653 | Bundle Press For Folding Sheets, Stacking Length: 700mm, Stable Design, Hydraulic, Rollable | ASK |
| Photos | bundl-ZentragHBP | Zentrag | HBP | | 800mm | Bundling Press | | Bundle Press For Folding Sheets, Stacking Length: 800mm | ASK |
| Case Makers: | | | | | | | | | |
| Photos | case-maker-Kolbus-DA-36-24 | Kolbus | DA 36 | 1985 | 405x650 | Case Maker | | Cover Size: Max. 405x560mm, Cover Size: Min. 110x155mm, Spine Insert Width Max. 80mm, Min. 8mm, Mechanical Speed 36 Cycle/Min, Fully Automatic Machine, Automatic Feeding Covering Material and Hard Spine Insert, Automatic Feeding Soft Spine Insert from Roll, Automatic Feeding Board from Magazine Pressing On Delivery, Cloth & Board Feeder, Hot-Melt Glue, Gluing Unit, Pre-Melter, Belt Delivery | ASK |
| Photos | case-maker-WegraBD15 | Polygraph | Wegra BD 15 | 1984 | 53x40 | Case Maker | 1057/1984 | Hand Feeding Covering Material, Hand Feeding Hard Spine Insert, Automatic Cardboard Feeding, Automatic Soft Spine Insert Feeding From Roll, Hot Glue, Format: Max. 530x400mm, Min. 110x155mm, Speed: Max. 15 Cycles/Min. | ASK |
| Accessories Case Maker | | | | | | | | | |
| Colour Pumps | | | | | | | | | |
| Photos | more-bvs-211398 | BVS | BCP-108-R | 1998 | | Colour Pumps | 211398 | 5 Bar, Colour Pump | ASK |
| Photos | more-bvs-298022 | BVS | BCP-1010RB | 1998 | | Colour Pumps | 298022 | 5 Bar, Colour Pump | ASK |
| Compressor | | | | | | | | | |
| Photos | more-ABAC-Compressor | ABAC | 200 Hp4 | 2013 | | Compressor | | Compressor | ASK |
| Photos | comp-Airstar-AC-503-100 | Airstar | AC 503/100 | 2016 | | Compressor | AS5316039 | Maximum volume flow: 500 Ltr., contents: 100 Ltr., maximum speed: 1310 U/min, 10 Bar | ASK |
| Photos | comp-Atlas-Copco-GX11FF | Atlas Copco | GX11FF | 2002 | | Compressor | All623357 | Max. Working Pressure: 7,25 Bar, Free Air Delivery: 26,6 l/s, Nominal Shaft Power: 11 KW, Rotational Shaft Speed: 3000 | ASK |
| Photos | comp-Atlas-Copco-Automat-AP4 | Atlas Copco | Automat AP4 | | | Compressor | | | ASK |
| Photos | comp-AWP-Kol-250-OS | AWP | Kol 250 OS | 1976 | 10 Bar | Compressor | 159721 | Compressor | ASK |
| Photos | comp-Becker-KDT-2803543 | Becker | KDT 3.140/0-470 | 2014 | | Compressor | D 2803543 | Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar | ASK |
| Photos | comp-Becker-KDT-2301181 | Becker | KDT 3.140/0-470 | 2011 | | Compressor | D 2301181 | Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar | ASK |
| Photos | comp-Becker-KDT-2240954 | Becker | KDT 3.140/0-470 | 2007 | | Compressor | D 2240954 | Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar | ASK |
| Photos | comp-Becker-3-25-1073719 | Becker | 3. 25 | 1989 | | Compressor | D 1073719 | Speed: 1420 min, Capacity: 2.5m³/h, Inlet Pressure: 850 mbar | ASK |
| Photos | comp-Becker-SV-991080 | Becker | SV 5.90/5 | 1987 | | Compressor | 5 991080 | Speed: 2800 min, Capacity: 45 m³/h, Inlet Pressure: 90 mbar, Discharge Press: 110 mbar | ASK |
| Photos | comp-blitz-050117 | Blitz | Hobby 1,1-24 | 2005 | | Compressor | 50117 | Stages: 1, Motor: 1,1, Overpressure: 8 bar, Suction capacity: 200 l/min, Speed: 2860 1/min, 1300 Watt | ASK |
| Photos | more-Ecoair-D20-10 | Ecoair | D20-10 | 1991 | 23093 h | Screw Compressor | 901065136 | 1, 95 M3/min, 10 bar, 3000 1/min, Schrauben -Kompressor / Screw Compressor for Central Air Supply | ASK |
| Photos | more-Grapha-ANT-Compressor | Grapha | ANT | | | Compressor | 30684/53 | Compressor | ASK |
| Photos | comp-Kaeser-SK-22-2018 | Kaeser | SK 22 | 2018 | | Compressor | 2643 | Aircenter SK 22, 21 Bar | ASK |
| Photos | comp-Kaeser-KCT-1069 | Kaeser | KCT 401-TAH6-100 | 2010 | | Compressor | 1069 | Artikel Number: 1.6016.00010, 10 Bar, 2741 L/Min (6,0 Bar) | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------|--------------------------|------------------------------|------|--------|---------------|--------------|---|-----|
| Photos | comp-Kaeser-SK-21-DE | Kaeser | SK 21 | 2008 | 11 Bar | Compressor | | Compressor | ASK |
| Photos | comp-Kaeser-DE-13 | Kaeser | | | | Compressor | | Compressor | ASK |
| Photos | comp-komnino-ZS-400 | Komnino | ZS-400 | | | Compressor | 3196 | Compressor | ASK |
| Photos | comp-kronwald | Kronwald | | 1991 | | Compressor | 56870 | Capacity: 11 Bar, 500l | ASK |
| Photos | comp-mark-msa-15D | Mark | MSA 15 500DG2 | 2010 | | Compressor | CAI1452423 | Product No. 4152007214, Compressor: 15 Kw 3Ph, Max. Pressure: 8 Bar, Dryer: 0,385 Kw 1 Ph, Refrigerant Type: R134A | ASK |
| Photos | comp-OMA-LT24-HP-2001 | OMA | LT24 HP 1.5 | 2001 | 8 Bar | Compressor | 1023 | 1,1 KW, 24 Liter Air Tank | ASK |
| Photos | comp-Roll-Air-RLR-1500 | Roll Air | RLR 1500AE4 | 1999 | 8 Bar | Compressor | | Compressor | ASK |
| Photos | comp-Renner-Comp | Renner | Compressor | | | Compressor | | Compressor | ASK |
| Photos | more-Rubete-Junior-50R-1998 | Rubete | Junior 50R | 1998 | 12 Bar | Compressor | 257T | 50 Liter Air Tank | ASK |
| Photos | comp-Rietschle-CL-167864 | Rietschle | CL 40 DV | | | Compressor | 167864 | Compressor | ASK |
| Photos | comp-Rietschle-SKGS-1655245 | Rietschle | SKGS 200-2 (29) | 1995 | | Compressor | 1655245 | Compressor | ASK |
| Photos | comp-Rietschle-1641133 | Rietschle | CLFG 41V (01) 31.123.1401/01 | 1994 | | Compressor | 1641133 | Compressor | ASK |
| Photos | comp-Rietschle-1641135 | Rietschle | CLFG 41V (01) 61.123.1401/01 | 1994 | | Compressor | 1641135 | Compressor | ASK |
| Photos | comp-Rietschle-1641130 | Rietschle | CLFG 41V (01) 61.123.1401/01 | 1994 | | Compressor | 1641130 | Compressor | ASK |
| Photos | comp-Rietschle-TR-1304836 | Rietschle | TR 81 DW (33) | 1990 | | Compressor | 1304836 | Compressor | ASK |
| Photos | comp-Rietschle-SKK-33403-(05) | Rietschle | SKK 33403 (05) | 1986 | | Compressor | 991298 | Compressor | ASK |
| Photos | comp-Rietschle-CLFG-41V | Rietschle | CLFG 41V (01) | 1983 | | Compressor | 763959 | Compressor | ASK |
| Photos | comp-Rietschle-CLFT-619526 | Rietschle | CLFT 41 DV.01 | 1980 | | Compressor | 619526 | Compressor | ASK |
| Photos | comp-ROWI-1100-24-1 | ROWI | 1100/24/1 | | | Compressor | | Compressor | ASK |
| Photos | comp-siemens | Siemens | | | | Compressor | 599 | Compressor | ASK |
| Photos | comp-steeb-06-4516 | Steeb Werke, Sulz Neckar | 06-4516 | 1986 | | Compressor | o07 | 12 Bar, 30 KW | ASK |
| Photos | comp-Step-VS1V09 | Step Trutnov | VS1V09 | 2005 | | Compressor | 5089 | 10 Bars | ASK |
| Photos | comp-Ultrafilter-FDS-0170-257 | Ultrafilter | FDS-0170/257 | 1996 | | Compressor | 96/10768/033 | 16/30 Bar | ASK |
| Photos | comp-VIG | VIG | M98150900-11-00/750 | 2000 | | Compressor | 6157 | Capacity: 11 Bar, 750L | ASK |
| Corner Cutters | | | | | | | | | |
| Photos | corn-cut-Beier-Hans-Opitz-&-Co. | Beier (Hans Opitz & Co.) | | | | Corner Cutter | | Corner Cutter | ASK |
| Photos | corn-cut-GBC-1033-LA-HD00060 | GBC | 1033-LA | | | Corner Cutter | HD00060 | 1x Edge Points | ASK |
| Photos | corn-cut-GBC-1033-LA-1861334 | GBC | 1033-LA | | | Corner Cutter | 1861334 | 1x Edge Points | ASK |
| Photos | corn-cut-Karl-Tränklein-EF | Karl Tränklein | EF | | | Corner Cutter | | Electrical Corner Cutter | ASK |
| Photos | more-Karl-Krause-Leipzig | Karl Krause Leipzig | | | | Corner Cutter | 57954 | Corner Cutter | ASK |
| Photos | more-Karl-Krause-Leipzig-192730 | Karl Krause Leipzig | | | | Corner Cutter | 192730 | Corner Cutter | ASK |
| Photos | corn-cut-MM-VBF-EKS-400-2000 | Müller Martini | VBF EKS 400 | 2000 | | Corner Cutter | 550 0043 | Corner Cutter, Power Required: 3x400 / 230V 50/60 Hz, Largest Consumer: 3,4 A, Overcurrent Protection: 16A, Ounching Speed for Corners: 400mm | ASK |
| Photos | corn-cut-Pesera-105 | Pesera | 105 | | | Corner Cutter | | Corner Cutter | ASK |
| Photos | more-Super-Pan-52 | Super Pan | 52 | | | Corner Cutter | 5561-1 | Corner Cutter | ASK |
| Photos | corn-cut-Tränklein | Tränklein | | | | Corner Cutter | | Corner Cutter | ASK |

| | | | | | | | | | |
|-------------------------|---------------------------------|----------------|----------------------|------|----------|-----------------------------------|-------------------|---|-----|
| Photos | corn-cut-Vicking | Vicking | | | | Corner Cutter | | Corner Cutter | ASK |
| Photos | corn-cut-Warrior-21144 | Warrior | | | | Corner Cutter | 21144 | Corner Cutter | ASK |
| Photos | corn-cut-Westel | Westel | Corner Cutter | | | Corner Cutter | | Corner Cutter | ASK |
| Endsheet Tipping | | | | | | | | | |
| Photos | end-tipp-Kolbus-KB200 | Kolbus | KB200 | 1970 | 400x310 | Endsheet Tipping Machine | 22/294 | Serial No. 500, Endsheets Tipping Machine, Size: Max. 400x310mm, Min. 100x70mm, Mechanical Speed: 6.600 Cycles/Hour | ASK |
| Endsheet Gluing | | | | | | | | | |
| Forklift | | | | | | | | | |
| Photos | fork-25F-RCF-A06 | Ascade | 25F-RCF-A06 | 2002 | | Reel Clamp for fork lift | 794709-A-260265-1 | Reel Clamp for fork lift, Capacity: 1200, Weight: 355 kg, Max. 160 Bar, Operating pressure (Arbeitsdruck): 140 bar, Centre of Gravity (Eigenschwerpunkt): 220 mm, At Load Centre (bei Lastschwerpunkt): 650 mm | ASK |
| Photos | fork-BT-Staxio-HWE-100-2015 | BT Staxio | HWE100 | 2015 | | Electric Lift Truck | 6351110 | Capacity: 1000 KG, 2x12V Batterie | ASK |
| Photos | fork-Desta-MV12BA-1995 | Desta | MV12BA | 1995 | | Diesel Forklift | 6654 | Diesel Forklift, Capacity: 1250 KG | ASK |
| Photos | fork-ETN-782428 | ETN | 782428 | | | Reel Clamp for fork lift | | Reel Clamp for fork lift | ASK |
| Photos | more-Nissan | Nissan | Electric Forklift | | | Electric Forklift | | Electric Forklift | ASK |
| Photos | fork-OMG-715-K | OMG | 715 K | 2000 | | Electric High Lift Truck | 12581 | Capacity: 1500 KG, Weight: 1250 KG, Triplex | ASK |
| Photos | fork-Primat-BHV-1251-3105 | Primat | BHV 1251 | | | Electric Forklift | 3105 | Electric Forklift | ASK |
| Photos | more-Steinbock-2 | Steinbock | Boss 4545011 | 1995 | | Electrical TruckLift | 95-70125 | Capacity 1200 KG, Hubhöhe 1,6m | ASK |
| Photos | more-Steinbock-126888 | Steinbock | Boss LE16 MK IV A-1 | 1992 | | Electric Forklift | 126888 | Tyres: SE, Lifting Height: 3300 mm, Capacity: 1600 KG, Side Shifting | ASK |
| Photos | fork-Still-EXV12-710253B03131 | Still | EXV12 | 2011 | | Electric Forklift | 710253B03131 | Capacity: 1200 KG | ASK |
| Photos | fork-still-RX-20-18-2010 | Still | RX 20-18 | 2010 | | Electric Forklift | 516213A00198 | Capacity: 1800 KG | ASK |
| Photos | fork-still-RX-20-16-2011 | Still | RX 20-16 | 2011 | | Electric Forklift | 916211B0095 | Capacity: 1600 KG | ASK |
| Photos | fork-still-RX-20-16-2012 | Still | RX 20-16 | 2012 | | Electric Forklift | 516211C00154 | Capacity: 1600 KG | ASK |
| Photos | fork-still-R-60-40-2002 | Still | R 60-40 | 2002 | | Electric Forklift | O516027004796 | Capacity: 4000 KG | ASK |
| Photos | fork-still-R-60-40-2006 | Still | R 60-40 | 2006 | | Electric Forklift | O516047003037 | Capacity: 4000 KG | ASK |
| Photos | fork-Still-R70-16T-517077000937 | Still | R70-16T | 2000 | | Forklift | 5,17077E+11 | LPG, Capacity: 1600 KG | ASK |
| Photos | fork-STILL-RX-60-25 | Still | RX 60-25 | 2011 | | Forklift | 516321B00342 | Electric Lifter, Capacity: 2500 Kg | ASK |
| Photos | fork-STILL-RX-60-25-2011 | Still | RX 60-25 | 2011 | | Forklift | 516321B00342 | With Reel Clamp | ASK |
| Photos | fork-STILL-RX-20-20 | Still | RX 20-20 | 2014 | | Forklift | 516215E00823 | Electric Lifter, Capacity: 2000 Kg | ASK |
| Photos | fork-Still-R60-35 | Still | R60-35 | 1998 | | Electro Forklift | O516026001611 | Electric, 3500 KG Capacity, Lifting Height: 3,4m, Overhead guard height: 2,3m, fork 1,4m | ASK |
| Photos | fork-Still-ecotron-xm-24v-30a | Still | ecotron XM E 24V-30A | | | Forklift Battery | 3,76811E+14 | Forklift Battery | ASK |
| Photos | fork-Still-ecotron-xm-24v-40a | Still | ecotron XM E 24V-40A | 2018 | | Forklift Battery | 6,27E+11 | Forklift Battery | ASK |
| Photos | fork-TCM-FG18T13-2007 | TCM | FG18T13 | 2007 | | Forklift | OA700807 | Mast: VFHM 435-0A7, Integral Sideshift, 1000mm Forks, Black Solid Tyres, LPG, Power: 25 KW, Own Weight: 2780 KG, Capacity: 1750 KG | ASK |
| Photos | fork-Toyota-electric-lifter | Toyota | 7FBF15 | 2005 | FSV E911 | Forklift | 7FBF15 12301 | Electric Lifter, Capacity: 1500 KG | ASK |
| Gluing Machines: | | | | | | | | | |
| Photos | glu-Gluing-AL-CE | AL-CE | Gluing Machine | | | Anleimmaschine / Kaschiermaschine | 8053 | Anleimmaschine / Kaschiermaschine | ASK |
| Photos | glu-Cappelletti | Cappelletti | | | | Gluing Machine | | Gluing Machine | ASK |
| Photos | GLU-Machine | Gluing Machine | Gluing Machine | | | Gluing Machine | | Gluing Machine | ASK |

| | | | | | | | | | |
|--|----------------------------------|---------------------|-----------------------|------|-------------|--|--------------|---|-----|
| Photos | glu-Gluing-PL | Gluing Machine | | | | Gluing Machine | | | ASK |
| Photos | glu-jagenberg-Yi | Jagenberg | Gluing Machine | | | Gluing Machine | 1030289 | Auto-Suction Feeding Unit, Hot Glue Device, Belt Delivery | ASK |
| Photos | glu-jagenberg-60031-Yi | Jagenberg | | | | Gluing Machine | 60031/17AL | | ASK |
| Photos | glu-prakma-178109 | Prakma | | | | Anleimmaschine / Kaschiermaschine | 178109 | Anleimmaschine / Kaschiermaschine | ASK |
| Photos | glu-sumbel-NN | Sumbel | Regent | | 800mm | Gluing Machine | 121321/04 | Gluing Machine | ASK |
| Photos | glu-Tünkers / JagenbergUAM800 | Tünkers / Jagenberg | UAM 800 | | 800mm | Gluing Machine | | Gluing Machine, Format: 800mm, Cold Glue Device, Feeding Table, Belt Delivery | ASK |
| Photos | glu-Tünkers-1 | Tünkers | | | | Gluing Machine | 1230252/48 | Gluing Machine | ASK |
| <u>Index cutting Machine</u> | | | | | | | | | |
| <u>Joint Forming /Nipping Machine</u> | | | | | | | | | |
| Photos | JointForming-Antal-AJ-06-N | Antal Jozsef | AJ-06-NYB | 2007 | 700x750x155 | Book Press with Joint Forming | AJ-06-NYB | Format: 700x750x1550mm, Book Press with Joint Forming | ASK |
| Photos | joint-form-RAEL-Rolong | Gantenbein | RAEL Rolong | 1971 | 500mm | Rückenreibemaschine/Book Back Rubbing Maschine | | This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm | ASK |
| Photos | joint-form-Rolong | Gantenbein | RAEL Rolong 980 Tisch | 1969 | | Rückenreibemaschine/Book Back Rubbing Maschine | o770 | This back rubbing machine is used to press glued material with its carrier material, It offers unlimited possibilities of use in cardboard processing, book making, etc., Binding width: | ASK |
| Photos | joingforming-Krause | Krause | FN 3 P | | | Book Press with Joint Forming | 316889 | Joint Forming / Nipping Machine | ASK |
| Photos | diff-schmedt-präform-2100 | Schmedt | Präform 2100 | 2003 | | Book Press with Joint Forming | 113 | Format: 400x520x100mm, Book Height: upto 520mm, Book Width: 120-445mm, Book thickness: 8-100mm, Capacity: ca. 150 Pieces/hour | ASK |
| Photos | diff-schmedt-präform-62 | Schmedt | Präform | | 400x520x100 | Joint Forming / Nipping Machine | | Book Height: upto 520mm, Book Width: 120-445mm, Book thickness: 8-100mm, Capacity: ca. 150 Pieces/hour | ASK |
| Photos | joint-form-Sealmaster-580 | Sealmaster | 580, AE 580.SA | | | Joint Forming | 930.408.177 | Joint Forming | ASK |
| Photos | joint-form-Sperr-Lechner-SLF-2SO | Sperr & Lechner | SLF 2SO | 1977 | | Joint Forming / Nipping Machine | 1.244 | table, Upto 3200 KG Pressure, Nipping Machine/Joint Forming | ASK |
| <u>Knife Sharpner</u> | | | | | | | | | |
| <u>Label Applicator</u> | | | | | | | | | |
| Photos | more-Labelpack-Label-X-JR-SX | Labelpack | Label X/JR/SX | 2010 | | Lable Applicator | 1101E104. | Lable Applicator | ASK |
| Photos | more-Lable-Applicator-hun | Lable Applicator | | | | Lable Applicator | | Lable Applicator | ASK |
| Photos | more-SMC-CXSM15-50 | SMC | CXSM15-50 | | | Lable Applicator | I1141725 | Lable Applicator, Max press 7 bar | ASK |
| <u>Lamination Machine</u> | | | | | | | | | |
| Photos | lam-Biedermann-RollLam-140WN | Biedermann | RollLam 140WN | | 140 | Lamination Machine | 140WN.438.10 | Roller Widht: 150cm, Thermo Laminator, Heating of Silicon Roller ca. 30°C up to 60°C Possible, Max. Board Thickness: 25mm, Diameter of Rollers: 112mm, Capacity: Max Speed: 3,5 m/min. | ASK |
| Photos | lam-Foliant-520-HP-2006 | Foliant | 520 HP | 2006 | 52x74 | Lamination Machine | | Lamination Machine | ASK |

| | | | | | | | | | |
|--|------------------------------------|--------------------|----------------|------|---------|---|---------------------|---|-----|
| Photos | lam-GBC-Voyager-3 | GBC | Voyager 3 | 2004 | 76x102 | Lamination Machine | 1204 | Automatic Gremser Pallet Feeder 580x120 AO/BTH, Automatic Sheet Separator with Electronic Lap Control, Deep Pile Delivery, Table Delivery Size: Max. 76x102cm, Min. 30,5x30,5, Max. Speed up To: 10.000 Sheets/Hour, Feeder Capacity: 880 KG, Dry Lamination Unit, Separating Unit, Paper Weight: 150-350 gr/m2, Speed Max. 30 M/Min (Production 20-25 M/Min), Standard Accessories | ASK |
| Photos | lam-GBC-400 | GBC | 400 | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | lam-GBC-DocuSeal-30 | GBC | DocuSeal 30 | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | laminator-karmaplanomatVA130 | Karma Planomat | VA 130 | | 100x130 | Lamination Machine | 723901 | Sheet To Sheet Laminator, Format: Max. 130x100cm, Min. 60x50cm, Speed: Max. 2400 Sheets/Hour, Mirus Feeder Working Width: 1300mm | ASK |
| Photos | lam-Thermo-Lamination-Machine | Lamination Machine | | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | lam-Lamination-mx6 | MX6 | | | | Lamination Machine | | Lamination Machine | ASK |
| Photos | lam-Printlam-Smart-52- | Printlam | Smart 52 | 2008 | | Lamination Machine | 4708344 | Lamination Machine | ASK |
| Photos | lam-Peach-Lamination-SKY-330R8 | Peach Lamination | SKY 330R8 | | | Lamination Machine | O9EK8R009 | Lamination Machine | ASK |
| Photos | lam-Seal-Laminator-Image-60S | Seal Laminator | Image 60S | | | Lamination Machine | | Lamination Machine | ASK |
| Pallet Wrapping Machine | | | | | | | | | |
| Photos | more-Siat-AF1-CF2 | Siat | AF1.CF2 | 1988 | | Palletenwickler / Pallet Wrapping Machine | | Serial 786, Palletenwickler / Pallet Wrapping Machine | ASK |
| Photos | pall-wrapp-Siat-SW2-16-FM-4CF-2012 | Siat | SW2 16-FM-4CF+ | 2012 | | Palletenwickler / Pallet Wrapping Machine | 51782 | Palletenwickler / Pallet Wrapping Machine | ASK |
| Photos | more-Siat-muh-de | Siat | | | | Palletenwickler / Pallet Wrapping Machine | | Palletenwickler / Pallet Wrapping Machine | ASK |
| Paper Drilling/Eyelleting Machines: | | | | | | | | | |
| Photos | dril-AEG-Drill-Machine | AEG | DT-10 | | | Drill Machine | 87155726 | Drilling machine | ASK |
| Photos | drill-Bauknecht | Bauknecht | | | | Drill Machine | | Paper Drilling Machine | ASK |
| Photos | dril-Citoborma-270B | Citoborma | 270B | | | Drill Machine | | Paper Drilling Machine | ASK |
| Photos | dril-Citoborma-270B-DE-13 | Citoborma | 270B | | | Drill Machine | | Paper Drilling Machine | ASK |
| Photos | dril-Droi-MTPP | Droi | MTPP | | | Drill Machine | 304 | Paper Drilling Machine | ASK |
| Photos | dril-Drill-Machine-AP | Drill Machine | | | | Drill Machine | | Paper Drilling Machine | ASK |
| Photos | dril-Dürselen-Corta-PB04-N | Dürselen | Corta PB04 N | 2005 | | Drill Machine | PB0403.05/1304N | 4 Heads, Drill Bit Cooling and Lubrication, Continuously Variable Stroke and Spindle Speed Control, Dürselen Drill Belt for Drilling Support | ASK |
| Photos | dril-Dürselen-Corta-PB01-STM | Dürselen | Corta PB01.STM | 1996 | | Drill Machine | PB01.02.96/483.S TM | 4 Head Paper Drill Machine | ASK |
| Photos | dril-Dürselen-PB-04 | Dürselen | PB 04 | 1993 | | Drill Machine | PB04.04.93.142 | 4 Head Paper Drill Machine | ASK |
| Photos | drill-DVS-120 | DVS | 120 | | | Drill Machine | | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Georgii-Kobold-KS0122-S215 | Georgii-Kobold | KS0122 S215 | | | Drill Machine | 105662 | Drilling machine | ASK |
| Photos | dril-Hang-136DK-72184 | Hang | 136 DK | | | Drill Machine | 72184 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-71711 | Hang | 136D | | | Drill Machine | 71711 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-70349 | Hang | 136D | | | Drill Machine | 70349 | 2 Head Paper Drilling Machine | ASK |

| | | | | | | | | | |
|------------------------|------------------------------------|--------------------------------|------------------------|----------|--|-----------------------------|------------|--|-----|
| Photos | dril-Hang-136D-22089 | Hang | 136D | | | Drill Machine | 22089 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-18289 | Hang | 136D | | | Drill Machine | 18289 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136-17233 | Hang | 136 | | | Drill Machine | 17233 | 1 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-106DTK | Hang | 106DTK | | | Drill Machine | 91545 | 2 Heads Paper Drilling Machine | ASK |
| Photos | drill-hang106DTK4 | Hang | 106 DTK4 | ca. 1993 | | Drill Machine | 92203 | 4 Heads Paper Drilling Machine with Automatic Table Lift, Approx. 35cm Drilling Depth, Drill Heads Approx. 50cm Adjustable to Each Other Tab | ASK |
| Photos | dril-Hang-106-DTK4-90813 | Hang | 106 DTK4 | | | Drill Machine | 90813 | 4 Heads Paper Drilling Machine | ASK |
| Photos | dril-Hang-DE-R | Hang | | | | Drill Machine | | 4 Head Paper Drill Machine | ASK |
| Photos | drill-Hans-Maisel-2-Head | Hans Maisel | | | | Drill Machine | | 2 Head Drilling Machine | ASK |
| Photos | dril-Modena-Venus-2-1983 | Modena | Venus 2 | 1983 | | Drill Machine | | 2 Heads Paper Drilling Machine | ASK |
| Photos | dril-Nagel-Citoborma-480-AB-Ge | Nagel | Citoborma 480 AB | | | Drill Machine | 883270 | 4 Head Drill Machine | ASK |
| Photos | dril-Nagel-Citoborma-280 | Nagel | Citoborma 280 | | | Drill Machine | | Drilling machine | ASK |
| Photos | dril-Nagel-Citoborma-ab-DE | Nagel | Citoborma 280 ab | | | Drill Machine | | 2 Head Drill Machine | ASK |
| Photos | dril-Nagel-Citoborma-280b | Nagel | Citoborma 280b | | | Drill Machine | | Drilling machine | ASK |
| Photos | dril-Nagel-Citoborma-280-B-DE-24 | Nagel | Citoborma 280 B | | | Drill Machine | | 2 Head Drill Machine | ASK |
| Photos | drill-Nagel-Citoborma-KOD-524S-129 | Nagel | Citoborma KOD 524S 129 | | | Drill Machine | | 1 Head Paper Drilling Machine | ASK |
| Photos | dril-Proma-PTB16B-230 | Proma | PTB16B/230 | 2009 | | Drill Machine | B2009/0931 | Total Height: 1,065mm, Head Handle: 1-16mm, 12 Stages of Speed Adjustment, Maximum Distance Of The Spindle From The Base: 600mm, Maximum Distance Of The Spindle From The Table: 350mm, Maximum Drilling Diameter: 20mm, Spindle Feed: 80mm, Table Size: 300 x 300mm, Base Dimensions: 500 x 285mm, Spindle Reach (Distance From The Spindle To The Column): 195mm, Speed Range: 180 / 250, 300 / 400, 480 / 580, 970 / 1,280, 1,410 / 1,540, 2,270 / 2,740 rpm., Column Diameter: 73mm, "T" Table Grooves: 16mm | ASK |
| Photos | drill-Stago | Stago | | | | Drill Machine | | Drilling machine | ASK |
| Photos | drill-WP22 | WP 22 | Paper Drill | | | Drill Machine | | 2 Head Paper Drill Machine | ASK |
| Photos | dril-2-Heads-Drill-Machine | 2 Heads Paper Drilling Machine | | | | Drill Machine | | 2 Heads Paper Drilling Machine | ASK |
| Photos | eylett-Constantin-Hang | Constantin Hang | | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Eyeletting-Machine-NN | Eyeletting Machine | | | | Eyeletting Machine | | Eyeletting Machine | ASK |
| Photos | eylett-Facom-INOX | Facom | INOX | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-hang-167-12 | Hang | 167-12 | | | Eyletting/Rivetting Machine | 38131 | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-hang-3-fach | Hang | 87 F | | | Eyletting/Rivetting Machine | 37954 | 3 Head Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Hang-103-LOK | Hang | 103 LOK | | | Eyletting/Rivetting Machine | 31133 | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Hang-103-LO-YI | Hang | 103LO | | | Eyletting/Rivetting Machine | 11647 | Eyletting/Rivetting Machine | ASK |

| | | | | | | | | | |
|--------------------------------------|------------------------------------|-------------------------|----------------------------------|----------|-----------------|-------------------------------|---------|--|-----|
| Photos | eylett-Hang-103-SPK-15464 | Hang | 103 SPK | | | Eyletting/Rivetting Machine | 15464 | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Hang-Piccolo-DE-13 | Hang | Piccolo | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Hang-Piccolo-III-2 | Hang | Piccolo III | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Hang-Piccolo-III | Hang | Piccolo III | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Siac | Siac | | | | Eyletting/Rivetting Machine | | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-Textima-Schuma-13811-73333 | Textima | Schuma 13811 | 1967 | | Eyletting/Rivetting Machine | 73333 | Eyletting/Rivetting Machine | ASK |
| Photos | eylett-WSK-Fritz-Wagner-ED10 | WSK Fritz Wagner | ED10 | 1990 | | Eyletting/Rivetting Machine | 138 | Eyletting/Rivetting Machine | ASK |
| Perforation Machines: | | | | | | | | | |
| Photos | perf-bickel-H1-50 | Bickel | H1-50 | 1980 | 50 | Perforation | 21053 | Perforation Machine | ASK |
| Photos | perf-E.Bickel-DE | E.Bickel | HK3-68 | | 68 | Perforation | | Perforation Machine | ASK |
| Photos | perf-Bickel-222 | Bickel | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-CCCP-Y06 | CCCP | Y06 | 1976 | | Perforation | 227 | Perforation Machine | ASK |
| Photos | perf-Crease-Matic-Electril-Creaser | Crease Matic | Electril Creaser | | | Perforation | 304111 | Perforation Machine | ASK |
| Photos | diff-Foellmer-EXPO | Foellmer | EXPO | 1998 | ca. 45 (DIN A3) | Perforation | 858 | Nutting Machine | ASK |
| Photos | perf-Friedrich-Walter-Muller | Friedrich Walter Müller | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Grafotechna | Grafotechna | | | 700 | Perforation | | Perforation and Creasing, Workig Space Height: 2,5mm, | ASK |
| Photos | perf-Perforation-Tall | Kroll | Creasing and Perforation Machine | | | Perforation | R740202 | Creasing and Perforation Machine | ASK |
| Photos | perf-Kroll-PF | Kroll | | | | Perforation | | Creasing and Perforation Machine | ASK |
| Photos | perf-Kroll-&Co-59316 | Kroll & Co. | | | | Perforation | 59316 | Perforation Machine | ASK |
| Photos | perf-Kroll-&Co.-2 | Kroll & Co. | | | | Perforation | 65802 | Perforation Machine | ASK |
| Photos | seal-MAG-Mod-KL-SOT-2510 | MAG | K50T | 1992 | | Calender Production | | Calender Production | ASK |
| Photos | perf-Novagrafe-Table-Perforator | Novagrafe | Table Perforator | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-OM-245A | O.M. | 245A | 1997 | | Perforation | 1149M | Rotary Creasing and Perforation Machine | ASK |
| Photos | perf-Perforation-roj-es | Perforation | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Perforation-machine-deg | Perforation Machine | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Polygraph-Titan | Polygraph | Titan CTK VII | 1951 | | Rilling / Perforation Machine | 91887 | Rilling / Perforation Machine | ASK |
| Photos | perf-PD-70/75-223 | PD | 70/75 | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Perforation-UB-Bonn | Heinz Pohle | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Shaw-Merlin-4040 | Shaw | Merlin | 1973 | | Perforation | 4040 | Rotary Creasing and Perforation Machine | ASK |
| Photos | perf-Table-Perforation | Table Perforation | | ca. 1975 | | Perforation | | Table Perforation | ASK |
| Photos | perf-Perforator-hu | Unimark | G.M. U.M. 931.0 | 1997 | | Perforation | | Perforation Machine | ASK |
| Screen Printing | | | | | | | | | |
| Photos | screen-print-Silair-BDM-812-2008 | Silair | BDM 812 | 2008 | 70x100 | Screen Printing Machine | 1813 | Complete Screen Printing Set, UV/Hot Air Drying Tunnel | ASK |
| Photos | screen-print-Sakurai-1988 | Sakurai | Cylinder SC72A | 1988 | | Screen Printing Machine | | Automatic Stream Feeder, Impression Cylinder, Automatic Delivery, Format: Max. 720x520, Min. 350x270, Speed: 1000-3600 Sheets/Hour | ASK |
| Shrink Wrap/Sealing Machines: | | | | | | | | | |

| | | | | | | | | | |
|------------------------------------|--------------------------------|---------------------------|------------------|----------|--|--------------------------|-----------|--|-----|
| Photos | seal-Ariane-Robo-Pack | Ariane | Robo PAC 4535 | 1997 | | Shrink Wrap/Foil Sealing | KN/025987 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-beck-S12-24 | Beck | S12-24 | 1985 | | Shrink Wrap/Foil Sealing | 3893042 | with B200/25 and Number: 6852884, Shrink Wrap / Foil Sealing | ASK |
| Photos | seal-Beck-packautomat-2 | Beck | Packautomat | | | Shrink Wrap/Foil Sealing | | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Beck-TL50-40E | Beck | TL50 40E | 1992 | | Shrink Wrap/Foil Sealing | o808 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-belca-2001 | Belca | BE 85 | 2001 | | Shrink Wrap/Foil Sealing | L216N | Shrink Wrap, Front shuttle feeder, Rotary side feeder, Friction feeder, Shrink tunnel, Maximum Speed: 85 cycles per minute, Length: 85 to 395 mm, Width: 85 to 300 mm, Height: 2 to 70 mm | ASK |
| Photos | seal-belca-1999 | Belca | L195D | 1999 | | Shrink Wrap/Foil Sealing | | Serie L195-D L289F, Shrink Wrap/Foil Sealing | ASK |
| Photos | foil-seal-Dempack-522-2006 | Dempack | 522 | 2006 | | Shrink Wrap/Foil Sealing | | Serial No. 16547/M06 03 132, Shrink Wrap/Foil Sealing | ASK |
| Photos | foil-seal-Dempack-H18-2005 | Dempack | H18 | 2005 | | Shrink Wrap/Foil Sealing | | Serial No. 13244/M05 04 140, Shrink Wrap/Foil Sealing | ASK |
| Photos | foil-seal-Albipack | Italdibipack | Albipack ECO 650 | 2010 | | Shrink Wrap/Foil Sealing | 503 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Italdibipack-Baby-Pack | Italdibipack | Baby Pack | | | Shrink Wrap/Foil Sealing | 2109-9 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-kalfass5050-400 | Kalfass | 5050/400 | 1980 | | Shrink Wrap/Foil Sealing | T05.80.61 | Shrink Wrap/Foil Sealing With Dryer | ASK |
| Photos | seal-Kalfass-KW3535 | Kalfass | KW3535 | 1986 | | Shrink Wrap/Foil Sealing | E986695 | Shrink Wrap/Foil Sealing | ASK |
| Photos | Foil-seal-MAFWS2 | MAF | WS2 | 1989 | | Foil Sealing | 24151089 | | ASK |
| Photos | seal-Minipack-Mailbag-Digit | Minipack | Mailbag Digit | 2000 | | Shrink Wrap/Foil Sealing | 001071/D | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Smipack-S560-Red | Smipack | S560 Red | | | Shrink Wrap/Foil Sealing | | Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display | ASK |
| Photos | seal-Smipack-S560-White | Smipack | S560 White | | | Shrink Wrap/Foil Sealing | | Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display | ASK |
| Photos | seal-Soldi-Baby-Pack | Soldi | Baby-Pack | | | Shrink Wrap/Foil Sealing | 116 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Zappe-851124 | Zappe | KS44 | ca. 1985 | | Shrink Wrap/Foil Sealing | 851124 | Shrink Wrap/Foil Sealing | ASK |
| Stapling/Stiching Machines: | | | | | | | | | |
| Photos | stap-Guternic-AB-Plockmatic 36 | Guternic AB | Plockmatic 36 | ca. 1985 | | Stapler | 366031051 | Stapling Machine | ASK |
| Photos | stap-gw-km17-586 | GW | KM17 | 1997 | | Stapler | 586 | Stapling Machine | ASK |
| Photos | stap-gw-km17 | GW | KM17 | 1994 | | Stapler | 572 | 2 Head Stapling Machine | ASK |
| Photos | stap-Hans-Opitz-&-Co | Hans Opitz & Co. Hannover | | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Isaberg-Rapid-AB | Isaberg | Rapid AB A106 | | | Stapler | 43028 | Stapling Machine | ASK |
| Photos | stap-Koboldt-DE-13 | Koboldt | | | | Stapler | | Stapling Machine | ASK |

| | | | | | | | | | |
|------------------------|----------------------------------|-------------------|------------------|----------|-------------------|---------|--------|---|-----|
| Photos | stap-Koboldt | Koboldt | | ca. 1972 | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak2 | Nagel | Foldnak 2 | ca. 1987 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-DE-24 | Nagel | Foldnak 2 | | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-S-Ge | Nagel | Foldnak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak | Nagel | Foldnak | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-3 | Nagel | Foldnak | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-slow | Nagel | Foldnak | | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-2005 | Nagel | Multinak-S | 2005 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-CD-DE | Nagel | Multinak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-kro-de | Nagel | Multinak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-deg | Nagel | Multinak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-DE-24 | Nagel | Multinak S | | | Stapler | | 2 Head Stapler | ASK |
| Photos | stap-Nagel-Multinak-2 | Nagel | Multinak | | | Stapler | | 2-Head Stapler | ASK |
| Photos | stap-nagel-rinak | Nagel | Rinak | ca. 1974 | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-2-Head | Nagel | Stapler | | | Stapler | | 2-Head Stapler | ASK |
| Photos | stap-Nagel-6236-1 | Nagel | Stapler | | | Stapler | 6236-1 | Stapling Machine | ASK |
| Photos | stap-Nagel-föhl | Nagel | Stapler | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-TAK-18 | Nagel | TAK 18 | | | Stapler | | Pads Upto Approx. 140 Sheets, Staple Sizes: 50/6, 50/18, The Electric Pad Stapler NAGEL TAK 18, With Its Powerful Electric Motor And Integrated Foot Solution, Is Specialized In Stapling Thick Blocks. Blocks With A Thickness Of Upto 14mm Can Be Stapled. The Block Stapler Is Made From A Torsion-Free Cast Body And Has A Robust Stapling Head. All Wearing Parts Are Easily Replaceable. The Rear Stop Is Infinitely Adjustable | ASK |
| Photos | stap-Plokmatik-BK-5010-F102-002 | Plokmatik | BK 5010 F102-002 | | 297x427 | Stapler | 960854 | Stapling Machine | ASK |
| Photos | stap-stapler-bru-mett | Stapler | | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-stapler-6276 | Stapler | | ca. 1976 | | Stapler | 6276 | 2 Head Manual Stapling Machine | ASK |
| Photos | stap-stapler | Stapler | | ca. 1971 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Stapling-Machine-NN3 | Stapling Machine | | | | Stapler | | Stapling Machine | ASK |
| Photos | stich-Bostich | Bostich | | | | Sticher | 65055 | Stiching Machine | ASK |
| Photos | stich-brehmer-bkb-de | Brehmer | | | | Sticher | | Stiching Machine | ASK |
| Photos | stich-Grapha-B1 | Grapha | B1 | | | Sticher | 61901 | Size Register Table: 500x210mm, Back Gauge Distance: 310mm, Thickness: Up to 10mm, 380V, 3 Ph, 50Hz, 1.15A | ASK |
| Photos | stich-Th.-Speckbötél-VDHA-F-3-Yi | Th. Speckbötél | VDHA-F | 2018 | | Sticher | 15226 | Type Of Stitching: Combined Lengthwise And Crosswise Stitching, Stitching Material: Solid Cardboard, Spine Width: 14mm, Leg Lengths Continuously Adjustable From 7 To 24mm, Wire Types: Round Wire No. 21-23, Capacity: 250 Stitches Per Minute, Stitching Arm Length 500mm, Machine: Height 135cm, Width 45cm, Depth 80cm, Weight 220kg | ASK |
| Photos | stich-JSL | JSL | Sticher | | | Sticher | | | ASK |
| Photos | stich-Kaev-P710-9125-1989 | Kaev | P710/9125 | 1989 | Arm Lenght: 125cm | Sticher | 307 | Board Sticher | ASK |
| Photos | stic-Mueller-HF33 | Müller Langenfeld | HF33 | 1988 | | Sticher | 667 | Board Sticher | ASK |

| | | | | | | | | | |
|------------------------|----------------------------------|------------------|------------------------------------|------|--------|--|-------------|--|-----|
| Photos | stich-Polygraph-Brehmer-sti | Polygraph | Brehmer | | | Sticher | | Stiching Machine | ASK |
| Photos | stich-Polygraph-Breh-stic | Polygraph | Brehmer | | | Sticher | | Stiching Machine | ASK |
| Photos | stich-Veb-Polygraph-sti | Veb | Polygraph | | | Sticher | | Stiching Machine | ASK |
| Transferbelt | | | | | | | | | |
| Photos | belt-Conveyor Belt | Conveyor Belt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | trans-belt-Filma-TTLI-500VR | Filma | TTLI/500VR | 1997 | | Transferbelt | 0871 | Transferbelt | ASK |
| Photos | belt-Krupps-KF-50-9864-2 | Krupps | KF 50 1000/550 | | | Transferbelt | 9864/2 | Transferbelt | ASK |
| Photos | more-Kolbus-TG | Kolbus | TG | 1989 | | Conveyor Belt | 1032 | Transferbelt | ASK |
| Photos | more-Kolbus-FS-Z-011 | Kolbus | FS.Z 011 | 1987 | | Conveyor Belt | 59 | Transferbelt | ASK |
| Photos | more-Kolbus-TN | Kolbus | TN | 1980 | | Conveyor Belt | 944 | Transferbelt | ASK |
| Photos | more-Markem-9064 | Markem | 9064 | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-MK-Typ-GUF-P | MK | Typ GUF-P 2000 AC 2000-200 | 2008 | | Conveyor Belt | 20224101001 | Motorized Belt | ASK |
| Photos | more-Motorized-Belt | Motorized Belt | | | | Conveyor Belt | | Motorized Belt | ASK |
| Photos | trans-belt-Multi-Mount-IP66 | Multi-Mount | IP66 | 2010 | | Transferbelt | | Typ, 4, 12,13, Standard Enclosure | ASK |
| Photos | more-Müller-Martini | Müller Martini | 36.200.162 | | | Transferbelt | 99.25077.01 | Transferbelt | ASK |
| Photos | more-Solema-1992 | Solema | | 1992 | | Conveyor Belt | 4031 | Transferbelt | ASK |
| Photos | more-Solema-3 | Solema | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-Tec-Graf-S84-210 | Tec-Graf | S84 | 1988 | | Transferbelt | 210 | Transferbelt | ASK |
| Photos | more-transferbelt-hun | Transferbelt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-transferbelt-hun2 | Transferbelt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | trans-belt-Transferbelt-45° | Transferbelt | 45° | | | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-green-ei | Transferbelt | | | 142x65 | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-NN1 | Transferbelt | | | | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-3,70-Length | Transferbelt | | | | Transferbelt | | 3,70 Length | ASK |
| Photos | more-Trapo-Stumpf | Trapo | Stumpf | 1994 | | Conveyor Belt | 501407 | Transferbelt | ASK |
| More: | | | | | | | | | |
| Photos | more-Aarque 575-EPV-38500 | Aarque 575.EPV | 38500 | | | | 0724 | Dry Duplicator System, Blueprint, Plot, Whiteprint | ASK |
| Photos | more-Bellheimer-Kardex-D30-26764 | Bellheimer | Kardex Industriever LT-110E-1412-3 | | | Paternoster | D30/26764 | 220 V, 7 A, 50/60 Hz, 0,1 kW, Load Per Carrier Evenly Distributed: 100 KG, Total Load: 1400 KG, Imbalance Load: max. 240 KG, Warehouse Lift / Shuttle / Circulation Rack / Paternoster / Umlaufregal | ASK |
| Photos | more-Bellheimer-Kardex-D38-26765 | Bellheimer | Kardex Industriever LT-110E-1412-3 | | | Paternoster | D38/26765 | 220 V, 7 A, 50 Hz, 0,8 kW, Load Per Carrier Evenly Distributed: 100 KG, Total Load: 1400 KG, Imbalance Load: max. 240 KG, Warehouse Lift / Shuttle / Circulation Rack / Paternoster / Umlaufregal | ASK |
| Photos | more-Bellmer-ZS15-Yi | Bellmer | ZS15-P | 1977 | | Coner Saw Machine | VI298 | Coner Saw Machine | ASK |
| Photos | more-buhrs | Buhrs | Variadress 218 | 1997 | | Adressing machine | 4453-027 | Adressing machine | ASK |
| Photos | more-BST-Pro-Control-O1781 | BST | Pro Control BC-MK 1.0 | 2016 | | Track Monitoring System | O1781 | Track Observation Device, BST Pro Control BC-MK 1.0 with Rittal Top Therm SK 3382500 Pro Control, M-No. 2016D0208468 | ASK |
| Photos | more-Krumm-LRF20 | Krumm | LRF20 | 2009 | | Air Filter System / Abluftfilteranlage | O0054-09 | Air Filter System / Abluftfilteranlage | ASK |
| Photos | more-small-compressed | Small compressed | | | | Air Punch | | air punch with punches and dies (Kleine Druckluft-Lochstanze mit Stempel und Matrizen) | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|---------------------|--------------------|------|----|--|-----------|---|-----|
| Photos | more-Binder-Block-Press-obsteiKar | Binder, Block Press | | | | Binder, Block Press | | Binder, Block Press | ASK |
| Photos | more-MAC-Computer | MAC | Computer | | | Computer | | Computer | ASK |
| Photos | more-Sharp-Digital-Copy-machine | Sharp | MX 3050N | | | Digital Copy machine | 75064641 | Digital Copy machine | ASK |
| Photos | more-Druckschrank-k-h-irg | Druckschrank | | | | Druckschrank | | Druckschrank / Print Wardrobe | ASK |
| Photos | more-sauger-KF-1300 | Sauger | Type KF 1300 | 2004 | | Dust-Exhaust | | Dust-Exhauster for Perfect Binder | ASK |
| Photos | more-Edge-protection-machine | Edge | Protection machine | | | Edge protection machine / Kantenschutzmaschine | | Edge protection machine / Kantenschutzmaschine | ASK |
| Photos | more-Kolbus-FS.Z | Kolbus | FS.Z | 2000 | | Electric Panel | 227 | Electric Panel | ASK |
| Photos | more-Film-Sealing-Machine | EKO Folien GmbH | | | | Folienschweißmaschine / Film Sealing Machine | PL00421 | Folienschweißmaschine/ Film Sealing Machine | ASK |
| Photos | more-Foilcutter-AK | Foil Cutter | | | 90 | Foil Cutter | 3358 | Foil Cutting Unit | ASK |
| Photos | more-Hade-80-Yi | Hade | 80 | | | | | Mechanical Paper Tape Machine, Tape Width: 40-80mm, Tape Length Up to 75cm, With Quick Length Selection Switch, Two Water Brushes | ASK |
| Photos | more-Hefter-Systemform-si-4400 | Hefter Systemform | SI 4400 B | 2016 | | Folding and Inserting Machine | 440396 | Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230 V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2, single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programmable Jobs: upto 20 jobs. | ASK |
| Photos | more-Hinowa-HS-1100-Silenced-Yi | Hinowa | HS 1100 Silenced | | | | | Equipped With Snow Shovel, High & Standard Hydraulic Tip, New Electric Start Petrol Engine Fitted, Good Rubber Tracks, Ride On Platform | ASK |
| Photos | more-Pitney-Bowes-7-Series | Pitney Bowes | 7 Series | | | Folding and Inserting Machine | | MPS Mailstream Productivity Series, Folding And Inserting Machine | ASK |
| Photos | more-Pitney-Bowes-DE-24 | Pitney Bowes | | | | Folding and Inserting Machine | | MPS Mailstream Productivity Series, Folding And Inserting Machine | ASK |
| Photos | more-Pitney-Bowes-D1-600 | Pitney Bowes | D1 600 | | | Folding and Inserting Machine | | Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2 single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programmable Jobs: upto 20 jobs | ASK |
| Photos | more-Albert-Siebdruck | Albert | Siebdruck | | | Grinding Machine / Doctor Blade Grinder | | Grinding Machine / Doctor Blade Grinder | ASK |
| Photos | more-METABO-730 | METABO | 730 | | | Grinding Machine | 206407 | Grinding Machine | ASK |
| Photos | more-Helmut-Diebold-HSD01 | Helmut Diebold | HSD01 | | | Grinding Machine / Schleifmaschine | o493286 | Grinding Machine / Schleifmaschine | ASK |
| Photos | more-Heater | Heater | | | | Heater | | Heater | ASK |
| Photos | more-honda-Yi | Honda | | | | | | Petrol Engine Sweeper | ASK |
| Photos | more-hole-punch-tool | Hole | punch tool | | | Hole punch tool/Loch-Werkzeug | | Hole punch tool/Loch-Werkzeug | ASK |
| Photos | more-Kern-K610-Ident No. 811 | Kern | K610 Ident No. 811 | 1978 | | Inserting Machine | K610.6406 | Kuvertiermaschine / Inserting machine | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------|-------------------------|-----------------------|---------|------------|---|----------------|---|-----|
| Photos | insert-Sitma-1005-BW | Sitma | 1005-BW | 2011 | | Inserting Machine | | Inserting and Foiling Machine, 2 Feeders, IJC Injet-Controller and Video Jet Printer, Packaging Possibilities: >Lenght Min./Max. in mm: 150/420, Width: Min./Max. in mm: 100/305, Height Min./Max. in mm: 1-20 (upto 35mm When Working At Long Distances) Capacity: 15000 Products/Hour Typ: PE-PVC-PPO, Thickness Min./Max. in µ: 18/50, Width: Min./Max. in mm: 200/700, Max. Roll Diameter in mm: 450, Min. Roll Diameter in mm: 76,2< | ASK |
| Photos | mores-Einhell-KBS-500 | Einhell | KBS 500 | 1984 | | Kombi-Kreissäge | O02204 | Kombi-Kreissäge / Combi-Circular Saw, 2800 U/Min., 3KW/4PS, 380V/50Hz, Saw Blade: 315/500mm | ASK |
| Photos | more-Lexmark-T640 | Lexmark | T640 | | | Laser Printer | | Laser Printer | ASK |
| Photos | more-FAG-Line-Saw-for-Lead-Type | FAG | J-75 | | | Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype | 34.08.408 | Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype, Klischee Cutter, Volt: 380 | ASK |
| Photos | mores-Technotrans-EWP | Technotrans | EWP 1800/225-T | | | Motor | 111749 | Motor | ASK |
| Photos | mores-Technotrans-EWP- | Technotrans | EWP 1800/225-T | | | Motor | 121137 | Motor | ASK |
| Photos | hot-stamp-Therm-O-Type | Therm-O-Type | MX Series | | | Thermal Relief Printing | 102592 | Thermal Relief Printing | ASK |
| Photos | Mores-Mores-Tresor | Mauer Tresor | VdS/Kl. 1 | | 72x60x81cm | Tresor | 82101-VdS-Kl.1 | Inner Dimensions: 40x30x74cm, Outer Dimensions: 72x60x81cm, EURO/VdS/Kl. 1, Weight: 310 KG. | ASK |
| Photos | more-Jogger-Ge-201 | Jogger | | | | Jogger | | Paper Jogger | ASK |
| Photos | more-Josef-Florenz | Josef Florenz | Neigungswaage | | | Neigungswaage | B411162 | Neigungswaage / Scale | ASK |
| Photos | more-Finest-FOG-Osmose | Finest | FOG | 2009 | | Osmoseanlage | B070587 | Osmoseanlage / Somosis System | ASK |
| Photos | more-Paper-wrapping-machine | Paper Wrapping Machine | | | | Paper Wrapping Machine | | Paper Wrapping Machine | ASK |
| Photos | more-Okki-C-9550 | Okki | C.9550 | | | Photo Copy Machine | | Colour Photo Copy Machine / Farbkopierer | ASK |
| Photos | more-Rema-DMK-350 | Rema | DMK 350 | 2003 | | Jack | 102721 | Jack, Capacity: 1500 KG | ASK |
| Photos | more-Robert-18c72oZ | Robert | 18c72oZ | 1979 | | Regid Plastic creasing with Heating | | Regid Plastic creasing with Heating (Folien-Biegemaschine) | ASK |
| Photos | more-Gandossi-&-Flli-Fossati | Gandossi & Flli Fossati | | | | Rilling Machine | | Rilling Machine | ASK |
| Photos | more-Geha-1996-top | Geha | Top Vision 5000 | 1996 | | Overheadprojektor | 884123 | Overheadprojektor | ASK |
| Photos | rill-Nagel-Rillnak-350 | Nagel | Rillnak 350 | | | Rilling Machine | 470358CFAB | Rilling Machine | ASK |
| Photos | more-avdel-rivet-gun | Avdel | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-gesipa-rivet-gun-2 | Gesipa | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-gesipa-rivet-gun-1 | Gesipa | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-rivet-gun | Rivet | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-pamü | PAMÜ | Scoring Machine | | | Scoring Machine | | Scoring Machine | ASK |
| Photos | more-Scoring-Machine | Scoring Machine | | | | Scoring Machine | | Scoring Machine | ASK |
| Photos | more-yard-king | Yard King | 40,0707 | | | Snow Slider | 92081532 | Typ: 1221 02, Tire pressure: 4x1,5 Bar, Oil: 10W 40 | ASK |
| Photos | more-stückmann-hillen | Stückmann & Hillen | AK200-1250 | 1954 | | Steal Banding Machine | 454.103 | Steal Banding Machine | ASK |
| Photos | more-table-1 | Table | with Foilrolls Holder | | | Table | | (Tisch mit der Möglichkeit für Folienrollen anzuhängen/Table with the possibility of hanging film rolls) | ASK |
| Photos | more-Table-Hole-Punch | Table Hole Punch | | | | Table Hole Punch | | Table Hole Punch | ASK |
| Photos | more-linotype | Mergenthaler | Linotype | unknown | | Typesetting machine / Setzmaschine | | Linotype, Typesetting machine / Setzmaschine | ASK |
| Photos | more-linotype-280-18120 | Linotype | 280 | | | Typesetting machine / Setzmaschine | 18120 | Linotype, Typesetting machine / Setzmaschine | ASK |

| | | | | | | | | | |
|---|------------------------------|---------------------|---------------------|------|--|----------------------------------|-------------------|---|-----|
| Photos | more-Dalex-PL40-1 | Dalex | PL40-1 | | | Welding Machine /Schweißmaschine | 18913670/1 | Welding Machine /Schweißmaschine | ASK |
| Photos | more-Bacher-180-1989 | Bacher | 180 | 1989 | | | | | ASK |
| Photos | more-Diverse-1 | Diverse-1 | | | | | | | ASK |
| Photos | more-Diverse-2 | Diverse-2 | | | | | | | ASK |
| Photos | mores-Kärcher-KSM-950-B | Kärcher | KSM 950 B | | | | | | ASK |
| Photos | mores-Kärcher-BR-55-60W | Kärcher | BR 55/60W | | | | | | ASK |
| Photos | mores-Nash-Elmo-1400 | Nash Elmo | G 200 2BH1400-7AH26 | | | | EU600155221034/06 | Motor 50 Hz, 1,3 kW, 2800/min | ASK |
| Photos | mores-Nash-Elmo-1300 | Nash Elmo | G 200 2BH1300-7AH16 | | | | EU600156240052/06 | Motor 50 Hz, 0,40 kW, 2760/min | ASK |
| Photos | more-Polygraph-62-1-4 | Polygraph | 62 1/4 | | | | 63021 | | ASK |
| Photos | more-Prym-SP-3-71 | Prym | SP 3/71 | | | | | | ASK |
| Photos | more-RR-Industrietechnik-RAK | RR Industrietechnik | RAK | 2021 | | | 44380 | Capacity: 300 KG, Article Number: 100400101 | ASK |
| Photos | more-Rhewa- 83Z | Rhewa | 83Z | | | | 120394 | | ASK |
| Photos | more-Solema-2007 | Solema | | 2007 | | | 7.017 | | ASK |
| Photos | more-Ulico-Herotherm | Ulico | Herotherm | | | | 481 | | ASK |
| Photos | more-ulmia-5653 | Ulmia | 1605-7 | 1960 | | | 5653 | | ASK |
| | | | | | | | | | |
| AGM Anwar Graphische Maschinen GmbH Friedenstrasse 1, D-38259 Salzgitter Bad, Germany E-Mail: agm@agm-graphics.com | | | | | | | | | |