



SALES LIST

AGM Anwar Graphische Maschinen

Photo	Ref. No.	Brand	Typ	Age	Size cm	Impression	MachineNo.	Details	Price/€
								12-Colours Offset	
								10-Colours Offset	
								9-Colours Offset	
								8-Colours Offset	
								7-Colours Offset	
								6-Colours Offset	
Photos	off6-HD-XL-75-6+L-C-2009	Heidelberg	XL 75-6+LX3-C Format	2009	53x75cm	314 Mio.		Straight Machine, Format: Max. 530x750mm, Min. 210x350mm, Largest Printing Area: 510x740mm, Maximum Production Speed: 15.000 Sheets/Hour, Prinect Press Centre With Remote Ink Control, Prinect Press Center Software, Axis Control, Diagonal Register, Preset Plus Feeder, Autoplate, Double Diameter Impression Cylinders, Alcolor Vario Continuous Dampening System, Technotrans Refrigeration, AlcoSmart, Ink Temperature Control, Auto Ink Roller Wash, Auto Blanket Wash, Auto Impression Cylinder Wash, Preset Plus Delivery, Anilox Coater, AirStar, Air-Cooled, UV Package – Delivery (Delivery Includes All Components Required To Equip The Delivery For UV Operation. Machine Is Equipped With DryStar Combination UV, 2 DryStar IR-/Hotair, 1 UV With 3 Lamps á 160 Watt/cm), UV Package – Coating Unit, 6th Printing Unit Is Equipped With Combi-Rollers, Double Sheet Detector – Pulling Device, Extended Delivery – X3, DryStar Combination UV CAN Dryer a/c, CombiStar CAN – Dampening Solution a/c, PowderStar AP232 – Powder Spray, StaticStar Compact – Antistatic Device, Varnish Supply Unit 550l/h UV, Second Varnish Circuit With CoatingStar	ASK
Photos	off6-Roland-R306-N-1998	MAN Roland	R306 N	1998	53x74	96 Mio.	27764B	Perfector 1/5 and 6/0, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Refrigerator, Auto-Wash, Double Size Impression Cylinders, Roland Mabeg Jet Feeder, Steel Plate on Overlap, High Pile Delivery, Autosize, IR Dryer and UV Dryer	ASK
								5-Colours Offset	
Photos	off5-HD-GTO52-FP-1993	Heidelberg	GTO52 FP	1993	36x52	86 Mio.	709393	Perfection: 1/4, CPC 10.2, Plus Version, Alcolor Dampening with Baldwin Refrigeration Circulation, Quick Action Clamps, Electronic Double Sheet Control, Weko T6 Powder Sprayer	ASK

Photos	off5-HD-MOFP-H-610856	Heidelberg	MOFP-H	1990	48x65	115 Mio.	610856	Perfection: 1/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix EXA S1-X Powder Spray, IR Dryer, High Pile Delivery	ASK
Photos	off5-HD-SM-74-5-H-DS000499	Heidelberg	SM 74-5-H	2010	52x74	285 Mio.	DS000499	Straight Machine, Prinect Press Center, Preset Feeder and Delivery, Autoplate, Digital Controls, Touch Screen Control, Autosize, Alcolor Dampening with Technotrans beta.d Alcocontrol	ASK
Photos	off5-KBA-RA105U-5+L-ALV2-2004	KBA	Rapida RA105U-5+L ALV2	2004	74x105	240 Mio.		Paper Thickness: 100 G/M-1,2MM (Cardboard + Foils), (CX) Cardboard Attachment (Up To 1.2 MM), 5 Colours Plus Coating Tower For UV- And Water Based Varnish, (ALV) Extended Delivery 2600mm, Weko AP 262 Powder Sprayer, 2x UV Interdeck Dryer In 2nd and 5th Unit, 1x UV- And IR- Hot Air Dryer, (FAPC) Fully Automatic Plate Change, (ITC) Inking Unit Temperature Control, Colortronic Control Centre, Varidamp Dampening, Varicontrol, Baldwin Cooling, Intercommunication System, Colour Managment Techion, Prepared For CIP Link, Recovered Rollers, Retrofitting Non-Stop Feeder and Delivery, (ACS) Air Cleaning System, (GTW) Auto-Wash System for Blankets and Rollers, Auto-Wash Devices For Impression Cylinders in 1,3 & 4 Unit, Anilox Rollers Chamber Doctor Blade System	ASK
4-Colours Offset									
Photos	off4-HD-MOVP-S-1992-613012	Heidelberg	MOVP-S	1992	48x65		613012	Perfection: 2/2, CPC 1.02, CP-Tronic, Alcohol Dampening, Grafix Exactomat Powder Spray, Low Pile Delivery	ASK
Photos	off4-HD-MOVP-H-1990-610851	Heidelberg	MOVP-H	1990	48x65	180 Mio.	610851	Perfection: 2/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix Powder Spray, IR Dryer, High Pile Delivery	ASK
Photos	off4-HD-PM-52-4-2006-721487	Heidelberg	PM GTO 52-4-P	2006	36x52	77 Mio.	721487	Perfection 2/2, Plus Version, Pull Lay Control, DDS Dampening with Technotrans Refrigerator, Single Sheet Feeder, Quick Action Clamps, Double Sheet Control, Sheet Decurler, Powder Spray, Format: Max. 36x52cm, Min. 10,5x18cm Max. Speed: 8000 S/H	ASK
Photos	off4-HD-SM-102-4P3	Heidelberg	SM 102-4P3	2002	72x102	265 Mio.	545084	Perfection: 2/2, 4/0, Automated Perfecting Device, Electronic Double & Missing Sheet Control, Steelplate in Feeder & Delivery, Inking Unit Temperature Control, Alcolor Automatic Film Dampening with Technotrans Refrigeration, CP 2000 Control Center, CP 2000 Istant Gate, CP 2000 MasterLevel, Autoplate (Semi-Automatic Plate Loader), Auto Wash-Up Devices for Ink Rollers, Blankets and Impression Cylinders, Preset Feeder Automatic Paper Size, Non-Stop Pile Feeder, Technotrans Air Cooled, Electronic Pullay Control, High Pile Delivery, Non-Stop Delivery, Grafix Powder Sprayer, Eltex Antistatic Device, Speed: 13.000 Sheets/Hour	ASK

Photos	off4-Roland-R304-HOB-1996	MAN Roland	R304 HOB	1996	53x74	168 Mio.	26381B	Perceptor 2/2, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Cooling Refrigerator, Auto-Wash, Roland Mabeg Jet Feeder, Steel Plate on Overlap, Steel Plate on the Lining, Non-Stop Device, Super Blue, Bacher Registry System Quick Bars, Powder Sprayer, High Pile Delivery, Capacity: 15000 Sheets/h, Paper Thickness: 0,04-0,6mm, Max Paper Size: 53x74cm, Min Paper Size: 26x40cm, Start of Print: 9.5-10.5mm, Plate Format: 605x745, Plate Thickness: Max 0,3mm	ASK
2-Colours Offset									
Photos	off2-Adast-725P-1992	Adast Dominant	725P	1992	48x65		11295	Perfection: 1/1, Standard Dampening	ASK
Photos	off2-HD-GTO-52-2-1998	Heidelberg	GTO-52-2	1998	36x52	34 Mio.	716470	Straight Machine, Minus Version, Varn Kompakt Dampening	ASK
Photos	off2-HD-GTOZP-52-nag	Heidelberg	GTOZP 52	1992	36x52	22 Mio.	705473N	Plus Version, Alcolor Dampening with Baldwin Cooling	ASK
Photos	off2-HD-GTOZP-52-704731	Heidelberg	GTOZP 52	1991	36x52		704731	Alcolor Dampening	ASK
Photos	off2-HD-GTOZP-52/46-700081N	Heidelberg	GTOZP 52/46 + NP	1990	36x46	26 Mio.	700081N	Standard Dampening, Equipped with NP Unit	ASK
Photos	off2-HD-GTO52ZP-1986	Heidelberg	GTOZP 52	1986	36x52	43 Mio.	685849	Varn Kompakt Dampening	ASK
Photos	off2-HD-GTOZP-52-1985	Heidelberg	GTOZP 52	1985	36x52	51 Mio.	684417	Standard Dampening	ASK
Photos	off2-HD-GTOZ-52-684293	Heidelberg	GTOZ 52	1985	36x52		684293	Straight Machine, Alcohol Dampening with Refrigeration	ASK
Photos	off2-HD-GTOZP+NP46-1980	Heidelberg	GTOZP + NP 46	1980	32x46	30 Mio.	670491	Standard Dampening, Equipped With NP Unit	ASK
Photos	off2-HD-MOZ-E-1989	Heidelberg	MOZ-E	1989	48x65	62 Mio.	609726	Straight Machine, Alcohol Dampening With Technotrans Refrigerator, Quick Action Plate Clamps, Bacher Register, Powder Spray	ASK
Photos	off2-Heidelberg-MOZ-E-1984	Heidelberg	MOZ-E	1984	48x65	18 Mio.	604211	Straight Machine, Quick Action Plate Clamps, Powder Spray, Standard Dampening	ASK
Photos	off2-HD-MOZP-S-1991-611342	Heidelberg	MOZP-S	1991	48x65		611342	Perfection, CP-Tronic, Alcohol Dampening, Grafix Exactomat Powder Spray	ASK
Photos	off2-HD-PM-74-2-2004	Heidelberg	PM 74-2	2004	52x74	40 Mio.	PM 740661	Straight Machine, Stream Feeder, Double Sheet Detection, Electronic Side Lays Control, Alcolor Dampening With Baldwin Cooling Refrigeration, CP Tronic, Printmaster PM 74 Press Control, Autoplate, Auto Wash-Up Devices For Blankets, Impression Cylinder And Ink Rollers, Weko Powder Sprayer, Speed: Up To 13.000 Sheets/Hour	ASK
Photos	off2-Heid-PM-46-2-2005	Heidelberg	PM 46-2 + NP	2005	34x46	8,6 Mio.	965063	Straight Machine, DDS Dampening, Autoplate, Powder Spray, Paper Thickness: Max. 0,3mm, Speed: 10000 Sheets/Hour, Inclusive Nela Plate Punch QM46, AGE: 2004, 220mm	ASK
Photos	off2-HD-QM-46-2-1997	Heidelberg	QM 46-2	1997	34x46	5,4 Mio.	959331	Alcohol Dampening	ASK
Photos	off2-HD-SM-102ZP-1979	Heidelberg	SM 102ZP	1979	72x102		513441	Perfection 1/1, Standard Dampening	ASK
Photos	off2-HD-SM-72-ZP-519385	Heidelberg	SM 72ZP	1982	52x72		519385	Perfection 1/1, Standard Dampening	ASK
Photos	off2-HD-SM-52-2-1997	Heidelberg	SM 52-2	1997	36x52	42 Mio.	201230	Straight Machine, CP Tronic, Alcolor Dampening, Autoplate, Auto-Wash Automatic Blanket Washing, Automatic Impression Cylinder Washing, Roller Washing Device, Presest, Powder Spray, Format: Max. 360x520mm, Min. 105x145mm, Speed: 15000 Sheets/Hour	ASK

Photos	off2-HD-SM-52-2-200769	Heidelberg	SM 52-2	1997	36x52		200769	Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour	ASK
Photos	off2-HD-SM-52-2-1995	Heidelberg	SM 52-2	1995	36x52		200114	Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Mediprint GS Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour	ASK
Photos	off2-RZK3B-EH	Roland	Rekord RZK3B-EH	ca. 1984	72x102			Perfectaion: 1/1, High Pile Feeder, High Pile Delivery, Standard Dampening, Powder Spray	ASK
Photos	off2-Ryobi-522-HXX	Ryobi	522 HXX	1999	36x52		1644	Suction Stream Feeder, Double Sheet Control, AAC (Aqua Automatic Control System) Ryobimatic Dampening with Refrigeratino & Re-Circulation Unit, Semi Auto Plate Change, Automatic Ink Roller and Blanket Washing Unit, Low Pile Delivery	ASK
1-Colours Offset									
Photos	off1-Adast-715C-1998	Adast Dominant	715C	1998	48x65		12809	Standard Accessories	ASK
Photos	off1-Gestetner	Gestetner	211	ca. 1989			268433	Standard Dampening	ASK
Photos	off1-HD-GTO-52-713705	Heidelberg	GTO 52-1 + NP	1996	36x52	28 Mio.	713705	DDS Dampening, Plus Version, Equipped with NP Unit, Standard Accessories	ASK
Photos	off1-HD-GTO-52-707499	Heidelberg	GTO 52+NP	1992	33x46	42 Mio.	707499	With NP Unit, Small GTO 46 Plate Cylinder, Standard Dampening	ASK
Photos	off1-HD-GTO-52	Heidelberg	GTO 52		32x46	32 Mio.		Standard Accessories	ASK
Photos	off1-HD-GTO-46-1980-669066	Heidelberg	GTO 46	1980	32x46		669066	Standard Dampening	ASK
Photos	off1-HD-GTO-46-1978-662551N	Heidelberg	GTO 46	1978	32x46		662551N	Standard Dampening	ASK
Photos	off1-HD-GTO 46+NP-1978	Heidelberg	GTO 46+NP	1978	32x46			Plus Version with NP Unit, Standard Dampening	ASK
Photos	1-col-Hei-Kord64-1971	Heidelberg	KORD 64	1971	46x64		341852	Standard Dampening	ASK
Photos	1-col-Hei-Kord64-1974	Heidelberg	KORD 64	1974	46x64		349971	Standard Dampening	ASK
Photos	1-col-Hei-Kors-1985	Heidelberg	KORS	1985	52x72		361233	Standard Dampening	ASK
Photos	1-col-HD-KORS-1978	Heidelberg	KORS	1978	52x72		354966	Standard Dampening	ASK
Photos	1-col-Hei-Kors-1976	Heidelberg	KORS	1976	52x72		351730	Standard Dampening	ASK
Photos	1-col-Hei-KORS-1974	Heidelberg	KORS	1974	52x72		348459	Standard Dampening	ASK
Photos	1-col-Hei-Kors-1969	Heidelberg	KORS	1969	52x72		331699	Standard Dampening	ASK
Photos	1-col-Hei-Kors-1968	Heidelberg	KORS	1968	52x72		329041	Standard Dampening	ASK
Photos	off1-HD-MO-E-601914	Heidelberg	MO-E	1981	48x65	42 Mio.	601914	Standard Dampening	ASK
Photos	off1-HD-MO-S-613471	Heidelberg	MO-S	1993	48x65	68 Mio.	613471	Standard Dampening	ASK
Photos	off1-HD-PM-52-1-pl	Heidelberg	PM 52-1	2004	36x52		720845	DDS Dampening With Technotrans Refrigerator, Plus Version, Standard Accessories	ASK
Photos	off1-HD-PM 52-1-2001	Heidelberg	PM 52-1	2001	36x52	22,5 Mio.	719443	DDS Dampening, Standard Accessories	ASK
Photos	off2-Heid-QM-46-1	Heidelberg	QM 46-1	1996	34x46		956541	DDS Dampening, Autoplate, Powder Spray, Paper Thickness: Max. 0,3mm, Speed: 10000 Sheets/Hour	ASK
Photos	off1-HD-SORM-528100	Heidelberg	SORM	1988	52x72		528100	Standard Dampening; Powder Spray	ASK
Photos	off1-HD-SORM-522407	Heidelberg	SORM	1985	52x72	59 Mio.	522407	Standard Dampening	ASK
Photos	off1-HD-SORK-519360	Heidelberg	SORK	1982	48x65	93 Mio.	519360	Standard Dampening	ASK
Photos	off1-HD-SORS-1974	Heidelberg	SORS	1974	72x102		507622	Standard Dampening; Powder Spray	ASK
Photos	off1-HD-TOK-1990	Heidelberg	TOK	1990	28x39,5		951321		ASK
Photos	off1-HD-TOK-NN	Heidelberg	TOK		28x39,5				ASK
Photos	off1-Roland-Practica-PR00	MAN Roland Practica	PR00 + NP	1991	36x52		8835	Serie: 182, NP Unit, Standard Dampening	ASK

Photos	off1-Roland-Favorit-RF0B-1971	Roland Favorit	RF0B	1971	52x72		25915	Serial No. 117, Standard Dampening	ASK
Photos	off1-Rotaprint-R37KV	Rotaprint	R37KV	ca. 1988	35,6x51		1361BC-01014	Standard Dampening	ASK
Photos	off1-Rotaprint-R37K	Rotaprint	R37K	ca. 1989	35,6x51		2261BB42011	Standard Dampening	ASK
Photos	off1-Rota-R36K-2004	Rotaprint	R36 K	ca.2004	36x50			Standard Dampening	ASK
Accessories Printing Machines									
Photos	Acc-printing-Mikro-Jet	Mikro Jet	Addressing System			Addressing System		With 3 Printing Heads And Variable Support System 140x75cm With Rotary Encoder	ASK
Photos	Acc-printing-Feket-KAG-VK-UV	Feket	KAG VK UV Curing	2009	72	UV Dryer / Curing	540	Volts: 380, 3 Phase, 50/60 Hz, 2 KVA, 7 Amp., Weight: 300KG	ASK
Photos	Acc-Off-foellmer-OK90	Foellmer	OK90	1995		Tab Inserter	91602	Tab Inserter	ASK
Photos	Acc-Off-Autowash-Cloth-Cutter	Cloth Unwinder				Cloth Unwinder		Autowash Cloth Unwinding Unit	ASK
Photos	Acc-printing-Baldwin-2007	Baldwin	Automix 229 D-1	2007		Baldwin Refrigerator		Brand New Baldwin Refrigerator Automix 229 D-1 With Digital Display	ASK
Photos	Acc-Off-Citot-Printline-2008	Citot	Printline	2008		Inline Finisher		RSP System for Inline Finishing	ASK
Photos	Acc-HD-GTO-Counterpressureplate	Heidelberg				Plate For Impression Cylinder		GTO Gegendruckblech / Counterpressure plate	ASK
Photos	Acc-NP for-GTO-52786633	Heidelberg	NP for GTO 52		52	N&P Unit	786633	NP for GTO 52	ASK
Photos	ctp-HD-CP31-1997	Heidelberg	CPC31	1997	max. 102	Plate Scanner	34373	Plate Scanner/Plate Reader for Heidelberg Speedmaster SM 102/SM 74, SM 52, Plate Image reader, for measuring the printing part of the surface of offset plates and stores the measured values on the job Memory card or in the CPC data Memory, for on-line transfer of the values to the press's control unit (for calculation of ink fountain zone openings and ink stripe widths in CPC 1 control unit, for all types of printing plates up to SM 102 plates format	ASK
Photos	Acc-printing-Gerhard-Busch-TW-02	Gerhard Busch	TW 02			Printing Rollers Cleaning System	30/1281	Printing Rollers Cleaning System	ASK
Photos	Acc-Off-Numbering-Unit-for-GTO-52	Numbering and Perforation Unit for GTO 52	N+P Unit		52	N&P Unit		Numbering Unit for GTO 52 machine	ASK
Photos	Acc-Off-NP-Unit-for-GTO46	Numbering and Perforation Unit for GTO 46	N+P Unit		46	N&P Unit		Complete with all standard Parts	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS	Numbering and Perforation Unit for MOE/MOS	N+P Unit		65	N&P Unit		Numbering Unit for MO machines	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS-2	Number and Perforation N&P unit for MO-E or MO-S	N+P Unit		65	N&P Unit		Number and Perforation N&P unit for MO-E or MO-S	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS-3	N&P for MO-E oder MO-S	N+P Unit		65	N&P Unit		Number and Perforation N&P unit for MO-E or MO-S	ASK
Photos	Acc-Off-Vacuomatic-MK4	Vacuomatic	MK4			Paper Counter	358480	Paper Counting Machine, Counting Head With Blower And Counter, Strip Insertion, Strip Shot (approx. 5mm), Min. of Shot 5 Sheets, Max. Stacking Height: 230mm, Counting Speed Upto 2000 Sheets/Minutes, Counter Max. 999.999, Material 25-240g/m2	ASK
Photos	Acc-Off-Vacuomatic-CUT12	Vacuomatic	CUT12			Tab Inserter		Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour	ASK
Photos	Acc-Off-Perforating-shaft	Perforating Shaft				Perforation Shaft		Perforating Shaft	ASK

Photos	Acc-Off-Schneider-F60-796	Schneider	F60		360x360	Envelope Feeder	796	Artikel No. 184.102, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height	ASK
Envelope Printing Machines									
Offset Rotations Printingmachine									
Reel to Sheet Cutter									
Cutting Machines									
Photos	cut-Dahle-Manual-Cutter	Dahle	Manual Cutter	ca. 1995				Manual Cutter	ASK
Photos	cut-manual-cutter-wod	Manual Cutter		ca. 1991				Manual Cutter	ASK
Photos	cut-Polar-115-EMC-MON5931153	Polar	115 EMC MON	1989	115		5931153	Programs With Monitor Display, Side Table, Light Barriers, Air Table, Standard Accessories	ASK
Photos	cut-Polar-115-CE-4732696	Polar	115 CE	1977	115		4732696	Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-115-EL-1969	Polar	115 EL	1969	115		69/3966	Right Side Pile Lift, Left Side Table, Light Barriers, Programmable, Air Table, Standard Accessories	ASK
Photos	cut-Polar-92CE-5111179	Polar	92 CE	1981	92		5111179	Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-92CE-4711515	Polar	92 CE	1977	92		4711515	Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-92-X-7711520	Polar	92X	2007	92		7711520	Stainless Steel Air Bed, Light Barriers, Programmable, Color Display, Side Air Tables, Complete with Standard Accessories	ASK
Photos	cut-Polar-90-CE-4412578	Polar	90 CE	1974	90		4412578	Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-90-EL-71-0523	Polar	90 EL	1971	90		71/0523	Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-polar-76 EM-5661373	Polar	76 EM	1986	76		5661373	Programs, Side Tables, Air Table, Standard Accessories	ASK
Photos	cut-Schneider-Senator-92-E-Line-2013	Schneider	Senator 92 E-Line	2013	92		M-092E-024-12/14-13	Side Tables, Light Barriers, Chromed Air Table, Program, Standard Accessories	ASK
Photos	cut-Schneider-PS-650-1965	Schneider	PS 650	1965	Steelcutter		2074	Plate Bending Machine Schneider PS 650, Heavy Standing Model, Working Width 650 mm, Attached Hand Lever Shears, Cutting Width Approx. 150 mm	ASK
Photos	cut-wohlenberg-107	Wohlenberg	107		107			Programs, Light Barrier, Side Tables, Standard Accessories	ASK
Photos	cut-Wohlenberg-92	Wohlenberg	92	2003	92		3857-006	Programs, Side Tables, Light Barriers, Air Table, Standard Accessories	ASK
Photos	cut-wohlenberg-76-2000	Wohlenberg	76	2000	76		3776-005	Programs, Air Side Tables, Chrome Air Table, Light Barriers, Standard Accessories	ASK
Accessories Cutting Machines									
Jogger									
Photos	cut-Baumann-BSB3-L-211163	Baumann	BSB 3 L			Jogger	211163	Jogger	ASK
Photos	cut-Baumann-BSB2-L	Baumann	BSB 2L			Jogger	211.645	Jogger With Air Removal Pressing Roll	ASK
Photos	cut-Heinz-Steffens	Heinz Steffens				Jogger		Jogger	ASK
Photos	cut-Perfecta-SAB 105A-7162	Perfecta	SAB 105A	ca. 1989		Jogger	7162	Paper Jogger with Pressingroll	ASK
Photos	cut-accessories-Jogger, PolarRAB5	Polar	RAB5			Jogger		Jogger	ASK
Photos	jog-polar-rab5	Polar	RAB5	1993		Jogger	6381237	Paper Jogger	ASK
Photos	jog-polar-ra-2-2008	Polar	RA-2	2008		Jogger	7883119	With Stainless Steel Air Bed And Air Removal Roller	ASK
Photos	cut-polar-rb2	Polar	RB2	1995		Jogger	6581158	Paper Jogger	ASK
Photos	cut-Polar-RAL6-5781095	Polar	RAL6	1987		Jogger	5781095	Jogger with Pressing Roller	ASK

Photos	cut-polar-jogger-rab2-1994	Polar	Jogger RAB2	1994		Jogger	6481340	with Bizerba MCI-Z Weighting Device	ASK
Lift									
Photos	cut-Baumann-52295	Baumann	NUP 650	ca. 1994		Lift	52295	Paper Palletlift with Weighting Device, Overhead Control Panel	ASK
Photos	pile-Lift-Ewert-Butler-1200-1994	Ewert Butler	1200	1994		Lift	2906 910	Capacity: 1200 KG, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 390 KG, Lifting Height: 1000mm, Operating Pressur: 850 N/cm2	ASK
Photos	pile-Lift-Ewert-Butler-1200-2906821	Ewert Butler	1200	1992		Lift	2906821	Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V	ASK
Photos	cut-Hunkeler-PF	Hunkeler				Lift		Palletlift	ASK
Photos	cut-Hunkeler-PF-2	Hunkeler				Lift		Palletlift	ASK
Photos	cut-Hunkeler-106	Hunkeler		ca. 1986		Lift	106	Palletlift	ASK
Photos	cut-Hunkeler-AS1000-3	Hunkeler	AS1000	ca. 1994		Lift		Palletlift	ASK
Photos	cut-Hunkeler-AS1004-13940	Hunkeler	AS1004	ca. 1991		Lift	13940	Palletlift	ASK
Photos	cut-Hunkeler-AS1000-90-AS59	Hunkeler	AS1000	ca. 1990		Lift	90-AS59	Palletlift	ASK
Photos	cut-Hunkeler-AS1000-2	Hunkeler	AS1000	ca. 1988		Lift		Palletlift	ASK
Photos	cut-Hunkeler-AS1000-85AS031	Hunkeler	AS1000	ca. 1985		Lift	85AS031	Palletlift	ASK
Photos	cut-Hunkeler-AS1000-85AS019	Hunkeler	AS1000	ca. 1985		Lift	85AS019	Palletlift	ASK
Photos	cut-Hunkeler-AB1000-56A8037	Hunkeler	AB1000	ca. 1982		Lift	56A8037	Palletlift	ASK
Photos	cut-Lechner-G900K-B-1729	Lechner	G900K/B	1986		Lift	1729	Palletlift	ASK
Photos	cut-Lechner-G900B-1985	Lechner	G900B	1985		Lift	1709	Palletlift	ASK
Photos	cut-Lechner-G900K-1336	Lechner	G900K	1978		Lift	1336	Palletlift	ASK
Photos	cut-Lechner-G900K-B-1275	Lechner	G900K/B	1978		Lift	1275	Palletlift	ASK
Photos	cut-Lechner-G900S-832	Lechner	G900S	1973		Lift	832	Palletlift	ASK
Photos	cut-Lechner-G900S-831	Lechner	G900S	1973		Lift	831	Palletlift	ASK
Photos	cut-Polar-BFA1000-W-3-6276025	Polar	BFA 1000-W-3	1992		Lift	6276025	Paper Palletlift, Overhead Control Panel	ASK
Photos	cut-Polar-L-1000-W-3	Polar	L1000-W-3	1995		Lift	6672025	Max. Format: 80x125cm	ASK
Photos	cut-Polar-L-600-G-3	Polar	L-600-G-3	1991		Lift	6172241	Paperlift	ASK
Photos	cut-Polar-L600-3-EV	Polar	L600-3 EV	1987		Lift	5772408	Paperlift	ASK
Photos	lift-Polar-L600-G3-1996	Polar	L600-G-3	1996		Lift	6672506	Paperlift	ASK
Photos	cut-Polar-L1000-W-6	Polar	L1000-W-6	1995		Lift	6572850	Paper Palletlift	ASK
Photos	acc-cut-Polar-LL600/3-1987	Polar	LL 600/3	1987		Lift	5772023	Paper Pile Lift	ASK
Photos	cut-Polar-LW-1000-4	Polar	LW-1000-4	1998		Lift	6872459	Paperlift	ASK
Photos	cut-Polar-LW-450-2-2008	Polar	LW450-2	2008		Lift	787A308	Max. Format: 80x125cm	ASK
Pile Turner									
Photos	pile-turn-Baumann-BSW3-900-1989	Baumann	BSW3-900	1989	800x1200	Pile Turner	800024	Opening Width Max. 1400mm, Opening Width Min. 630mm	ASK
Photos	pile-turn-Busch-SE-125-111-1636	Busch	SE 125 (175)	2008	800x1200	Pile Turner	111/1636	Opening Width: Max. 1750mm, Opening Width: Min: 650mm, Pile Height Max: 1750mm, Plateform Width: 1250mm, Plateform Depth: 900mm, Loading Capacity: 1200KG	ASK
Photos	pile-turn-Busch-SE-125	Busch	SE 125	2008	800x1200	Pile Turner	110/1629	Sheet Max. Format: 800x1200mm, Stack Heights Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG	ASK

Photos	pile-turn-Meyer-1000-1992	Meyer	1000	1992		Pile Turner	007	Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW	ASK
Photos	pile-turn-Thando-101-1993	Thando	101 (Riensch & Held 1000)	1993		Pile Turner	1459	Serial: 14, Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW	ASK
Photos	pile-turn-Toppy-2006-127510	Toppy		2006	72x104	Pile Turner	127510	Capacity: 1000KG	ASK
Transomat									
Photos	cut-accessories-Baumann-BA3-611	Baumann	BA3	1988		Transomat	611	Transomat, Capacity: 1500N	ASK
Side Tables									
Photos	cut-Perfecta-Seitentische	Perfecta Side Tables			3 Pieces available	Side Tables for Cutting		Side Tables	ASK
Cylinders/Platens (letter Press)									
Photos	cyl-HD-KSB-1967-324778	Heidelberg	KSB Cylinder	1967	40x58x5cm	Cylinder	324778	Standard Accessories	ASK
Photos	cyl-HD-KS-1960-3101	Heidelberg	KS Cylinder	1960	38x52	Cylinder	3101	Standard Accessories	ASK
Photos	cyl-HD-SGS-1976	Heidelberg	SGS	1976	72x104	Cylinder	38829	Power: 14kW, Speed: max 3600 c/h, Sheet Counter, 2 Chases, Cylinder Jacket, Standard Accessories	ASK
Photos	cyl-HD-S-Cyl-1961-518045	Heidelberg	S Cylinder	1961	54x72	Cylinder	518045	Standard Accessories	ASK
Photos	cyl-HD-S-Cyl-1959-12856	Heidelberg	S Cylinder	1959	54x72	Cylinder	12856	Standard Accessories	ASK
Photos	cyl-HD-S-Cyl-1955-5457	Heidelberg	S Cylinder	1955	52x72	Cylinder	5457	Standard Accessories	ASK
Photos	plat-Adast-Grafopress-ca-1984	Adast Grafopress		ca. 1984	26x38	Platen	65807	Standard Accessories	ASK
Photos	cyl-Adast-Grafopress-GPE-60469	Adast Grafopress	GPE	1982	26x38	Platen	60469	Standard Accessories	ASK
Photos	plat-HD-GT-Platen-1969	Heidelberg	GT Tiegel A3	1969	34x46	Platen	GT65177N	Standard Accessories	ASK
Photos	plat-HD-Platen-1954	Heidelberg	Tiegel A3	1954	34x46	Platen	54587N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-T193126N	Heidelberg	TP Tiegel A4	1980	26x38	Platen	T193126N	Standard Accessories	ASK
Photos	plat-HD-Platen-1980	Heidelberg	Tiegel A4	1980	26x38	Platen	T192818N	Standard Accessories	ASK
Photos	plat-HD-Platen-1975	Heidelberg	Tiegel A4	1975	26x38	Platen	T188401E	Standard Accessories	ASK
Photos	plat-HD-Platen-1974	Heidelberg	Tiegel A4	1974	26x38	Platen	T185819E	Standard Accessories	ASK
Photos	plat-HD-Platen-1967	Heidelberg	Tiegel A4	1967	26x38	Platen	T160654N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-123054N	Heidelberg	Tiegel A4	1959	26x38	Platen	123054N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-spic	Heidelberg	Tiegel A4	1958	26x38	Platen	121361N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-120548N	Heidelberg	Tiegel A4	1958	26x38	Platen	120548N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-116513N	Heidelberg	Tiegel A4	1957	26x38	Platen	116513N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-116130N	Heidelberg	Tiegel A4	1957	26x38	Platen	116130N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-111549N	Heidelberg	Tiegel A4	1956	26x38	Platen	111549N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-111006N	Heidelberg	Tiegel A4	1956	26x38	Platen	111006N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-46148N	Heidelberg	Tiegel A4	1953	26x38	Platen	46148N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-42286N	Heidelberg	Tiegel A4	1952	26x38	Platen	42286N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-30837	Heidelberg	Tiegel A4	1950	26x38	Platen	30837	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-bosn	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-föhl1	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-föhl2	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK

Photos	plat-HD-TiegelA4-DE-24	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-NN	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Hot Stamping / Embossing									
Photos	hot-stamp-Baier-Geba-9-A	Baier	Geba 9/A		15x23	Hot Stamping	80415	Baier Geba 9/A Hot Stamping Machine, 220/380 Volts, 10 Ampere, Embossing Pressure: 4 Tons, Stamping Surface 150x230mm, With Motor Driven Foil Feeding Device	ASK
Photos	hot-stamp-Therm-O-Type	Therm-O-Type	MX Series			Thermal Relief Printing	102592	Thermal Relief Printing	ASK
Photos	cyl-HD-SBD-1970-35806	Heidelberg	SBD Cylinder with Steuer Hotstamping	1970	64x90	Hot Stamping	35806	Cylinder with Steuer Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication	ASK
Photos	hot-stamp-HD-Platen-1970-175805N	Heidelberg	A4 Platen with Hotstamping	1970	26x38	Hot Stamping	175805N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-HD-Platen-1969-T170370N	Heidelberg	A4 Platen with Hotstamping	1969	26x38	Hot Stamping	T170370N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-HD-Platen-1968-T167848N	Heidelberg	A4 Platen with Hotstamping	1968	26x38	Hot Stamping	T167848N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-RBZ-P350x240-12/86	RBZ Ration-Betrieb der Zentrag	POMA P350x240	ca. 1986	350x240	Hot Stamping	12 / 86	Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit	ASK
Photos	hot-stamp-RBZ-P350x240	RBZ Ratio-Betrieb der Zentrag	POMA P350x240	ca. 1984	350x240	Hot Stamping	30895	Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit	ASK
Photos	hot-stamp-RBZ-P350x240-1982-ne	RBZ Ratio-Betrieb der Zentrag	POMA P350x240	ca. 1982	350x240	Hot Stamping		Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit	ASK
Photos	hot-stamp-RBZ-P350x240-1978	RBZ Ratio-Betrieb der Zentrag	POMA P350x240	1978	350x240	Hot Stamping		Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit	ASK
Accessories for Goldpunch									
Carton & Packaging									
Window Patcher									
Photos	win-pat-Esatec-Turbotechline-MT6B-1999	Esatec	Turbotechline MT6B	1999	850x1048	Window Patcher	33	Automatic Window Patching Pick and Place Machine, Max. Blank Width: 850mm, Max. Blank Length: 1048mm, Speed: 6000/Hour, Accuracy: +/- 0,5mm For Standard Products, - Timed Belt Feeder, - Chain Alignment, - PVC Feeder, - Vacuum Belt Conveyor, - Gluing Station, - Pressing Cylinder, - Belt Delivery	ASK

Photos	win-pat--Heiber-&-Schroder-WP11-1998	Heiber & Schroder	WP11	1998	110x102	Window Patcher	5074	Automatic Window Patcher with Tissue Box Slitting Device, Max. Blank Width: 1100mm, Min. Blank Width: 90mm, Max. Blank Length: 1020mm, Min. Blank Length: 100mm, Max. Window Width: 820mm, Min. Window Width: 40mm, Max Window Length: 720mm, Min. Window Length: 50mm, Complete with: - EF 11 Bottom Belt Friction Feeder, - Chain Infeed, - Vacuum Transfer Belt, - Retractable Glue Unit, - Vacuum Film Transfer Cylinder, - Tissue Box Slitting Device, - Belt Delivery	ASK
<u>Folder Gluer</u>									
Photos	folglu-Bobst-Media-100-II-2001	Bobst	Media 100 II	2001	100x60	Folder Gluer	034113103	Automatic Carton Folder Gluer For Processing Straight Line, Crash Lock, 4 Corners Style Cartons, Max. Open Blank Width: 1000mm, Min. Open Blank Width: 56mm, Max Feed Up Length: 600mm, Min. Feed Up Length: 60mm, Convertible Stock Solid 100-600 g/m2, Corrugated Upto E Flute, Operating Speed 20 - 300 m/min., Complete with: - Bottom Belt Friction Feeder, - Pre Fold, - Servo Driven Back Lifter, - HHS Xtrend Glue System with 3 Guns, - Double Trombone with Kicker, - Compression Belt Delivery)	ASK
Photos	folglu-Bobst-PCR-880-1964	Bobst	PCR 880	1964	65x88	Folder Gluer	332806	Serie No: 96225/64, Straight Line, Crash Lock, 4 Gluing Points, Width unfold: Max: 880, Min: 45, Width fold: Max: 425, Min: 18, Length Unfold: Max: 900, Min: 60, Capacity: 0-300 m/min, Material: Corrugated Cardboard with Waves E and B, Cardboard, With Bobst Polyfoder, M-No. 390101, AGE: 1972, Standard Accessories	ASK
Photos	folglu-Brause-TA110-C4-6-2012	Brause	TA110-C4/6	2012	110x110	Folder Gluer	TH23048	Automatic Carton Folder Gluer For Processing Straight Line, Crash Lock, 4 and 6 Corners Style Cartons, Max. Open Blank Width: 1100mm, Min. Open Blank Width: 120mm, Max. Feed Up Length: 1100mm, Min. Feed Up Length: 55mm, Max. Belt Speed: 325m/min, Material: Carton Board Upto 800gsm - Corrugated Upto E Flute, Complete with: - Bottom Belt Friction Feeder, Feeder Belts with Suction, - Vibration System in Feeder, - Left and Right Hand Side Belt Pre Brake System, - Left and Right Bottom Glue Pots, - HHS C 1100 with 4 x Glue Guns, - Servo Motor Operated Back Folding System, - 3 x Belt Carriers in Folding Section, - Batch Kicker Counter, - Heavy Duty Double Frame Trombone Section, - Compression Belt Delivery with Addition Press Belt for Crash Lock Boxes)	ASK
Photos	folglu-Guschky&TönnemannEPL	Guschky & Tönnemann	EPL	1967		Folder Gluer	23531		ASK
Photos	folglu-Jagenberg-Diana-90-1-1989	Jagenberg	Diana 90-1	1989	75x91,5	Folder Gluer	1.044.816	Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories, With JackPack Delivery Unit	ASK

Photos	folglu-Jagenberg-Diana-90-1-1984	Jagenberg	Diana 90-1	1984	75x91,5	Folder Gluer	1.044.262	Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories	ASK
Photos	folglu-Jagenberg-Diana-125-3-2002	Jagenberg	Diana 125-3	2002	110x125	Folder Gluer	1010031127	With Jagfeed and Jackpack 40-2 Delivery	ASK
Photos	folglu-PLVega	Vega	Folder Gluer			Folder Gluer			ASK
Kartonage									
Diff. Book Production Machines									
Photos	diff-mansfeld-85625	Mansfeld	Rotary Board Cutter		150	Rotary Board Cutter	85625	Rotary Board Cutter	ASK
Photos	diff-Rotary-Board-Cutter-140	Rotary Board Cutter			140	Rotary Board Cutter		Rotary Board Cutter	ASK
Photos	diff-bpm-Rotary-RBZ-Poma	RBZ	Poma			Rotary Board Cutter		Rotary Board Cutter	ASK
Photos	diff-Bobst-ER-1650	Bobst	ER 1650	1960		Rotary Board Cutter	13492	Serie No. 66605/60, Format: Max 1650x1200cm, Min: 200mm, Capacity: 3600 Sheets/Hour, Rotary Board Cutter	ASK
Photos	diff-bpm-Bobst-ER	Bobst	ER 1300	ca. 1962		Corrogated sheet slotting machine (Rotations-Schlitz und Stanzmaschine)	12062	Corrogated sheet slotting machine (Rotations Schlitz- und Stanzmaschine, Stärke der Pappe: 0,5 – 4 mm, Stärke der Wellpappe: 3–7 mm, Leistung (Geschwindigkeit): bis 3600 einzelne Zuschnitte pro Stunde, Schlitz- und Heftrand werden beiseitig in einem Durchgang ausgeführt, Böden oder Deckel können in einem Arbeitsgang einzeln, und mit Zentralo-schnitt doppelt, hergestellt werden, Bei zusätzlicher Lieferung einer Schneide- und Rillvorrichtung kann Wellpappe in einem Arbeitsgang gestanzt, geschlitzt und in einer Richtung gerillt und beschnitten werden, Automatische Abfall-Auswerfvorrichtung, Serie 5301, Max: 1300x1200mm, Min: 250mm, 3600/Hours)	ASK
Photos	diff-bpm-bobst-2-side-rill	Bobst	Standard 1300	1960		2 Side Rotary creasing and slotting Machine	13612	2 Side Rotary creasing and slotting Machine, serie 69175/60, Max: 1300mm, Min: 135x80mm, 100m./minute	ASK
Photos	diff-bpm-bobst-Standard-serie-5310	Bobst	Standard 1300	ca. 1961		2 Side Rotary creasing and slotting Machine	12072	(serie 5310) 2 Side Rotary creasing and slotting Machine, Max: 1300mm, Min: 135x80mm, 100m./minute	ASK
Photos	diff-CCCP-Slitter/Rewinder-2836	CCCP	Russian	1975		Slitter / Rewinder Reel To Reel	2836	Slitter/Rewinder Reel To Reel	ASK
Photos	diff-Graphic-Wizard	Graphic Wizard				Numbering machine		Numbering machine	ASK
Photos	diff-morgana-FSN	Morgana	FSN - 60030			Numbering machine		Numbering machine , Serie: 063593JCAM	ASK
Photos	diff-Book-Block-Rounder-Fomm-FBR-67	Fomm	FBR 67	1964		Case Straightening Machine	39868	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-Fomm-Clothcutter	Fomm	Clothcutter			Cloth Cutter/Kalikoschere	2712	Cloth Cutter/Kalikoschere	ASK
Photos	diff-Knut-1030-56-1	Knut	1030/56/1	2001		Case Straightening Machine	2293	380 Volts, 50Hz, 3 Phase, Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-bpm-Prakma-GI-162021	Prakma	GI	ca. 1973		Case Straightening Machine	162021	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-Tiflex-S.A.-T240GM-1989	Tiflex S.A.	T240GM	1989		Case Straightening Machine	789	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-bpm-K-Tränklein-1413-66-4	Karl Tränklein		ca. 1971		Case Straightening Machine	1413/66/4	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK

Photos	diff-Reece-BKR-Repress-1965	Reece	Folding Machine, Model BKR Repress	1965		Straightening-Pressing Machine under Steam Pressure		Straightening-Pressing Machine under Steam Pressure, Heater Watts: 4800, Volts 220, Phase 1	ASK
Photos	diff-bpm-Karl-Krause-207369	Karl Krause Leipzig				Rise and Fall Die cutting machine	207369	Rise and Fall Die cutting machine	ASK
Photos	diff-bpm-Krause-Biagosch-Y50-12EM58	Krause Biagosch	Y50-12EM58	1958		Rise and Fall Die cutting machine	308701	Rise and Fall Die cutting machine	ASK
Photos	diff-bpm-Krause-Biagosch-YFM120-20Z-58	Krause Biagosch	YFM120-20Z-58	1958		Rise and Fall Die cutting machine	308522	Rise and Fall Die cutting machine	ASK
Photos	diff-unknown-rise-and-fall	Unknown	Rise and Fall Die Cutting Machine			Rise and Fall Die Cutting Machine	8-80-10555	Rise and Fall Die Cutting Machine	ASK
Photos	diff-bpm-Krause-Biagosch-U135YS-57	Krause Biagosch	U135YS-57	1957		Creasing Machine	307342	Creasing Machine	ASK
Photos	diff-bpm-Krause	Krause	Creasing Machine			Creasing Machine		Creasing Machine	ASK
Photos	diff-Pressing-Unit-NN	Pressing Unit				Pressing Unit		Pressing Unit	ASK
Photos	diff-bpm-Preusse-&-Co	Preusse & Co.	Creasing Machine	ca. 1968		Creasing Machine	41659	Creasing Machine	ASK
Photos	diff-Creasing-Machine-NN	Creasing Machine				Creasing Machine		Creasing Machine	ASK
Photos	diff-mubea-kl30-44810	Mubea	KL30	1977			44810	(Stanze / Punch)	ASK
Photos	diff-bpm-Preusse-&-Co-38603	Preusse & Co.				Corner Cutter For Corrugated Boxes	38603	Corner Cutter For Corrugated Boxes	ASK
Photos	diff-Punching-Numbering-machine	Punching & Numbering machine		ca. 1970		Punching & Numbering machine		Punching & Numbering machine	ASK
Photos	diff-Schmedt-PräKant-0603	Schmedt	PräKant 0603	2002		Turning In Machine/Cover Edge Wrapping Machine	887	Hard Cover Edge Wrapping Machine, Format: Min: 150x150 mm, Max: 600x600 mm, Max. Board Thickness: 6 mm, Min.: 1,5 mm	ASK
Photos	diff-schmedt-PräRund	Schmedt	PräRund 1700	2002		Book Case Rounder	559	Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregelt Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom)	ASK
Photos	diff-Schmedt-Bock-Back-Rounder	Schmedt	PräRund1700	2001		Book Case Rounder	520	Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregelt Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom)	ASK
Photos	diff-Schmedt-PräDeck-2310-2002	Schmedt	PräDeck 2310	2002		Hard Cover Mounting Table	95	Hard Cover Mounting Table	ASK
Photos	diff-Schmedt-PräDeck-2300-2001	Schmedt	PräDeck 2300	2001		Hard Cover Mounting Table	75	Hard Cover Mounting Table	ASK
Photos	lam-Sirozo	Sirozo				Diff. Book Production		Diff. Book Production	ASK
Die-Cutter									

Photos	die-cut-BobstSPO-1575EEG-574004	Bobst	SPO 1575 EEG	ca. 1971	1055x1575	Die Cutting	574004	Fully Automatic Flatbed Die-Cutter, Non-Stop Feeder, Automatic Introduction With Large Vacuum Plate, Double Sheet Cleaning Station, Platin Unit, Turn Die Cutting Frame, (Batch Delivery) Non-Stop Delivery With Belt, Cutting Force 300 TON, 4.500 Speed/H, Working With Corrugated Cardboard Of Thickness Max. 9,5 mm, Min. 0,8mm, The Machine Can Cut On Micro-Corrugated Cardboard, Jobs Quick Change Device, Working With Compact Stock Of Thickness 1 mm And Beyond, Cutting Force 350 TON, Format: Max. 1055x1575mm, Min. 400x600mm, Standard Accessories	ASK
Photos	die-cut-brausse-1050-SE	Brausse	1050 SE	2006	75x105	Die Cutting	SEM015/JZ11788	Fully Automatic Die-Cutting and Creasing Machine with Inline Stripping, Reconditioned By Manufacturer in 2012, Max. Sheet Size: 1050x750mm, Min. Sheet Size: 400x370mm, Max. Impression Strength: 300 Tons, Max. Mechanical Speed: 7500 Sheets/Hour, Min. Gripper Edge: 9,5mm, Material Range: Paper Min. 80-90gsm, Carton Board Upto 1600gsm, Corrugated Board Upto 4mm, Plastic Like PP. PE, 0.6mm, Complete with: Preload Gates, Non-Stop Feeder with Automatic Pile Lift, Motorised Side Adjustment of Pallet Table, Left and Right Hand Side Register Lays for Push and Pull, Pneumatic Clutch and Brake Mechanism, Pneumatic Push Button Die-Chase Locking Mechanism, High Precision Alloy Gripper Bars, Triple Action Stripping Station with 1 Upper and Lower Stripping Frame, Gripper Edge Removal, Automatic Delivery with Non-Stop Flying Curtain, Heated Upper Die with Temperature Control and Operating Panel, 1 x Chase, 1 x 5mm Hardened Die-Cutting Plate	ASK
Photos	die-cut-Busch-B-EST-1970	Busch	B EST	1970	18x18	Die Cutting	4310	Automatic Die-Cutting/Lable Punching Machine, Max. Punching Size: 180x180mm, Min. Punching Size: 20x20mm, Max. Feeding Height: 150mm, (Height of Punching Die 60/70mm), Punching Strokes 12 p/min., Machine Output 720.000 Sheets/Hour, (Insertion 1000 Sheets/80gsm), Punching Pressure 2.500 Kg	ASK
Photos	die-cut-Chinese-Die-Cutter	Chinese	Die Cutting Machine		114x165	Die-Cutting		Platen Size: 114x165cm, Format: 106x157cm, Speed: 800~1000, Pressure: 380 Ton, Weight: 12000 KG	ASK
Photos	die-cut-Everest62	Everest	62		114x165	Die-Cutting		Platen Size: 114x165cm, Format: 106x157cm, Speed: 800~1000, Pressure: 380 Ton, Weight: 12000 KG	ASK
Photos	cyl-lemm-gaby-1991	Lemm	Gaby	1991		Die-Cutting		Capacity: 60t, Bar: 150	ASK
Photos	die-cut-Kama-TS-74-102102	Polygraph Kama	TS 74	2002	74x54	Die-Cutting		Format: Max. 740x540mm, Min. 279x210mm, Product Format: 720x520mm, Thickness of Product: 1,8mm, Sheet Side needs for Gripper max. 10mm, Carton Thickness: 100-1500 g/m2	ASK
Photos	die-cut-Titan-Erba-EM4	Titan	Erba EM4	1972 / rev: 2019	100x142	Die Cutting	1494	Rebuilt in 2019, Format: Min. 300x300 mm, Max. 1000x1420 mm, Suitable For Waves: B-C-E-EB-BC, WKZ Knife 28,8 mm x 1,05 mm Thickness, Single Strock, Timed Operation, Continuous Operation	ASK
Photos	die-cut-VEB-Optima-TPIII-AGE 1959	VEB Optima	TPIII	1959	92x64	Die-Cutting	95800	Die-Cutting	ASK
Photos	die-cut-Victoria-A3	Victoria			A3	Die-Cutting		Brand New / Unused, With Auto Feeder	ASK
Perfect Binders									
Photos	p-bin-Bourg-BBF-2005-2	Bourg (CP Bourg)	BBF 2005	ca. 1996		1 Clamp	11949039	1 Clamp Perfect Binder, Delivery Belt	ASK

Photos	p-bin-Bourg-BBF-2005	Bourg (CP Bourg)	BBF 2005	ca. 1993		1 Clamp		1 Clamp Perfect Binder, Delivery Belt	ASK
Photos	p-bin-HD-Eurobind-EB-600	Heidelberg	Eurobind EB-600	2008		2 Clamp	FM DDAO000062	1 Clamp Perfect Binder For Hotmelt Adhesive, Glue Vapor Extraction, Flaps And Creasing Tools, Envelope Double Sheet Control, Touch Screen With Simple Setting Via Icons, Preheating Timer, For Spine And Side Gluing, Copy Counter, Error Analysis, Etc., Pneumatic Opening And Closing Pliers, Automatic Adjustment Of Nipper Opening According To Block Thickness, Side Gluing Disc According To Block Thickness, Back Creasing According To Block Thickness, Creasing Depth, Positioning Of The Rear Envelope Guide Rail According To The Envelope Width, Adjustable Milling Depth 0-3mm, Backworking Station With A Combination Tool With Dust Cutters, Height Adjustable Notching Knife And Ring Brush, Hotmelt Adhesive Basin With Two Application Rollers And Glue Squeegee And Integrated Side Gluing Unit With Slanted Discs (Production Possible Without Side Glue), Cover feeder With Integrated Double Creasing Unit (Decorative Creasing Possible), Automatic Envelope Pressing, Belt Delivery With Single Compartment Stacker, Speed: 600 Cycles, Book Block Height: 120mm-440mm, Book Block Width: 120mm-320mm, Book Block Thickness: 2mm-50mm, Grammages: 60-170g/m2, Cover Width: 242mm-710mm, Cover Height: 120mm-440mm, Cover Grammage: 120mm-30 g/m2, Milling Depth : 0-3mm)	ASK
Photos	p-bin-Horizon-BQ470-2009	Horizon	BQ 470	2009	320x320x65	4 Clamps	307023	Impression: 356424, Fully Automated 4 Clamps Perfect Binder With PUR Gluing Unit from SM Klebetechnik GX2311, AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1350 Cycles/Hour, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories	ASK
Photos	p-bin-Horizon-BQ-270	Horizon	BQ 270		320x320x50	1 Clamp	349003	Max. Book Size: 320x320mm, Min. Book Size: 135x105mm, Book Thickness 1 to 50mm, Max Production Speed 500 Cycles/Hour (About 300 Books)	ASK

Photos	p-bin-Horizon-BQ 270-C	Horizon	BQ 270-C		Impressions: 12761 Books, Format: 320x320	1 Clamp		1-Clamp Automated Perfect Binder, Format: Sheet Size: Max. 320x320mm, Min. 148x105, Format: Cover Size: Max. 660x320mm, Min. 230x135mm, Book Thickness: 1 to 50mm, Cover Weight Range: 80-300 g/m ² , Cover Pile Height: Max. 70mm, Max. Production Speed: 500 Cycles/Hour (About 300-400 Books/Hour), Color Touchscreen Control Display Panel, 200 Memories For Repeat Orders Saveable Jobs, Double And Miss Detection, 1 Carriage Clamp Automatically Adjusted To The Input Book Thickness, Automatic Book Thickness Caliper, Milling And Roughening Station, Adjustable Milling Depth From 0mm To 3mm, Glue Tank With Dual Application Rollers And Side Gluing Roller (Adjustable Amount Of Glue And Glue Lenght Through The Color Touchscreen, Spine Gluing, Side Gluing, Nipping Station, Suction Drum Cover Feeder, 4x Cover Scoring/Creasing, PUR Gluing System SM Klebetechnik, Typ: AN 533604, AGE: 2009, Serial No. 09083899, ALKO Dust Extraction, Delivery To A Vertical Stacker Below The Book Loading Station, Power: 400V/50Hz - 2,7kW, Standard Accessories	ASK
Photos	p-bin-Kirchner	Kirchner		1979			LB2.3 1079.51		ASK
Photos	p-bin-Müller-Martini3020	Müller Martini	3020	ca. 1989	400x270x40	5 Clamps	9 30870 A398	Cover Size: Max. 610x410mm, Format: Max. 400x270x40mm, Min. 120x100x3mm, Thickness: 3mm to 40mm, Speed: Max. 3.000 Cycles/Hour, 900-2500 Books/Hours, Cover Feeder With Scoring, Milling And Roughening Station, Hot-Melt Spine Gluing Unit, Hot-Melt Side Gluing Unit, Delivery	ASK
Photos	p-bin-Planax-FII	Planatol	Planax Perfect Binder FII		38x35x36	1 Clamp	74074	Cold Glue Perfect Binder, Format: Lenght Max. 380mm, Height Max. 350mm, Thickness Max. 36mm, Capacity: Ca. 170-220 Books/Hour, Slot Capacity Up To 0,8mm Deep And Up To 36mm Block Thickness, Milling Performance: (Continuously Adjustabel) from 0 To 1,8mm Depth, Up To Approx. 25mm Block Thickness, Paper Dust Extraction	ASK
Photos	p-bin-Sulby-1250-3-Clamps	Sulby	1250	1995	420x290	3 Clamps		3 Clamps Perfect Binder, Auto Cover Feeder With Scoring (Suction), Hot Spine Gluing & Milling & Notching Unit, Speed: Up To 1250 Books Per Hour, Book Block Format: Max. 420x290, Min. 125x105mm, Binding Thickness: 3 to 45mm, Conveyor Delivery	ASK
Photos	p-bin-Sulby-MKIII-Lu	Sulby	MKIII		432x285x45	1 Clamp		1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/Hour	ASK
Photos	p-bin-sulby-mkIII-D11566	Sulby	MKIII	ca. 1995	432x285x45	1 Clamp	D11566	1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/hour	ASK

Photos	p-bin-sulby-mkII-ca.1990	Sulby	MKII	ca. 1990	432x285x45	1 Clamp		1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/hour.	ASK
Perfect Bindingline									
Photos	perf-bin-line-Horizon-BQ470+HT70	Horizon	BQ-470 PUR&EVA + Horizon HT-70 Trimmer	2009	320x320x65mm	Impressions: 1342918	313021	Fully Automated Perfect Binder & In-Line Three Knife Trimmer, 4 Clamps Perfect Binder with EVA/PUR Gluing Unit from SM-Klebetchnik GZ3530 included 5m Long Hot Glue Hose , AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1.350 Cycles/Hour (with PUR 1.000 Cycles/Hour), Horizon Melt Tank Stand S-470, M-No. 305011, TriCreaser, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Horizon Stack Lifter SL-40, M-No. 051001, Horizon Trimmer HAT-70, Cutting Size: A6 to A4, M-No. 03007, Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories	ASK

Photos	bind-line-Kolbus-KM-600-2016	Kolbus	KM 600	2016	460x320x60mm	27 Mio.	183	<p>Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 805 Gathering Machine, AGE: 2016, Basic Frame with 16 Gathering Stations, Gathering For Folded Sections And Single Sheets Possible, Mechanical And Electrical De-Coupling Of Each Station Possible, Air Center Vacuum And Compressed Air Supply For Gatherer, Reject Unit AS Raceway/Transfer, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder, Perfect Binder: Kolbus KM 600, AGE: 2016, 21 Clamps With Co-Pilot Touchscreen, TFT Visualizing Monitors With Graphic Operator Guidance, Milling/Brushing, Equalizing Milling, Notching And Brushing Units, Kolbus LH370 EVA Hot-Melt Pre-Melt Unit, EVA Hot-Melt Roller Type Spine Gluing Unit On Mobile Base, PUR Spine Glue With Nordson Pre-Melter, EVA Hot-Melt Side Glue Unit With Controlled Cut-Off, I.R. Heating In Radius For Increased Glue Open Time, RA 49.A Pile Cover Feeder With Nipping, 2 Pressing Stations Plus 1 Roller, Inclined Delivery To Lay-Down Device, XFA660 Spiral Tower And Flat Conveyor System To: Check Weight Quality Control Unit, Three Knife Trimmer: Kolbus HD143.P, AGE: 2016, Pile Trimmer With Co-Pilot Pre-Setting, Kolbus KL Compensating Book Stacker Delivery, Including Many Spares, Tools And Manuals, Book Format: Max. 383x320x70mm, Max. 320x450x80mm, Min. 100x100x2mm, Mechanical Speed: Max. 7.500 Cycles/Hour</p>	ASK
Photos	perf-bin-line-Kolbus-KM473-2006	Kolbus	KM 473	2006	460x320x70	59 Mio. Books		<p>Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 804, AGE: 2006, Basic Frame with 21 Gathering Stations, 20 Standard Feeders, 1 Hand Feeding Station, Book Block Feeder, ZA 800 Stacker Delivery, AGE: 2006, Kolbus VA 422 End Sheet Unit, AGE: 2006, Air Center Becker CS ZU804/01 Vacuum Unit, AGE: 2006, Reject Unit AS 841 To The Right, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder. Perfect Binder: Kolbus KM 473, AGE: 2006, 32 Clamps, Hand Feeding, Co-Pilot System Monitor, Main Milling Station, Equalized Milling Station, Notching Station, Micro-Notching Station, Brushing Station With Roller Brush, 2 x Pre-Melters LH 370, AGE: 2006, Nordson PUR Spine Gluing System, Hotmelt Spine Gluing Unit, Hotmelt Side Gluing Unit, Gauzing/Lining Station, IR Heating At Curve, Scoring Station For 4 Scores, 2 Pressing/Nipping Stations, Stream Cover Feeder SAL 411.A With Shingle Conveyor, AGE: 2006, Gripper Carriage Delivery, Lay Down Device And Reject Station, Transport And Drying Line, Capacity: Max. 8.000 Cycles/Hour, Formats: Max. 383x320x70mm, Max. 460x190x70mm, Min. 105x100x3mm. Three Knife Trimmer: Kolbus HD 150.B, AGE: 2006, Co-Pilot, Right Hand In-Feed, Counter Stacker, Silicon Spraying Device, Standard Cutting Cassettes 7-18. Format: Circumcised: Max. 310x430x80mm, Min. 100x120x2mm, Uncircumcised: Max. 310x430x80mm, Capacity: Max. 6.600 Cycles/Hour, Kolbus (Rima) XRS 130 Compensating Stacker, AGE: 2005, All Belts Are Included.</p>	ASK

Photos	bind-line-Müller-Martini-Alegro-A7-2014	Müller Martini	Alegro A7	2014	480x320x65 mm	Only 24 Mio. Books		Müller Martini Perfect Binding Line: Equipped with Perfect Binder: Müller Martini Alegro A7, AGE: 2014, 19 Clamps, Solema Book Block Feeder, Endsheets Feeder, Milling Station, Spine Preparing Unit, Hotmelt Spine Gluing Unit, Premelter, Hotmelt Side Gluing Unit, Premelter, Gauzing Station, Drum Cover Feeder with Scoring Unit, 2 Pressing Stations, Laydown Device, Size Range: Max. 480x320x65mm, Min. 100x100x1mm, Speed: Max. 7.000 Cycles/Hour, Transport and Drying Line, Inklusiv Emergency Delivery, Three Knife Trimmer: Granit 3676, AGE: 2014, Right Hand In-Feed, Off Cut Delivery Belt, Size Range: Cutted: Max. 351x305x80mm, Min. 125x75x3mm, Uncutted: Max. 400x320x80mm, Speed: Max. 2.500 Cycles/Hour, Stacker Uno 1534.0412, AGE: 2014, Size Range: Max. 500x320x70mm, Min. 140x100x4mm, Speed: Max. 16.000 Cycles/Hour	ASK	
Photos	perf-bin-line-Müller-Martini-3006-18-Starbinder	Müller Martini	Type: 3006-18, Model: STARBINDER	ca. 1996	420x305x60mm	Perfect Binding Line	9907541 C005	Müller Martini Perfect Binding Line, Equipped With: Perfect Binder: Müller Martini 3006-18 with Stream Cover Feeder with 18 Stations, Book Block Feeder, Hot-Melt Spine And Side Gluing With Pre-Melter, Spiral Lay Down Balance or Drying Converyor to Trimmer. Three Knife Trimmer: Müller Martini 3670 With Cassettes for Quick Change, Stacker Delivery, Max. Size: 450x310mm, Max. Speed 6.000 Cycles/Hour, Max. Size Head/Tail: 420mm, Max. Size Spine/Front: 305mm, Production: 4.000 Books/Hour.	ASK	
Photos	perf-bin-line-Müller-Martini-Type-3016-18	Müller Martini	Type: 3016-18, Model: MONOSTAR	1998	420x305x60mm	Perfect Binding Line	9402359	Müller Martini Perfect Binding Line, Equipped With: Gathering Machine: Müller Martini Type 1571, 12 Stations, Plus Hand Station, Transfer Element / Reject Gate Müller Martini 3641, Transfer Element To Binder Müller Martini 3643. Perfect Binder: Müller Martini 3016-18 (1998) M-Mo. 94.02359, MONOSTAR with 18 Clamps, Milling and Notching Station, Hot-Melt Spine and Side Gluing with Pre-Heating Tank, Stream Cover Feeder, Pressing Station, Conveyor Belts to Trimmer. Three Knife Trimmer: Müller Martini Merit 3671 (1998), Müller Martini 3631 (1998) Stacker Delivery, Mechanical Speed: 5.000 Cycles/Hour, Format: Min. 100x140mm, Max. 420x305mm, Book Thickness: Min. 3mm, Max. 60mm, Cover Width (Open): Min. 203mm, Max. 642mm	ASK	
Accessories Perfect Binding Line										
Photos	acc-perf-bl-Kolbus-FA-650	Kolbus	Frontcutter FA 650	2011	370x480x50mm	Frontcutter	38	Frontcutter, Format: >>Cutted: Min. 100x120x3mm, Max. 350x480x50mm<<, Format: >>Uncutted: Min. 105x125x3mm, Max. 375x480x50mm<<, Capacity: Max. 65 cycles/min	ASK	
Photos	acc-perf-MartiniITM	Müller Martini	ITM + KFA			Solo Feeder with KFA Cross Folding	73097	Folding Machine For Papers, Layers, Automatic Feeder Type KFA, Belt Feed, Knife Folding Device For Swiss Postal Folding, Delivery, Vacuum Pump	ASK	
Photos	acc-perf-bl-Rima-103545-10	Rima	RS-10S 9-1/4"	ca. 1998		Stacker Delivery	103545-10	Stacking Delivery	ASK	

Photos	acc-perf-bl-SCS-Automaberg-Easy-Fly-Pro-Frontcutter	SCS Automaberg	Easy Fly Pro Frontcutter	2019	520x350x60 mm	3,4 Mio. Only		Frontcutting of Perfect Bound and Thread Sewn Soft Cover Books with Folded-In-Flaps, Size: Max. 520x350x60mm, Min. 100x100x3mm, Speed: Max. 5.500 Cycles/Minute	ASK
Photos	acc-perf-bl-Solema-50m-Drying-Station	Solema	50m Drying Station	2009		Drying Station		Drying Station	ASK
Photos	acc-perf-bl-Solema-1999	Solema		1999		Stacker Delivery	15034	Stacking Delivery	ASK
Book Sewing Machine									
Photos	IshidaTF-8A-816	Ishida	TF-8A	1987	32x42	Book Sewing Machine	816	Automatic Book Sewing Machine With Feeder	ASK
Photos	sew-MM-3215MC-2010	Müller Martini	3215 Ventura MC	12 / 2010	35x51	4150 Hours	1743608	MC 200, Full Auto Computer Programmable Sewing Machine, Automatic Size Setting At Feeder and Delivery, Auto Signature Feeder with 4 Upper and 4 Lower Opening Heads, Electronic Programs, Commander With Colour Touch-Screen Console, Staggered Stich, Format: Max: 510x320mm, Min: 120x75mm, Signature Max. Thickness: 4mm, Signature Length: 120-210mm, Signature Width: 75x320mm, Sticking Length: 16,5mm, Max. Mechanical Speed: Max. 200 Cycles/Min., 12000 Cycles/Hour, ASIR Automatic Signature Image Recognition Control System, Belt Delivery	ASK
Accessories Book Sewing Machine									
Photos	Acc-sew-headop-38	Headop Feeder	38	ca. 1991		Automatic Signature Feeder	11002	Automatic Signature Feeder	ASK
Photos	Acc-sew-LBW-340	Polygraph Brehmer	LBW 340			Thread Sealing Machine	341	Thread Sealing Machine	ASK
Photos	Acc-sew-Polygraph-Brehmer-301	Polygraph Brehmer	301			Thread Sealing Machine	O1500 72/002	Thread Sealing Machine	ASK
Diary Production									
Photos	diary-Garudan-GPS-F-6032-HS-22	Garudan	GPS/F-6032 HS-22			Diary Production / Fully Automatic Sewing Machine	903	Heavy Material, Sewing Area: 600x320, Max. Sewing Speed (for Stich Lenth Up to 3mm = 2500 spm, For Rotary Hook = 2300 spm, Stich Length: 0,1-12,7 mm, Number of Needles: 135x17, Nm. 120-160, Lift of Presser Foot Max. 20 mm (Strock: 0-7mm), Lift of Feeding Frame: Standard 35 mm, Memory Device: USB Compatible, Unlimited No. of Stiches in Memory, Unlimited No. of Patterns in Memory, 750 W Servomotor Driving Unit, Power Supply: 1-Phase 220 V, 240 V, 50/60 Hz (Power Input 2 KW), Air Consumption 0,6 Mpa (6 Kg/cm2), Ambient Temperature 5°C - 40°C, Fully Automatic Sewing Machine	ASK
Photos	diary-Kiefel-1532	Kiefel				Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	1532	High Frequency Welding Machine With Kiefel Generator Typ 1200 Sb, Gen. HF, 4,5/7,8 A, 1,5 HF-kW, Air Cooles, ca. 4 cbm/min.	ASK
Photos	diary-Kiefel-KH500-2407-775	Kiefel	KH 500			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	2407/775	KW 0,75, 220/380V, High Frequency Welding Machine With Körting Generator Typ Fixuy G3500 Sb, M-NO. 60 364 689, Gen. HF, 4 HF-kW, 27,12 MHz, 380V, 15,5/27A, 50 Hz, Air Cooled, 8,5 cbm/min.	ASK
Photos	diary-Kiefel-KH500-2407-930	Kiefel	KH 500			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	2407/930	3 KW, 380 V, High Frequency Welding Machine With Kiefel Generator Typ G3500 Sd, No. 60364861, Gen. HF, 4 HF-KW, 27.12 MHz, 380V, 15,5 A, 50 Hz, Air Cooled, 8,5 cbm/min., Weight: ca. 280 KG	ASK

Photos	diary-Kiefel-1153	Körting	FP 150 B			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	6.415 305	High Frequency Welding Machine With Körting Generator Typ Fixus G2000 Sb	ASK
Photos	diary-Körting-FP-150	Körting	FP 150 B			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	6415 356	High Frequency Welding Machine With Körting Generator G2000 Sb, No. 60210544, Gen. HF, 2,3 HF-kW, 27,12 MHz, 380/220 V, 8,6/14,9 A, 50 Hz, Weight: 236 KG, Air Cooled, ca. 8,5 cbm/min.	ASK
Photos	diary-Milan-PM5-S	Milan	PM5/S	2000		Diary Production / Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse mit Heissfolien	100010	Automatic Folding Press Machine With Hotstamping Option, 380V, 50 Hz, 4,5kW	ASK
Photos	diary-moenus-1333	Moenus	1333			Diary Production / Schwenkarmstanze / Swing Arm Punch	110893	Hydraulic Swing Arm Punch for Manual Loading of Material and Tooling, Especially Suitable for Smaller Batch Sizes or Smaller Part Dimensions, Pressure Capacity: 250 KN, Punching Surface ca. 3x50cm, Swiveling Support Table ca. 45x90cm, Power: 380 Volts	ASK
Photos	diary-protos-709125N	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	709125N	Diary Production	ASK
Photos	diary-protos-709572N	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	709572N	Diary Production	ASK
Photos	diary-protos-1653001	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	1653001	Diary Production	ASK
Photos	diary-protos-1652-450	Protos	1652/450	1996		Diary Production	283	380V, 700W, 3,5A, Working Width: 450mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine)	ASK
Photos	diary-protos-1652-1991	Protos	1652	1991		Diary Production	1652257	U: 220 V, Working Width: 420mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine)	ASK
Photos	diary-Saval-Mirus-TTL4-LR	Saval	Mirus TTL4-LR			Diary Production	001	Sheeter for Unwinding, Cutting and Stacking All Flexible Materials Like Thin Laminated Plastic, Woven-Non-Woven Material (Both Rugged Textile Fiber As Spanbond And Elastic Textile Fiber As Spunlaces) And Paper. Automatic Control System Each Material Roll Can be Unwinded According To An Optimal Material Tensioning. A Dragging Collet Positioned After The Cross Cut Allows To Stack On A Pallet The Sheets Automatically Without Needing Any Operator. Very Good Tolerances On Length are possible Even With Grammage Up To 20 GR/M2, Material: Plastic, Woven-Non-Woven, Paper, Grammage: From 20 GR/M2, Shear Cut Slitting System, Automatic Stacking System	ASK
Photos	diary-Slotting-Machine-305203	Slotting Machine				Diary Production	305203	Slotting Machine	ASK
Photos	diary-various-leather	Various Original Leather for Diaries and Covers				Diary Production		Raw Material	ASK

Photos	diary-Weldan-Denmark-5011-PR-TD	Weldan Denmark	5011-PR-TD			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	04/91	Automatic High Frequency Welding Machine With Auto Feeder, On-Line Inserter, On-Line Hot Foil Stamping, Auto On-Line Slitter, Promotional Card, Wallet & Pouch Making Machine, 1 Phase, 220+PE Volts, 91 A, Wittmann Tempro Basic C90	ASK
Photos	diary-WSK-Fritz-Wagner-1465-1995	WSK Fritz Wagner	1465	1995		Diary Production / Fully Automatic Sewing Machine	121759	Pfaff, M-No. 3554, M-NO. 67016, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine	ASK
Photos	diary-WSK-Fritz-Wagner-1465-1993	WSK Fritz Wagner	1465	1993		Diary Production / Fully Automatic Sewing Machine	115639	Pfaff, M-No. 901-1081-001402, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine	ASK
Photos	diary-WSK-Fritz-Wagner-350-1992	WSK Fritz Wagner	350	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	133329	Fully Automatic Folding Press Machine with 2 Heads, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1995	WSK Fritz Wagner	348	1995		Diary Production / Automatic Folding Press Machine / Umbugpresse	103359	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1995-2	WSK Fritz Wagner	348	1995		Diary Production / Automatic Folding Press Machine / Umbugpresse	103259	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1994	WSK Fritz Wagner	348	1994		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	117049	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1993	WSK Fritz Wagner	348	1993		Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse	104439	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110129	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-2	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110329	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-3	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110429	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-4	WSK Fritz Wagner	348	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	110529	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-5	WSK Fritz Wagner	348	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	110229	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm	ASK

Photos	diary-WSK-Fritz-Wagner-348-1991	WSK Fritz Wagner	348	1991		Diary Production / Automatic Folding Press Machine / Umbugpresse	134419	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK	WSK				Diary Production / Automatic Folding Press Machine / Umbugpresse		Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-Zehma-707650	Zehma	707650	1979		Diary Production / Automatic Folding Press Machine / Umbugpresse	1042	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Pad Making Machine									
Three Knife Trimmer									
Photos	Trimmer-StahlVBF-135	Stahl	VBF 135	ca. 1992	30x38	Three Knife Trimmer		Format: Max. 300x380 mm Min. 60x80 mm, Semi Auto Feed, Conveyor Belt, Standard Accessories	ASK
Photos	3-t-Wohlenberg-Trim-Tec-75I	Wohlenberg	Trim-Tec 75I	2002	42x32	Three Knife Trimmer	3815-004	Format Max: 42x32cm, 500-4500 c/h, 9-75 c/min, Max Pile Height: 70, Standard Accessories	ASK
Photos	3-t-Wohlenberg-44FS50-3282-009	Wohlenberg	44FS50	ca. 1990	300x380mm	Three Knife Trimmer	3282-009	Three Knife Trimmer With In-Feed, Magazine, Cutting Device, Delivery Belt	ASK
Accessories Three Knife Trimmer									
Saddle Stickers / Collators / Gathering Machines / Booklet Makers									
Photos	sad-col-Duplo-DC-1200	Duplo	DC-1200	ca. 1990		Collator	71234288	12 Stations Collator	ASK
Photos	sad-col-Guternic AB-Typ-Plockmatic 12	Guternic AB	Plockmatic 12	ca. 1984		Collator	120101263	12 Stations Collator	ASK
Photos	sad-col-Horizon-VAC-100	Horizon	VAC 100C	ca. 1999	35x50cm	Collator	45524	Horizon VAC-100C, 10 Stations Collator, Technology: Touch & Work, Suction And Blowing Air Collating Tower, Error Prevention: Missing Sheet, Double Sheet And Jam Control, Job Memory: 9 Memory Locations For Repeat Jobs, Double Cycle (Non-Stop Operation), Insertion (1-Fold and 2-Fold), Booklet Programs, Block Programs, Selective Collating, Format: Max. 500x350mm, Min. 148x120mm, Paper Weight: 40-250g/sqm, Output: Up To 9500 Sets/Hour, Loading Capacity: 55mm/Station, Power: 230V, 50/60Hz - 1,86kW, Horizon PJ-77 Jogger Delivery, Machine No: 476003	ASK
Photos	sad-col-Horizon-AC-8000S	Horizon	AC 8000S		A5-A3	Collator	38006	Air Suction Collator With 8 Stations, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jogger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/bin, Capacity: Upto 2400 Cycles/Hour, Jogger Delivery	ASK
Photos	sad-col-Lindaco-3025	Lindaco	3025	ca. 1979		Collator	3005-1592	12 Stations Collator	ASK
Photos	coll-Plockmatic-100-DocuVac	Plockmatic	100 DocuVac	ca. 1998		Collator	100024100	8 Stations Collator with Plockmatic 101 DocuStack	ASK
Photos	coll-Plockmatic-60	Plockmatic	60			Collator	60101581	Sticher	ASK
Photos	col-Theissen-Bonitz-TB-Sprint 303	Theissen Bonitz	TB Sprint 303			Collator		with QS 303	ASK
Photos	col-Theissen-Bonitz-TB-ECO-A308-FP	Theissen Bonitz	TB ECO A308 FP	2000	31x43	Collator	A308FP2663	8 Stations, Stacking Height: 5cm, Paper Thickness: 20-1000g, Format Max: 31x43cm, Format Min: 10,5x14,8cm, Capacity: 3100/hour	ASK
Photos	col-TMF-N14	TMF	N14			Collator	Z-2088		ASK
Photos	col-TMF10	TMF10	N10	ca. 1985		Collator	L1250	10 Stations Collator, Delivery	ASK

Photos	gathering-MM-1571-1996	Müller Martini	1571	1996	32x45x6	9523 Hours	9.401.607	12 Stations 1571, Hand Feeding Station, Sheet Control System, Mechanical Double And Sheet Missing Control, Müller Martini 1536 Criss Cross Delivery, M-No. 94.01668.01, Year 1996, Mechanical Speed: 5000 Cycles/Hour, Format: Back Length: 120-450mm, Book Width: 100-320mm, Book Thickness: Loose Book Blocks: Max. 60mm, Channel Passage: Max. 85mm, Paper Thickness: Max. 4mm, Standard Accessories	ASK
Photos	saddle-HD-Stichmaster-ST-100-6-Stations	Heidelberg	Stichmaster ST 100		305x349	Saddlesticher		6 Stations, Cover Feeder, Sticking Unit, Trimmer, Rima Stacker Delivery, Format: Max. 305x349 mm, Min. Format:	ASK
Photos	saddle-HD-Stichmaster-ST100.2-2007	Heidelberg	Stichmaster ST100.2	2007	305x349	Saddlesticher	FJ.DABO-001409	4 Stations, Cover Feeder, Sticking Unit, Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm,	ASK
Photos	saddl-HD-Stichmaster-ST-400-2	Heidelberg	Stichmaster ST 400	2003	Min. 90x130, Max. 320x480	Saddlesticher	390100	Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Feeder Stations, 3x DVU 400 Vertical Feeder, 3x DHU 400 Feeders, 1x CHU 450 Cover Feeder, Sticking Unit ST 400 with 2 Sticking Heads, Three Knife Trimmer TR 400 with Stacker Delivery	ASK
Photos	saddl-HD-Stichmaster-ST-400	Heidelberg	Stichmaster ST 400	2002	Min. 90x130, Max. 320x480	Saddlesticher	O037/02	Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Vertical TAS Feeders, 1x Cover Feeder UFA, Sticking Unit ST400 with 2 Sticking Heads, Three Knife Trimmer ST 400	ASK
Photos	saddl-HD-Stichmaster-ST-450-2011	Heidelberg	Stichmaster ST 450	2011	320x480	Saddlesticher	DKA0-00250	Format: Untrimmed: Min. 85x128mm, Max. 320x480mm, Format: Trimmed: Min. 80x120mm, Max. 315x475mm, Product Thickness: Max. 12mm, Capacity: 14000 Cycles/Hour, Colour Monitor Touch Screen Control For All Functions, Automatic Format Pre-Setting, Feeders: 1 Hand Feeder, Horizontal Signature Feeders: 6x DHU 450, Vertical Signature Feeders: 2x DVU 450, Cover Feeder CHU 450, Sticking Unit ST 450 with 2 Sticking Heads 45-N14, Thickness Control, Delivery To The Left, Reject Gate For Incomplete Products, Three Knife Trimmer TR 450, With Heidelberg CHA Automatic Compensation Stacker, Delivery To The Left, Machine Condition: Excellent, Machine Was Complete Overhaultd In 2019, After That Was Very Rare Used	ASK
Photos	saddl-MM-Valore-2001	Müller Martini	Valore	2001	Impressions: Only 1315 Hours. 305x365	Saddlesticher	NN8414/Z049480 2	3 Double Feeders 1559 + 1 Hand Feeder, 1x Cover Feeder 1558, Sticking Unit 1558, Three Knife Trimmer 1522, Belt Delivery, Capacity: 6000 Cycles/Hour	ASK
Photos	saddl-MM-Presto-2001	Müller Martini	Presto	2001	300x360, Impressions: 9242 Hours	Saddlesticher	NN9617 Z0514096	3 Double Feeders, 1 Hand Feeder, 1 Cover Feeder 1522, Sticking Unit 1528, Three Knife Trimmer, Belt Delivery, Format: Max. 365x305mm, Min. 148x105mm, Max. 360x300mm, Min. 140x75mm, Sticking Thickness: Max. 10mm, Capacity: 9000 Cycles/Hour, Standard Accessories	ASK
Photos	saddl-MM-Bravo-1999	Müller Martini	Bravo	1999	48x32	Saddlesticher	179219	6 Feeder Stations, 1x Cover Feeder, Sticking Unit with 2x HK 75, Three Knife Trimmer, Rima RS-10S 9-1/4" Stacking Delivery, M-No. 103403-10, Capacity: 12000 Cycles/Hour	ASK
Photos	saddle-MM-JGV-ca.1979	Müller Martini	JGV	ca. 1979		Saddlesticher	96159	Saddlesticher, 4 Feeding Stations, Sticking Unit, Grapha DDS Three Knife Trimmer, M-No. 96159, Delivery, Complete with Standard Accessories	ASK

Photos	bk-let-Barenthin-with-SPF-10II-92	Barenthin	with SPF-10II	1992		Booklet Makers	106008	Format: A5-A3, 30 Stations = 3x 10 Stations Barenthin GmbH Collators, with Horizon SPF-10II Sticking Unit	ASK
Photos	bk-let-Bourg-Collator	Bourg	BT 12/BT15	ca. 1988		Booklet Makers	228040054	27 Stations Collator, with Sticking Unit and Trimmer	ASK
Photos	bk-let-Duplo-5000	Duplo	5000	ca. 2006		Booklet Makers		Collator section DC-10/60 (20 bins), Minimum size 120 x 148 mm, Maximum size 350 x 500 mm, Bin capacity 60 mm, Paper stock 40 - 300 gram, Speed 5.000 booklets per hour or 10.000 sets per hours, Booklet maker Duplo, DBM500 stitcher/folder + Duplo DBM600T trimmer, Stitching heads 2 x Hohner	ASK
Photos	bk-let-Duplo-DC-8000S	Duplo	DC-8000S	1996		Booklet Makers	61201001	Collator: >>16 Stations Collator 2x8 Stations DC8000S Collator, SN-No.30400968 and SN-No.21001603<<, Trimmer: >>DC48TW Trimmer, SN-No.61201001<<	ASK
Photos	bk-let-Duplo-5000-040501222	FKS Duplo System	5000	ca. 2008	35x50	6212267	40501222	2 x 10 Stations (20 Bins) Duplo Collator DC-10/60, M-No. 040600126/-129, Duplo Connecting Bridge, M-No. 040200317, Duplo Lifting Unit LUL-HM, M-No. 040600026, Duplo Sticking Unit With 2 Hohner Universal 43/6 Heads, Duplo DBM-500T Trimmer, M-No. 040600855, Total Cuts: 7929640, Brochure Repress Sation, M-No. 00152158, Duplo Stacker System 5000 For Product Delivery, M-No. 040601504, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour	ASK
Photos	bk-let-Horizon-Stielow-MC-8-m	Horizon	Stielow MC 8-m	1995		Booklet Makers	39035	24 Stations MC-8 Collators (3x8 Stations), with Horizon Sticking Unit SPF-10, Format A5 to A3, serial 39035	ASK
Photos	bk-let-Horizon-MC-8a	Horizon	MC-8a		A5 to A3	Booklet Makers	09028	Exist With: 8 Stations Collator MC-8a, M-No. 09028, With Horizon SPF-10 Sticking and Folding Unit, M-No. 19021, Delivery	ASK
Photos	bk-let-Horizon-MC-8m	Horizon	MC-8m	ca. 1992		Booklet Makers	57018	32 Stations with Sticking and folding unit SPF-2, No. 016012. Tower 1: MC-8m, No. 09102. Tower 2: MC-8m, No. 33110. Tower 3: MC-8m, No. 11126. Tower 4: MC-8a, No. 09002. With Trimmer FC-20, No. 016004	ASK
Photos	bk-let-Horizon-MAC-80	Horizon	MAC-80	ca. 1993		Booklet Makers	15319	16 Stations Collator with Jogger PJ-77, Sticher and Folder SPF-10II, Format A5 to A3	ASK
Photos	bk-let-Horizon-MAC-8a-8-Stations	Horizon	MAC-8a	ca. 1992	A5 to A3	Booklet Makers	11018	Complete Booklet Maker, Exist with: 8 Stations Collator MAC-8a, M-No. 11018, With Horizon SPF-10 Sticking and Folding Unit, M-No. 24038 and Horizon FC-10 Trimmer, M-No. 09032, Jogging Delivery	ASK
Photos	bk-let-Horizon-VAC-100	Horizon	VAC 100	1998	A3	Booklet Makers	64025	20 Stations, format: A/3, Sticking Unit SPF-10II Sticher & Folder, Fronttrimmer FC-10II Trimmer, M-No.64025, 40.000 Exp./hr.	ASK
Photos	bk-let-ricoh-75656	Ricoh	Booklemaker SR 85	2000		Booklet Makers	75656	Collator	ASK
Accessories Saddle Stickers / Collators / Gathering Machines									
Photos	sad-col-Mü-Mart-6254	Müller Martini	6254	1994		Accessories Saddlesticher	35366-95	Accessories Saddlesticher	ASK
Photos	sad-col-Mü-Mart-338-CS-70	Müller Martini	338 CS-70	1995		Accessories Saddlesticher	9701497	Accessories Saddlesticher	ASK
Photos	sad-col-Mü-Mart-314	Müller Martini	314			Accessories Saddlesticher	99.12964/C.419	(type 310-14)	ASK
Photos	sad-col-Reel-Holder	Reel Holder				Reel Holder		Reel Holder	ASK
Photos	sad-col-Sticking-Wires	Sticking Wires				Sticking Wires		Sticking Wires	ASK
Folding Machines									
Photos	fol-cfm-345	CFM	345	ca. 1985	34x46			Small Table Folder	ASK
Photos	fol-Duplex	Duplex	Folder	ca. 1978	35x55			Small Table Folder	ASK

Photos	fol-Duplo-Paperfolder	Duplo			35x55			Paperfolder	ASK
Photos	fol-GUK-K72-6KL-F4-1998	GUK	K72/6KL-F4	1998	72x102		39071	Flatpile Feeder, 6 Pockets, 2 Knives, Delivery	ASK
Photos	fol-GUK-FA72-4-37587	GUK	FA 72/4 STAT 1, F4	1997	72x102		37587	Flatpile Feeder, 4 Pockets, 4 Pockets, 2 Pockets, Delivery	ASK
Photos	fol-GUK-FA49/4- 1991	GUK	FA49/4	1991	49x66		30477	Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-GUK-K49/4-FE	GUK	K 49/ 4 FE	1987	49x66		24340	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fol-Guk-K49-4-FE-1986	GUK	K49/4-FE	1986	49x66		23925	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	Stahlfolder-78-82-2013-32Pages	Heidelberg Stahlfolder	KH-78/82	2013	78x112		1224440855	Serial No. FHFNF01661, Roundpile Feeder, 4 Pockets, 4 Knives, (Left,Right,Center) and 4th for 32 Pages	ASK
Photos	fol-HD-Stahlfolder-TH-82-2009	Heidelberg Stahlfolder	TH-82	2009	82x112		1224426195	Serial No. FH-ESCA-02357, Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 4 Pockets, with SPH-100 Delivery	ASK
Photos	fol-HD-Stahlfolder-TI-40	Heidelberg Stahlfolder	TI-40	2005	40x84cm		1224406595	Serial No. FH.FANB-000076, Flatpile Feeder With Tremthead And DCT Control, 4 Pockets, Delivery, Equipped With Heidelberg Gluing Unit, Format: Max. 40x84cm, Min.	ASK
Photos	fol-HD-Stahl-KH-78-82-4KTL+TSH-50	Heidelberg Stahlfolder	KH-78/82-4KTL + TSH 50	2008	78x112		1224425683	Serial No. FH.FNJO-00255, Pallet Feeder, 4 Pockets, 2 Knives with TSH 50, AGE: 2009, Serial No. FH.FDMCO-00299, Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare	ASK
Photos	fol-HD-Stahl-KH78-2008	Heidelberg Stahlfolder	KH-78	2008	78x108		1224424910	Serial No. FH.FNJO-01302, Pallet Feeder, 4 Pocket, 2 Knives, Desta Pressing Unit with Stream Delivery BAS-SA 500, AGE 2007, Serial No. 2035, Max: 230 m/min, Capacity: 50.000 cycles/hour	ASK
Photos	Stahlfolder-PFH-82-2006	Heidelberg Stahlfolder	PFH-82	2006	82x112			Pallet Feeder, 4 Pocket, 2 Knives, With SBP Pressing Delivery	ASK
Photos	fol-HD-Stahl-PFH-82-2006	Heidelberg Stahlfolder	PFH-82	2006	82x112		1224418808	Serial No. FH.HCCO-00630, Pallet Feeder, 4 Pockets, 2 Knives, Delivery	ASK
Photos	fol-HD-Stahl-TH 66-8-4	Heidelberg Stahlfolder	TH-66	2011	66x96		1224435471	Serial No. FH.FAV0-00708, Roundpile Feeder, 1st Station: 8 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Photos	fol-HD-Stahlfolder-TI-52-2009	Heidelberg Stahlfolder	TI-52	2009	52x72		1224426196	Serial No. FH.FAFP-001439, Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-HD-Quickfolder-T34B-2-P-4	Heidelberg	Quickfolder T34B-2-P-4		35,5x50,8cm			Format: 35,5x50,8cm, Details: Format: Max. 35,5x50,8cm, Min. 7,6x12,7cm, Fold Length: 5,1 - 34,3cm, Folding Speed: 180 M/Min., Paper Weight Upto 170 Grams Paper, With Display And Program For Automatic Settings, Suction Drum With Double Sheet Control And Front Blowers For Sheet Separation, Anti-Noise Hood, Counter, Delivery	ASK
Photos	fol-Horizon-AFC-504-AKT	Horizon	AFC-504 AKT	ca. 2004	54x76		2912	Speed: 230 m/min, Full Automatic Adjustment Control, Touch & Work Technology, Memory Storage for Folding Programs, Flate Pile Feeder, 4 Pockets, 1 Knife, Anti Noise Hood, Delivery Conveyor, Standard Accessories	ASK
Photos	fol-Martin-Yale-959-	Martin Yale	959 Autofolder	ca. 1987	35x55		959220	serial: 5105 ,2 Pockets, Delivery	ASK
Photos	fol-Multipili-382-79831001	MB Multipili	382	ca. 1979	38x52		79831001	Suction Feeder, 2 Pockets, Compressor, Table Folding Machine	ASK
Photos	fol-MB-Multipili-382-77430446	MB Multipili	382	ca. 1977	38x52		77430446	Suction Feeder, 2 Pockets, Table Folding Machine	ASK
Photos	fol-MB-Multipili-382-kro-de	MB Multipili	382	ca. 1982	38x52			Suction Feeder, 2 Pockets, Delivery	ASK
Photos	fol-MB-Multipili-FM-352	MB Matthias Bäuerle Multipili	FM 352	ca. 1979	35x55		79350316	2 Pockets, Delivery, Table folding Machine	ASK

Photos	Fold-MB-Bäuerle-CAS-52-44X	MB Bäuerle	CAS 52/4+4+X		52x72		1058245	Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, M-No. 01958220, MB Bäuerle Mobile Knife, M-No. 01133002, Incl. Window Pocket, Digital Setting, Minimum Folding Length: 35mm, Delivery	ASK
Photos	fol-MB-Multipili	MB Multipili	35	ca. 1993	35x55			2 Pockets, Delivery, Table folding Machine	ASK
Photos	fol-MB-Multipili-2	MB Multipili	35	ca. 1992	35x55			2 Pockets, Delivery, Table folding Machine	ASK
Photos	fol-MBO-B-30-R	MBO	B30-1-30/4	1989	72x102		30539	Serial No. R09/105, Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Photos	fol-MBO-K76-6KL-1972	MBO	K76/6KL	1972	76x102		72071372	Serial No. 60811, Flatpile Feeder, 6 Pockets, 2 Knives, Delivery	ASK
Photos	fol-mbo-t800	MBO	T 800-1-82/4	ca. 2001	80x120		32427	Serial No. R11/47, Roundpile Feeder with Overhead Digital Panet, HSS Gluing System, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Pressing Delivery	ASK
Photos	fold-mbo-t500-2-x	MBO	T500-2-X	1994	50x70		3335	Serial No. M12/42, Flatpile Feeder, Overhead Control Panel, 4 Pockets, 1 Cross Fold Knife, Delivery	ASK
Photos	fold-mbo-t72-1-72-4-1993	MBO	T72-1-72/4	1993	72x102		930714441	Pallet Feeder with MBO Vaculift Feederhead, 1. Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, with MBO pressing Delivery SAP46, M-No. 85058495	ASK
Photos	fol-MBO-terb	MBO	T52/44	1988	52x72		880210483	Serial No. 50871101, Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-MBO-T52/4X-130119	MBO	T52/4X	1980	52x72		130119	Serial No. 80025129, Roundpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery	ASK
Photos	fol-MBO-T49-4x-C04 17	MBO	T49/4X	1985	49x69		C04 17	Flatpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery	ASK
Photos	fold-Morgana-Junior-904222	Morgana	Junior 904222		A3		O41761 FEA AW	High Speed Paper Folding Machine, Counting and Batching, Digital Plate Adjustment For Accurate Reading, Sound Hoods, 6 Fold Types, Double Sheets and Jam Detector, Suction Feeding, Complete with Perforation Unit and Perforation Blades, Up To 240gsm, Speed: 27000 Sheets/Hours	ASK
Photos	fol-Otto-Klingner-Type-45	Otto Klingner	Type 45	ca. 1975	45x55		1147	2 Pockets, Table Folding Machine	ASK
Photos	fol-schmidt-k52-1-832	Schmidt	K52	ca. 1979	52x72		1-832	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fol-stahl-k-78-4ktll-wolf	Stahl	K78/4KTLL	ca. 1978	78x108			Flat Pile Feeder, 4 Pockets, 3 Knives, 32 Pages, Delivery	ASK
Photos	fol-Stahl-K78-4KTL-bosn	Stahl	K78/4KTL		78x108			Flatpile Feeder, 4 Pockets, 2 Knives, Delivery	ASK
Photos	fol-Stahl-KC66-4KTL-FE	Stahl	KC66/4KTL-FE		66x96		26821	Flatpile Feeder with Tremat Head, 4 Pockets, 2 Knives, Delivery	ASK
Photos	fol-Stahl-TS49-4K-FSA	Stahl	TS49/4K-FSA	1983	49x65		24264/83	Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-StahlT52/4	Stahl	Ti52/4-Fi	1998	52x72		114591/98-267759	Flatpile Feeder with Tremat Head, 4 Pockets, SAK 56 S2 Delivery	ASK
Photos	fol-Stahl-K44-4K-F-14118	Stahl	K44/4K-F	1975	44x64		14118	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Accessories Folding Machines									
Photos	fol-Gluing-station	Gluing station	Opimatic	ca. 1981		Gluing Station		Gluing station	ASK

Photos	acc-fol-HD-Twinstacker-TSH-70	Heidelberg	Twinstacker TSH-70	2006	700x340mm	Accessories Folding	1224417222	Serial No. FH.DMA0-00272, The Twinstacker TSH Vertical Stack Delivery Is The Economical Solution To Broadly Cover The Medium To High Capacity Range. The Delivery Transports The Individually Pressed Sheets Through The Belt Section Without Marking. Subsequently, The Stacks Are Formed From The Top In Catch Baskets And Laid Out Alternately – In Two Stacking Levels Arranged One Above The Other. This Enables Effective Non-Stop Operation. The Simple Handling With Good Accessibility Also Facilitates The Processing Of Multiple-Ups. The Height-Adjustable Feed Table Ensures That The TSH Twinstacker Can Be Positioned Easily And Flexibly At The Various Preliminary Stations. Whether Laying Out Isolated Sheets Or Even In A Shingle Stream – The Twinstacker TSH Convinces In Every Respect With Its Performance. User-Friendly Stack Delivery, Mark-Free Laying Out Up To Two Uses, With User-Friendly Ergonomic Removal, Format: Max. 700x340mm, Min. 100x100mm, Product Thickness Max. 6mm, Stacking Height Per Level Max. 10cm, Optimal For One-Man Operation On Folding Machines With High Machine Speeds Of Up To 18,000 Cycles, MCT Control Panel	ASK
Photos	acc-fol-HD-TSH-50-2013	Heidelberg	Twinstacker TSH 50	ca. 2013		Accessories Folding		Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare	ASK
Photos	acc-fol-HD-TSH-50	Heidelberg	Twinstacker TSH 50	2009		Accessories Folding	FH.FDMC0-00255	Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-0080-03	Heidelberg	Folding Coupling Box	2012		Accessories Folding		Folding Coupling Box	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-FH-GKAO-02690	Heidelberg	Folding Coupling Box	2011		Accessories Folding		Folding Coupling Box, Serial No. FH.GKAO-02690	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-0263-01	Heidelberg	Folding Coupling Box	2011		Accessories Folding		Folding Coupling Box, Serial No.: 0263.01	ASK
Photos	acc-fol-HD-Folding-Coupling-Box	Heidelberg	Folding Coupling Box	2007		Accessories Folding	1224422746	Folding Coupling Box, Serie: FH.GKAO-01785	ASK
Photos	acc-fol-HD-Stahl-VSA-86-D-MKE-D	Heidelberg Stahl	VSA 86.D+MKE.D			Accessories Folding	111181-263542	Pressing Delivery	ASK
Photos	acc-fol-HD-Stahl-SAK-66-3-47945-210009	Heidelberg Stahl	SAK 66.3		66	Accessories Folding	47945-210009	Delivery	ASK
Photos	acc-fol-HD-Stahl-2.TD-66.1-4	Heidelberg Stahl	2.TD 66.1/4			Accessories Folding	86234-245062	Accessories Folding	ASK
Photos	acc-fol-HD-Stahl-1224426195	Heidelberg Stahlfolder	SPH-100	2009	100	Pressing Delivery	1224426195	Serial No. FH.DLB0-00268, Pressing Delivery With Marking Unit	ASK
Photos	fol-Palamides-BA700	Palamides	BA700	1999		Bundle Delivery with Pressing Station	102-9-700-016	Serial 0317,Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm	ASK

Photos	fol-Palamides-BA700-2	Palamides	BA700	1999		Bundle Delivery with Pressing Station	1026-700-011	Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm	ASK
Photos	fol-MBO-Coupling-Box-16-10-Pin-DC-AC	MBO	Coupling Box 16/10 Pin DC/AC			Coupling Box		Coupling Box 16/10 Pin DC/AC	ASK
Photos	fol-Multieffect-delivery	Multieffect	Delivery			Delivery		Delivery	ASK
Photos	fol-MBO-Access-Fold-2	MBO	Accessories Folding Machines	ca. 1976		Delivery		Delivery	ASK
Photos	fol-MBO-A76	MBO	A76	ca. 1979	76	Delivery		Delivery for Folding Machine	ASK
Photos	fol-Morgana-UFO5	Morgana	UFO5 Crossfolder			Cross Folding Unit	D35038V6AB	Cross Folding Unit	ASK
Photos	fol-Stahl-SAK78-3	Stahl	SAK78.3	1989	78	Delivery	38745/89-158148	Delivery	ASK
Photos	fol-Stahl-SAK78-2	Stahl	SAK78.2	1989	78	Delivery	30223-116172	Delivery	ASK
Photos	acc-fol-HD-Stahl-2.66	Stahl	2.78 (2nd Station)		78	Folding Station		2nd Unit for Folding Machine, 4 Pockets	ASK
Photos	fol-MBO-Access-Fold	MBO	Accessories Folding Machines	ca. 1976		Folding Station		Folding Station	ASK
Photos	fol-MBO-PA46-80810411	MBO	PA 46	1980	46	Pressing Delivery	80810411, Ser:81056004	MBO Pressing Delivery Unit	ASK
Photos	fol-MBO-SAP46	MBO	SAP46	1983	46	Pressing Delivery	83097396	Fabr. Nr.8083080772, for Spare Parts	ASK
Photos	fol-Stahl-2.TF66-4	Stahl	2.TF66-4	1991	66	Folding Station	42835-177077	2nd Station	ASK
Photos	fol-Stahl-2-TV-66-4LD1	Stahl	2.TV 66/4LD1	1979	66	Folding Station	13856/79	Folding Station	ASK
Photos	fol-Stahl-MKE-112-D	Stahl	MKE 112.D	1997	112	Marking Device	96886-97-254002	Marking Device MKE 112	ASK
Photos	fol-Stahl-MKE86	Stahl	MKE 86	ca. 1988	86	Marking Device	33736-135060	Marking Device MKE 86	ASK
Photos	fol-Stahl-MKE66-1991	Stahl	MKE66	1991	66	Marking Device	41733-91-174047	Marking Device MKE66	ASK
Photos	fol-stahl-ps66.2-44191	Stahl	PS 66.2	ca. 1992	66	Pressing Delivery	44191-180558	Pressing Delivery Unit	ASK
Photos	fol-stahl-ps66-27262-84	Stahl	PS 66	1984	66	Pressing Delivery	27262/84	Pressing Delivery	ASK
Photos	fol-Stahl-SBP46.2-47872	Stahl	PS 46.2	ca. 1994	46	Pressing Delivery	47872-207503	Pressing Delivery	ASK
Photos	acc-fol-Stahl-SB-66-MP.D-705665	Stahl	SB-66-MP.D			Accessories Folding	705665-300012	Pressing Delivery, Accessories Folding machine	ASK
Photos	acc-fol-Stahl-2.-TF 66-4.2-2	Stahl	2.TF 66/4.2		66	2nd Unit for Folding Machine	45784-192034	2nd Unit for Folding Machine	ASK
Photos	fol-Stahl-VFZ-52-D	Stahl	VFZ 52.D			Mobile Knife	88174-248008	Mobile Knife	ASK
CTP / CTF / Plate Maker									
Photos	ctp-Agfa-Acento-II-S-PT-R43005	Agfa Acento II S	PT-R43005	2006	66x86	CTP	279	Plate Size: Max - 830x660mm, Plate Size: Min - 340x370mm, With Agfa Azura Plate Processor, 21 Plates Per Hour	ASK
Photos	ctp-Agfa-Xcalibur-VLF	Agfa	Xcalibur VLF			CTP		Agfa Xcalibur VLF With Online Processor, Violet Technology With Complete Software, Processor And RIP, Full Online	ASK
Photos	ctp-HD-Suprasetter-A52-A75-2015-PJ002750	Heidelberg	Suprasetter A52/A75	2015		CTP	PJ002750	PJ.003.0000, CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 64 Diodes, External Drum, Throughput 17 Plates/Hour At 2540 DPI, With Plate Processor Raptor 85 Thermal, Complete With Software And Dongles, Laser Exposure Time: 211232 Pieces, Total Exposed Plates: 5937 Hours, Complete With Accessories	ASK

Photos	ctp-HD-Suprasetter-A52-A75-Gen-III	Heidelberg	Suprasetter A52/A75 Gen III	2010		CTP, 1325 Hours	PJ001632	CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ001632, Age: 2010, Laser Type Gen3 / 160-, with 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Prinect MetaDimension Software (12.0 License Service Dongle), Signa Station: Workstation Monitor Mouse, Laser Exposure Time: 54575 Pieces, Total Exposed Plates: 1325 h, Complete with Accessories, Plate Processing Station: Glunz & Jensen C85 Processor, M-No. 95455-0115, Age: 2010, Advand PST 26 Stacker	ASK
Photos	ctp-HD-Suprasetter-A52-A74-2008	Heidelberg	Suprasetter A52/A74	2008	67x75	CTP	PJ000790	CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ000790, 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Workstation Monitor Mouse, Laser Exposure Time: 62313 Pieces, Total Exposed Plates: 3566 h, PST 26 Compact Stacker, Complete with Accessories	ASK
Photos	ctp-HD-Suprasetter-A52-A74-2007	Heidelberg	Suprasetter A52/A74	2007	67x75, Min: 24x24	CTP	PJ000653	67x75cm, Min: 24x24cm, Max Image Area: 66,8x75cm, Resolutions: Max. 2540 dpi, 64 Diodes, 15 Plates/hour, Advance PST 26 Stacker, Standard Accessories	ASK
Photos	ctp-HD-Suprasetter 105-2007	Heidelberg	105	2007	790x1030	CTP	PL001614	CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 2xLaser Heads, Solution: 2400, 2540 dpi, Format: Max. 790x1030mm, Min. 370x323mm, Plate Thickness: 0,15-0,35mm, Speed: 23 Plates/Hour	ASK
Photos	ctp-HD-Topsetter-2335-2005	Heidelberg	Topsetter 2335	2005	66x83	CTP	O54191192	Plate Size Max: 660x830mm, Plate Size Min: 370x324mm, Max. Image Area: 633x830mm, Resolutions: 2540 dpi (Max 4000 dpi), Handling: 32 Chanals Laser Head, Productivity/Speed: 20 Plates/Hour, Type of Plates: Thermostar P970, Energy Elite Pro, Other Thermal Plates (830nm), Laser Diodes: 32 Diodes (Mo. P74), Heidelberg Topsetter P74 Plate Size: 660x830mm, with Processor, Plate Stacker, PC Working Station RIP, Software with Dongle, Standard Accessories	ASK
Photos	ctp-Screen-Plate-Rite-PT-R4100-2005	Screen	Plate Rite PT-R4100	2005	Max. 830x660, Min. 324x370	CTP	679	Max. 830x660, Min. 324x370, Thermal CTP, Resolutions: 2,400/2,438/540 dpi, Plate Stacker M-No. 03SDS1040, Screen AT-4000 Processor BridgeGlunz & Jensen Raptor 85 Thermal	ASK
Photos	ctf-DPX-System-Eskofot	Eskofot	DPX System Purup			CTF		CTF: Computer to Film	ASK
Photos	ctf-HD-Signasetter-Pro-Model-1250	Heidelberg	Signasetter Pro Model 1250 with Kodak Polychrome			CTF	10564-0012	CTF: Computer to Film	ASK
Photos	ctf-HD-Signasetter-1250i-Kodak-Polychrome-PC32	Heidelberg	Signasetter 1250i Kodak Polychrome PC 32	1997	72x102	CTF	1966	Internal Drum Imager A0, Automatic Sheet Pliers, Online Developer Kodak Kodakmatic 1250i, PC Control 1 Delta Tower, Heidelberg Signastation	ASK
Photos	ctf-Agfa-Accuset-1000	Agfa	Accuset 1000			Film Exposure		Film Exposure	ASK
Photos	ctf-SGB-Filmexposure	SGB	Film Exposure			Film Exposure		Film Exposure	ASK
Photos	ctf-Alfalith-T51-365	Alfalith	T51			Film Processor	365	Film Processor	ASK
Photos	ctp-Bacher-wod	Bacher	with Agfa Elantrix 125S Plate Processor			Light Table	6765	Light Table	ASK
Photos	ctp-Bacher-schom-de	Bacher				Light Table		Light Table	ASK
Photos	Light-Table-Biromatika-MO-T-405	Biromatika MO	T 405			Light Table	34324044	Serial no: 1163, Light Table	ASK

Photos	ctp-Boettcher-Renner-light-table	Böttcher + Renner (Sixt)				Light Table		Light Table	ASK
Photos	light-tab-Just	Just	Color-Control Professional			Light Table		Light Table	ASK
Photos	ctp-light-table-vo	Light Table				Light Table		Light Table	ASK
Photos	ctp-Mega-Stahl-699-2-91314	Mega Stahl	699-2	1991		Light Table	91314	Light Table	ASK
Photos	ctp-Megastahl-Light-Table	Megastahl	Light Table	ca. 1975		Light Table		Light Table	ASK
Photos	ctp-Mega-Stahl-wod	Mega Stahl	Light Table			Light Table	6765	Light Table	ASK
Photos	ctp-Proofprint-on-movable-Table	Proofprint-on-movable-Table	Proofprint Table			Light Table		Proofprint Table / Light Table	ASK
Photos	ctp-Agfa-Printon-CDL-2000-S	Agfa	Printon CDL 2000 S			Plate Exposure		Plate Exposure	ASK
Photos	ctp-Bacher-Repro-2000	Bacher	Repro 2000			Plate Exposure		Plate Exposure	ASK
Photos	p-m-Degra-Unicop-620	Degra	Unicop 620	ca. 1984	50x62	Plate Exposure		Plate Exposure	ASK
Photos	p-m-Eskofot-263FPP	Eskofot	263 FPP			Plate Exposure		Plate Exposure	ASK
Photos	p-m-O.M.S.-Typ-Copystar-A2-Nr-99-2060	O.M.S.	Typ Copystar A2			Plate Exposure	Nr. 99-2060	Plate Exposure	ASK
Photos	p-m-Plate-Exposure-HU	Plate Exposure				Plate Exposure		Plate Exposure	ASK
Photos	pl-exp-Polygraph-slow	Polygraph	7203.2			Plate Exposure	6597	Plate Exposure	ASK
Photos	p-m-Reprocontact-Actalux-ACX 650=2003	Reprocontact Actalux	ACX 650=2003	ca. 2003	60x70	Plate Exposure	87217	Plate Exposure	ASK
Photos	p-m-Sack-190855	Sack	Typ 190855		65x85	Plate Exposure	19941612	Plate Exposure, (Kom Nr. T4-1612)	ASK
Photos	p-m-Sack-300920	Sack	300920			Plate Exposure	Kom-Nr. 87-2351	Fabrik Nr.30871568	ASK
Photos	p-m-Screen-P-641-FW-92	Screen	P-641-FW	1992	70x100	Plate Exposure	521200516	Plate Exposure	ASK
Photos	p-m-Multimat-O 64-3180	Theimer Multimat O 64	3180	1982	64x72	Plate Exposure	86120166	Plate Exposure	ASK
Photos	ctf-Plate-Processor-Agfa-Akrana-85	Agfa	Akrana 85		85	Plate Processor		Plate Thickness: 0.15-040mm, Speed: 160cm/min., Thermal Plate Processor Incl. Conveyor, Plates: Energy Elite Eco, Positive-Working Digital Thermal Offset Plate, Min. Plate Width: 200mm, Max. Plate Width: 850mm, Min. Plate Length: 300mm, Plate Throughput: 95 Plates/Hour (Landscape), Plate Throughput: 67 Plates/Hour (Portrait)	ASK
Photos	ctf-Plate-Processor-hu	Plate Processor				Plate Processor		Plate Processor	ASK
Photos	p-p-Bacher-2005	Bacher	Type: 2005.01	2000		Plate Punch	2491	Plate Punch	ASK
Photos	pl-punch-Bacher-2045-2670	Bacher	2045	1983		Plate Punch	2670	Plate Punch	ASK
Photos	pl-punch-Bacher-2045-4530	Bacher	2045	ca. 1980		Plate Punch	4530	Plate Punch	ASK
Photos	pl-punch-Bacher-2045-2832	Bacher	2045	1981		Plate Punch	2832	Plate Punch	ASK
Photos	pl-punch-Bacher-2042-6809	Bacher	2042			Plate Punch	6809	Plate Punch	ASK
Photos	pl-punch-Bacher-Controll-2000	Bacher	Controll 2000			Plate Punch		Plate Punch	ASK
Photos	pl-punch-Bacher	Bacher	Plate Punch			Plate Punch		Plate Punch	ASK
Photos	pl-punch-Beil-425-T-H-1998	Beil	425-T-H	1998	52	Plate Punch	10666	Plate Punch	ASK
Photos	pl-punch-beil-HU	Beil	Plate Punch			Plate Punch		Plate Punch	ASK
Photos	pl-punch-beil-4	Beil	BRS 425-T-St	1990		Plate Punch	5406	Plate Punch	ASK
Photos	pl-punch-Beil-425-T-H-AP	Beil	425-T-H-AP, Typ: 11100097	2009		Plate Punch	26646	Plate Punch	ASK

Photos	pl-punch-Beil-550-S-H	Beil	550-S-H-Komori	1994		Plate Punch	7516		Plate Punch	ASK
Photos	pl-punch-beil-635-T-110	Beil	Type 635-T-110	2000		Plate Punch	13660FA251922		Plate Punch	ASK
Photos	pl-punch-Billows-Protocol-Register	Billows	Protocol Register System	ca. 1975		Plate Punch			Plate Punch	ASK
Photos	plate-bend-HD-Nela-4684-45	Heidelberg	Nela 91.144.1301/03	1999		Plate Bender	4684/45		Plate Bender	ASK
Photos	pl-punch-HD-Nela	Heidelberg	Nela, C2.144.1301-08	2003		Plate Punch	6547/46		Plate Punch	ASK
Photos	pl-punch-HD-Nela-1995	Heidelberg	Nela Autoplate, C2.144.1301/02	1995		Plate Punch	429/04		Plate Punch	ASK
Photos	pl-punch-Kieper-285-97	Kieper	Plate Punch	1997		Plate Punch	285-97		Plate Punch	ASK
Photos	pl-punch-Horst-Kieper	Horst Kieper		1997		Plate Punch	285-97		Plate Punch	ASK
Photos	pl-punch-Liorigrafic	Liorigrafic	Plate Punch			Plate Punch	661880		Plate Punch	ASK
Photos	pl-punch-montaloch	Montaloch	Plate Punch			Plate Punch			Plate Punch	ASK
Photos	pl-punch-OPS-24-2	Offset Plate Punch	OPS-24-2			Plate Punch	O01315		Offset Plate Punch	ASK
Photos	pl-Plate-Punch-3.2.1974.3	Plate Punch				Plate Punch	3.2.1974.3		Plate Punch	ASK
Photos	pl-Plate-Punch-70-14-870100	Plate Punch				Plate Punch	70-14-870100		Plate Punch	ASK
Photos	pl-punch-plate-punch-RP22	RP	22	ca. 1994		Plate Punch			Plate Punch, RP22, serial 0559	ASK
Photos	ctp-Mega-Stahl-1840	Mega Stahl	1840 1000	ca. 1992		Plates Test Station	oo2387		Offsetplates Test Station / Offsetplatten-Prüfstand	ASK
Photos	Plotter-epsonstylus-pro11880	Epson	Stylus Pro 11880		162,6 cm	Plotter	KU20000024		Print Resolution: 2.880 x 1.440 dpi	ASK
Photos	Plotter-Epsonstylus-Pro9900	Epson	Stylus Pro 9900	2011	111,8 cm	Plotter	LFXE000687		2.880x1.440 dpi, 0,8 min for printing in DIN A1 format, more then 40 qm/h, (44 Zoll) Plotter	ASK
Photos	p-l-epson-pro-7900-K161A	Epson	Stylus Pro 7900	2009		Plotter			Model K161A	ASK
Photos	plott-epson-stylus-pro-4900A	Epson	Stylus Pro 4900			Plotter				ASK
Photos	Plotter-Mutoh-ValuejetVJ1624	Mutoh	Valuejet VJ 1624	2011	162,5 cm	Plotter	G06U000115		Format: Max. Material Format 162,5 cm (63,97"), Max. Printing Format 1615mm (63,58"), Max. Material Thickness:	ASK
Photos	pre-press-mores-Electro-Power-Trim-250	Neolt Electro Power Trim 250	EL PW Trim 250		250	Roll Cutter / Laminator Schneider	6391609481		Roll Cutter / Laminator Schneider	ASK
Photos	pre-press-mores-Prepress-Solution-CE98	Prepress Solution CE98	Model RM-3				984939			ASK
Photos	pre-press-mores-Prepress-Solution-CE94	Prepress Solution CE94	Model RM-3	1994			943129			ASK
Accessories CTP										
Photos	AccCTP-Epson-Stylus-Color-1520	Epson	Stylus Color 1520			CTP Accessories	3KFY017091		CTP Accessories	ASK
Mores CTP										
Photos	ctp-mores-Busch-w.vollm	Busch	DO	1994			945/691			ASK
Photos	ctp-Deitenbach-906-S	Deitenbach	906 S	ca. 1998		Platwasher	982047		Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Deitenbach-93771	Deitenbach	93771	ca. 1998		Platwasher	o36395		Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Küvette	Küvette				Küvette			Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Küvette-an	Küvette				Küvette			Platwasher/Küvette	ASK
Photos	ctp-kuevette-Lefra	Lefra	10550-100	1993		Küvette	4905		Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Wiro Binding / Calender Production										
Photos	cal-Amia-Compact-1	Amia	Compact A2 Brevettata (1)			Calender Production Machine			Calender Production Machine	ASK

Photos	cal-Amia-Compact-2	Amia	Compact A2 Brevettata (2)			Calender Production Machine		Calender Production Machine	ASK
Photos	diff-bomco-em2	Bomco	EM2	2000		Wire-O-Closure	1907/00	Pitch: PERL	ASK
Photos	wiro-iberica-71	Iberica 71	71			Wirobinder	7906	Wirobinder	ASK
Photos	diff-bpm-jack-burn-prot	Jack Burn	PROT	ca. 1973		Wiro Closing Machine	T1/9602	Wiro Closing Machine	ASK
Photos	James-BurnEX500-2013	James Burn	Lhermite EX500	2016		Wire-O-Punching Machine	2011.10	Model: Value, Automatic Punching Machine, Standard Tools, Belt Delivery	ASK
Photos	calend-Laminel-S.A.	Lamimetal	500			Calender Production	960353	Lamirel S.A.	ASK
Photos	cal-Lamirel-Megastar-Fellowes	Lamirel	Megastar Fellowes		42	Wirobinding / Calender Production		Wire Bind Punch, igh Capacity Electrical Punching Machine For All Your Document Binding Needs In Formats Upto 42cm or 161/2" with Foot Drive Control, Equipped with 2 Dies	ASK
Photos	wiro-leitz-impressbind-280	Leitz	Impressbind 280			Wirobinding / Calender Production	100307661B	Wirobinding / Calender Production	ASK
Photos	wiro-renz-srw	Renz	SRW 3:1 4x4 mm			Wirobinding / Calender Production	26310020. 32789	Wirobinding / Calender Production	ASK
Photos	wiro-renz-bosn	Renz				Wirobinding / Calender Production		Wirobinding / Calender Production	ASK
Photos	wiro-Renz-Eco-S-360	Renz	Eco S 360			Wirobinding / Calender Production		Wirobinding / Calender Production	ASK
Photos	cal-Renz-ECL-500	Renz	ECL 500		500	Wirobinding / Calender Production		Electric Wire Comb Closer For Wire Binding, For Combs Pitch 3:1 And 2:1, Approx. 400 Circles/Hour, Can Close Wire Combs	ASK
Photos	Rilecart-FAR-5-55-2001	Rilecart	FAR-5/55 (WireBind)	2001		Wirobinding / Calender Production	F5 0144	WireBind, Including 5 Dies	ASK
Photos	Rilecart-Linea-F500	Rilecart	Linea F-500		50 cm	Wirobinding / Calender Production	FE	Punching Machine	ASK
Photos	wiro-Wiro-Closing-Machine-NN	Wiro Closing Machine				Wiro Closing Machine		Wiro Closing Machine	ASK
Digital Printers									
Photos	dig-prin-canon-2012	Canon	6010 SRA/3	2012		Digital Printers	F146002		ASK
Photos	digital-printer-IMAX	I-MAX		2020		3D UV Printer	8090t30	I-Max 3D UV Printer, 60x90cm Printable Area, Printable On All Surfaces Flat Or Round On Any Materials: Paper, Wood, Glas, Metal, Tiles, Stone, Rigid PVC Board, Organic Board, Plastic, Leather, Rubber, Special Paper, Porcela, Cancas etc., Print On Object Thickness Upto 15cm, 3 SQM Per Hour (4 Pass), Print On Almost Every Materials, Less Maintainess Cost, Low Ink Consumption Cost, Max. Printing Resolution: 2880 dpi * 1440 dpi, Water Cycling Cooling System, CISS Built Inside Ink System, Automatic Height Adjustment With Sensor, Equipped With Vacumm Suction System, Image Format: Tiff, Bmp, Jpg, Eps, Pdf, CAD, Rip Software: Maintop, Photoprint. Ref-NO.: digital-printer-IMAX	ASK
Photos	dig-Ricoh-Pro-C900	Ricoh	Pro C900		30x42	Digital Printers		Color Digital Press with High Capacity Tray and Finisher Unit, Fiery Rip, Format: 30x42, Standard Accessories	ASK
Photos	dig-prin-Xerox-iGen4	Xerox	iGen4 Press Diamond Edition	ca. 2011		Digital Printers		Resolution: 4800 DPI, Speed: 110 PC/MIN V, RIP Model FreeFlow	ASK
Photos	dig-prin-Xerox-DocuColor-5000	Xerox	DocuColor 5000	2004		Digital Printers	01965/POSTEL/2004	Product Identifier: FVB-1, 2400 dpi, Fiery EXP50 RIP, Speed: 50 Pages/Minute, Resolution: 600x600 dpi, Paper Capacity: Dual 2000 Sheet Paper Drawer	ASK
UV Surface Coater									
Diverses									
Banding/Strapping Machines:									

Photos	ban-Compac-Tippy	Compac Tippy	Pack auto			Banding Machine		Banding Machine	ASK
Photos	ban-banding-machine-brummett	Gerhard Busch	TB 22 P			Banding Machine	365/34	Banding Machine	ASK
Photos	strap-Humboldt-HU600	Humboldt	HU 600	2005	850x600	Strapping Machine	5019703	Automatic Strapping Machine, Product Thickness Max.: 850x600mm, Roller In The Table Top For Easy Handling Of The Products, Wear-Free Positively Controlled Belt Guide System, Electronic Temperature Control, Strapping Time: 28 Bars/Minute, For Bandwidth: 9,10,12 and 15,5mm, Band Tension: 2,5 - 45KG, Core Recording: 200mm, Width: 190mm	ASK
Photos	strap-Sato-1050-2H-28	Sato	1050-2H-28			Strapping Machine	47013498	Strapping Machine	ASK
Photos	strap-TP-100En	TP-100En				Strapping Machine		Fully Automatic Strapping Machine, Band Thickness: 0,55mm, Working Height: 800mm, Frame Width: 850mm, Depth: 1440mm, 30 Strapping Per Minute, Band Width: 12mm, Core Diameter: 200mm, Frame Height: 600mm, Frame Width: 600mm, Suitable For Material: Polypropylene (PP), Band Tension: 15-70Kg	ASK
Board Cutters:									
Photos	bo-cut-AK-N	Board Cutter				Board Cutter		Manual Board Cutter	ASK
Photos	bo-cut-Board-Cut-HU	Board Cutter				Board Cutter		Board Cutter	ASK
Photos	bo-cut-Board-Cut-No.2	Board Cutter				Board Cutter		Board Cutter	ASK
Photos	diff-bpm-board-cutter	Board Cutter				Board Cutter		3 m, Board Cutter	ASK
Photos	bo-cut-Ernst-F-Hofmann-Perfekta	Ernst F. Hofmann	Perfekta	ca. 1984		Board Cutter		Board Cutter	ASK
Photos	bord-cut-Karl-Krause-7183	Karl Krause				Board Cutter	7183	Board Cutter	ASK
Photos	bo-cut-schimanek-10	Schimanek	10			Board Cutter	24127	Board Cutter	ASK
Book Block Rounder									
Book Back Lining Machines									
Photos	more-Matador-Perfekt-11B-9910	Matador	Perfekt 11B	ca. 1988		Book Back lining machine	9910	Book Back lining machine, one-sided lamination with Decurling device for perfect lie-flat sheets	ASK
Photos	more-Matador-Perfekt-11B-ca.1985	Matador	Perfekt 11B	ca. 1985		Book Back lining machine		Book Back lining machine, one-sided lamination with Decurling device for perfect lie-flat sheets	ASK
Photos	more-Matador-Perfekt-11B-DE-24	Matador	Perfekt 11B			Book Back lining machine		Book Back Lining Machine, One-Sided Lamination With Decurling Device For Perfect Lie-Flat Sheets / Tool For Adhesive Tape For Writing Pad Or Books	ASK
Photos	bbIm-Multiplex-RAS-40-Super	Multiplex	RAS 40 Super		45x75	Fälzelmaschine, Book Back Lining Machine	506	Fälzelmaschine, Book Back Lining Machine	ASK
Photos	more-Planatol-Planax-TB390	Planatol	Planax TB 390	1991	A5-A4	Book Back lining machine		Bordering and Book Back lining machine for bookbinderies / Einfass- und Fälzelmaschine für Buchbindereien	ASK
Photos	bbIm-polygraph-LBW-651E	Polygraph Brehmer	LBW 651E	ca. 1988		Book Back Lining Machine	0090	Book Back Lining Machine, Belt Infeed, Spine Preparing Unit, Cold Glue Unit, Lining Station, Drying Unit	ASK
Book Production									

Photos	Ochsner-GA91-1991	Ochsner	GA 91	1991		Book Production	OCH1968	Ochsner Edge Gilding Machine, For Semi-Automatic Edge Gilding of a Variety of Books, Hand Feeding Area for End Boards and Book Blocks, 4 Sanding Stations, 1st Cross Sanding Station with 100 Grade Sanding Belt, 2nd Linear Sanding Station with 180 Grade Sanding Belt, 3rd Linear Sanding Station with 240 Grade Sanding Belt, 4th Linear Sanding Station with 320 Grade Sanding Belt, Brushing Station, Dust Bag Extraction Unit, Pre-Heating of Book Blocks, Gild Foil Application with 2 Rollers, Electrical and Mechanical Guarding, Main Control Panel with Timer For Pre-Heating, Foil Cutter, Return Conveyor, Format: Book Size: Max. Any Standard Book Sizee Plus Larger Formats, Min. 68x102mm, Production: at Block Thickness of 75mm ca. 50 Blocks/Hour, Pocket Diary Size: 25 Blocks/Hour Desk Diary Size	ASK	
Book Block Production										
Book Inserting Machines/Casing-In Machines										
Photos	more-casing-in-MAWNH-B3	MAWNH B3	Russian	1982		Casing-In-Machine	121	Automatic Casing-In Machine	ASK	
Photos	more-prakma-2	Prakma	EH/1		38	Manual Casing-In Machine	156111	Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h	ASK	
Photos	more-prakma-EH-1kon	Prakma	EH/1		38	Manual Casing-In Machine		Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h	ASK	
Photos	diff-Schmedt-Präleg-1815-2003	Schmedt	Präleg 1815	2003		Casing-In-Machine	681	Block Height: 80-340mm, Block Width: 110-450mm, Block Thickness: 2-80mm, Capacity: 200-300 Pcs/h)	ASK	
Book Press										
Photos	book-pr-AK	Book Press				Book Press		Manual Book Press	ASK	
Photos	book-Press-3	Hunkeler	P.D.E. 001 R.	2005	32x45	Book Press	4226-7	Book Press	ASK	
Photos	book-Press-HunkelerADP32-44	Hunkeler	ADP 32/44		450x300mm	Book Press	2440-7	Hydraulic Book Press, Format: 450x300mm, Stacking Height: 350mm, Rollable, Mechanical Drive	ASK	
Photos	book-Press-Multiple-Polygraph	Polygraph	Multiple Book Pressing Machine			Book Press		Multiple Book Pressing Machine	ASK	
Photos	book-pr-Sperr-Lechner-1657	Sperr & Lechner	Splek SLIIA-100	1996		Book Press	1657	Twin Book Press, Bar Max. 70, Delivery Volume: 8,5 l/min, Power Requirement: 3 KW, Rotation/Minute: 1400, Pressure: 3,000kp	ASK	
Photos	book-Pr-Tecno-Meccanica	Tecno Meccanica	Book Press			Book Press		Book Press	ASK	
Photos	book-pr-Twin-Book-Press-NN	Twin Book Press				Twin Book Press		Twin Book Press	ASK	
Photos	book-pr-Zasadnicza-PIS-5t-1975	Zasadnicza Szkota Zawodowa	PIS-5t	1975		Book Press	478	Weight: 300KG	ASK	
Bundling Press										
Photos	bundl-BMF-SK825	BMF Berlichinger Maschinenfabrik	SK825	1969		Bundling Press / Book Press	O251	Bundling Press / Book Press	ASK	
Photos	bundl-Press-AK-1	Bundling Press				Bundling Press		Bundling Press/Book Press	ASK	
Photos	bundl-Press-AK-2	Bundling Press				Bundling Press		Bundling Press/Book Press	ASK	
Photos	bundl-Hunkeler-9814	Hunkeler			700mm	Bundling Press	9814	Bundle Press For Folding Sheets, Stacking Length: 700mm, Hydraulic, Rollable	ASK	
Photos	bundl-Tränklein-B.P.	Tränklein	B.P.		700mm	Bundling Press	462653	Bundle Press For Folding Sheets, Stacking Length: 700mm, Stable Design, Hydraulic, Rollable	ASK	

Photos	bundl-ZentragHBP	Zentrag	HBP		800mm	Bundling Press		Bundle Press For Folding Sheets, Stacking Length: 800mm	ASK
Case Makers:									
Photos	case-maker-WegraBD15	Polygraph	Wegra BD 15	1984	53x40		1057/1984	Hand Feeding Covering Material, Hand Feeding Hard Spine Insert, Automatic Cardboard Feeding, Automatic Soft Spine Insert Feeding From Roll, Hot Glue, Format: Max. 530x400mm, Min. 110x155mm, Speed: Max. 15 Cycles/Min.	ASK
Photos	case-make-Rebord-Darix-Standard-2005	Rebord	Darix Standard	2005	46x100		DX100Z05100455	Semi Automatic Casemaking Machine, It Is Suitable For The Gluing And Turning In For Short/Medium Production Of Books In Different Sizes, Rigid Calendars, Files, Game Boards, Puzzles, Displays, Sections Of Luxury Boxes And "Windowed" Products (Straight Or Inclined), It Is Set Up With A Central Reference Light To Keep The Maximum Accuracy Between Print Paper And Central Spine (Required For Luxury Jobs). Practical, Installed On Wheels, It Can Be Easily Placed And Moved Everywhere. Technology, Compactness And Great Simplicity In Its Use, Darix Standard Casemaker Machine Gives The Opportunity To Produce Each Kind Of Job With An Industrial Rigor. Machinery Particularly Suitable For Bookbinding And Short/Medium Runs Of Books On Demand. Darix Can Run "Window" Products Without Any Mechanical Adjustment. Format: Min. 10,5x17cm (Open Case), Max. 46x100cm, Extra Size: 70x100cm, Minimum Floor Space: 4M2, Spine Width: 6-100mm, Overlap: 15-30mm, Board Thickness: 1,5-6mm, (Can Use Multiple Thickness In One Case), Cover Weight: 80-400grams, Speed: 3-4 Pieces/Minute, Change Over Time: About 2 Minutes	ASK
Colour Pumps									
Photos	more-bvs-211398	BVS	BCP-108-R	1998		Colour Pumps	211398	5 Bar, Colour Pump	ASK
Photos	more-bvs-298022	BVS	BCP-1010RB	1998		Colour Pumps	298022	5 Bar, Colour Pump	ASK
Compressor									
Photos	more-ABAC-Compressor	ABAC	200 Hp4	2013		Compressor		Compressor	ASK
Photos	comp-Airstar-AC-503-100	Airstar	AC 503/100	2016		Compressor	AS5316039	Maximum volume flow: 500 Ltr., contents: 100 Ltr., maximum speed: 1310 U/min, 10 Bar	ASK
Photos	comp-Atlas-Copco-GX11FF	Atlas Copco	GX11FF			Compressor		Discharge Pressure: 13 Bar, Air Tank Capacity: 80 Gallon, Maximum Flow Rate: 125 PSI, Horse Power: 15 HP	ASK
Photos	comp-Atlas-Copco-Automan-AP4	Atlas Copco	Automan AP4			Compressor			ASK
Photos	compr-Atlas-Copco-GA18VSD	Atlas Copco	GA18VSD+	2014		Compressor	AP1823062	13 Bar	ASK
Photos	comp-blitz-050117	Blitz	Hobby 1,1-24	2005		Compressor	50117	Stages: 1, Motor: 1,1, Overpressure: 8 bar, Suction capacity: 200 l/min, Speed: 2860 1/min, 1300 Watt	ASK
Photos	more-Ecoair-D20-10	Ecoair	D20-10	1991	23093 h	Screw Compressor	901065136	1, 95 M3/min, 10 bar, 3000 1/min, Schrauben -Kompressor / Screw Compressor for Central Air Supply	ASK
Photos	more-Grapha-ANT-Compressor	Grapha	ANT			Compressor	30684/53	Compressor	ASK
Photos	comp-Kaeser-KCT-1069	Kaeser	KCT 401-TAH6-100	2010		Compressor	1069	Artikel Number: 1.6016.00010, 10 Bar, 2741 L/Min (6,0 Bar)	ASK
Photos	comp-komnino-ZS-400	Komnino	ZS-400			Compressor	3196	Compressor	ASK

Photos	comp-kronwald	Kronwald		1991		Compressor	56870	Capacity: 11 Bar, 500l	ASK
Photos	comp-mark-msa-15D	Mark	MSA 15 500DG2	2010		Compressor	CAI1452423	Product No. 4152007214, Compressor: 15 Kw 3Ph, Max. Pressure: 8 Bar, Dryer: 0,385 Kw 1 Ph, Refrigerant Type: R134A	ASK
Photos	comp-siemens	Siemens				Compressor	599	Compressor	ASK
Photos	comp-Rietschle-1641133	Rietschle	CLFG 41V (01) 31.123.1401/01	1994		Compressor	1641133	Compressor	ASK
Photos	comp-Rietschle-1641135	Rietschle	CLFG 41V (01) 61.123.1401/01	1994		Compressor	1641135	Compressor	ASK
Photos	comp-Rietschle-1641130	Rietschle	CLFG 41V (01) 61.123.1401/01	1994		Compressor	1641130	Compressor	ASK
Photos	comp-Rietschle-CLFG-41V	Rietschle	CLFG 41V (01)	1983		Compressor	763959	Compressor	ASK
Photos	comp-Rietschle-SKK-33403-(05)	Rietschle	SKK 33403 (05)	1986		Compressor	991298	Compressor	ASK
Photos	comp-ROWI-1100-24-1	ROWI	1100/24/1			Compressor		Compressor	ASK
Photos	comp-steeb-06-4516	Steeb Werke, Sulz Neckar	06-4516	1986		Compressor	o07	12 Bar, 30 KW	ASK
Photos	comp-Step-VS1V09	Step Trutnov	VS1V09	2005		Compressor	5089	10 Bars	ASK
Photos	comp-Ultrafilter-FDS-0170-257	Ultrafilter	FDS-0170/257	1996		Compressor	96/10768/033	16/30 Bar	ASK
Photos	comp-VIG	VIG	M98150900-11-00/750	2000		Compressor	6157	Capacity: 11 Bar, 750L	ASK
Corner Cutters									
Photos	corn-cut-Beier-Hans-Opitz-&-Co.	Beier (Hans Opitz & Co.)				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-GBC-1033-LA-HD00060	GBC	1033-LA			Corner Cutter	HD00060	1x Edge Points	ASK
Photos	corn-cut-GBC-1033-LA-1861334	GBC	1033-LA			Corner Cutter	1861334	1x Edge Points	ASK
Photos	more-Karl-Krause-Leipzig	Karl Krause Leipzig				Corner Cutter	57954	Corner Cutter	ASK
Photos	more-Karl-Krause-Leipzig-192730	Karl Krause Leipzig				Corner Cutter	192730	Corner Cutter	ASK
Photos	corn-cut-MM-VBF-EKS-400-2000	Müller Martini	VBF EKS 400	2000		Corner Cutter	550 0043	Corner Cutter, Power Required: 3x400 / 230V 50/60 Hz, Largest Consumer: 3,4 A, Overcurrent Protection: 16A, Ounching Speed for Corners: 400mm	ASK
Photos	more-Super-Pan-52	Super Pan	52			Corner Cutter	5561-1	Corner Cutter	ASK
Photos	corn-cut-Tränklein	Tränklein				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-Warrior-21144	Warrior				Corner Cutter	21144	Corner Cutter	ASK
Photos	corn-cut-Westel	Westel	Corner Cutter			Corner Cutter		Corner Cutter	ASK
Endsheet Tipping									
Photos	end-tipp-Kolbus-KB200	Kolbus	KB200	1970	400x310	Endsheet Tipping Machine	22/294	Serial No. 500, Endsheets Tipping Machine, Size: Max. 400x310mm, Min. 100x70mm, Mechanical Speed: 6.600 Cycles/Hour	ASK
Endsheet Gluing									
Forklift									
Photos	fork-25F-RCF-A06	Ascade	25F-RCF-A06	2002		Reel Clamp for fork lift	794709-A-260265-1	Reel Clamp for fork lift, Capacity: 1200, Weight: 355 kg, Max. 160 Bar, Operating pressure (Arbeitsdruck): 140 bar, Centre of Gravity (Eigenschwerpunkt): 220 mm, At Load Centre (bei Lastschwerpunkt): 650 mm	ASK
Photos	fork-C.&W.-Sichelschmidt	C.&W. Sichelschmidt	DMFG	1976		Forklift	505.456	Electric Forklift, Capacity: 1000	ASK
Photos	fork-Desta-MV12BA-1995	Desta	MV12BA	1995		Diesel Forklift	6654	Diesel Forklift, Capacity: 1250 KG	ASK
Photos	fork-doosan	Doosan	Forklift			Forklift		Pallettruck / Forklift	ASK
Photos	fork-ETN-782428	ETN	782428			Reel Clamp for fork lift		Reel Clamp for fork lift	ASK

Photos	fork-Jungheinrich- EMC-10G-115-160E	Jungheinrich	EMC 10G-115-160E	1997		Electric Pallet Truck	4742	Electric Pallet Truck, Capacity: 1000 KG, Battery 24 V / 60 Ah, Weight: ca. 470 KG	ASK
Photos	fork-Jungheinrich-EJC-A-12-C-115-290-ZT	Jungheinrich	EJC A 12 C 115 290 ZT	1994		Electric High Lift Truck	7.3313.23.06	Capacity: 1200 KG, Battery Typ: Pb, 24 V DC, Cell Type: 2 EPzS 230, Year: 2012, Serial No. 143885, Performance: 4,2 kWh, Capacity: 230 Ah, Weight: 212 kg	ASK
Photos	more-Nissan	Nissan	Electric Forklift			Electric Forklift		Electric Forklift	ASK
Photos	fork-OMG-715-K	OMG	715 K	2000		Electric High Lift Truck	12581	Capacity: 1500 KG, Weight: 1250 KG, Triplex	ASK
Photos	more-Steinbock-2	Steinbock	Boss 4545011	1995		Electrical TruckLift	95-70125	Capacity 1200 KG, Hubhöhe 1,6m	ASK
Photos	more-Steinbock-126888	Steinbock	Boss LE16 MK IV A-1	1992		Electric Forklift	126888	Tyres: SE, Lifting Height: 3300 mm, Capacity: 1600 KG, Side Shifting	ASK
Photos	fork-still-RX-20-18-2010	Still	RX 20-18	2010		Electric Forklift	516213A00198	Capacity: 1800 KG	ASK
Photos	fork-still-RX-20-16-2011	Still	RX 20-16	2011		Electric Forklift	916211B0095	Capacity: 1600 KG	ASK
Photos	fork-still-RX-20-16-2012	Still	RX 20-16	2012		Electric Forklift	516211C00154	Capacity: 1600 KG	ASK
Photos	fork-still-R-60-40-2002	Still	R 60-40	2002		Electric Forklift	O516027004796	Capacity: 4000 KG	ASK
Photos	fork-still-R-60-40-2006	Still	R 60-40	2006		Electric Forklift	O516047003037	Capacity: 4000 KG	ASK
Photos	fork-Still-R70-16T-517077000937	Still	R70-16T	2000		Forklift	5,17077E+11	LPG, Capacity: 1600 KG	ASK
Photos	fork-STILL-RX-60-25	Still	RX 60-25	2011		Forklift	516321B00342	Electric Lifter, Capacity: 2500 Kg	ASK
Photos	fork-STILL-RX-60-25-2011	Still	RX 60-25	2011		Forklift	516321B00342	With Reel Clamp	ASK
Photos	fork-STILL-RX-20-20	Still	RX 20-20	2014		Forklift	516215E00823	Electric Lifter, Capacity: 2000 Kg	ASK
Photos	fork-Still-R60-35	Still	R60-35	1998		Electro Forklift	O516026001611	Electric, 3500 KG Capacity, Lifting Height: 3,4m, Overhead guard height: 2,3m, fork 1,4m	ASK
Photos	fork-Still-ecotron-xm-24v-30a	Still	ecotron XM E 24V-30A			Forklift Battery	3,76811E+14	Forklift Battery	ASK
Photos	fork-Still-ecotron-xm-24v-40a	Still	ecotron XM E 24V-40A	2018		Forklift Battery	6,27E+11	Forklift Battery	ASK
Photos	fork-Toyota-electric-lifter	Toyota	7FBEF15	2005	FSV E911	Forklift	7FBEF15 12301	Electric Lifter, Capacity: 1500 KG	ASK
Gluing Machines:									
Photos	glu-Gluing-AL-CE	AL-CE	Gluing Machine			Anleimmaschine / Kaschiermaschine	8053	Anleimmaschine / Kaschiermaschine	ASK
Photos	glu-Cappelletti	Cappelletti				Gluing Machine		Gluing Machine	ASK
Photos	Glu-Machine	Gluing Machine	Gluing Machine			Gluing Machine		Gluing Machine	ASK
Photos	glu-Gluing-PL	Gluing Machine				Gluing Machine			ASK
Photos	glu-prakma-178109	Prakma				Anleimmaschine / Kaschiermaschine	178109	Anleimmaschine / Kaschiermaschine	ASK
Photos	glu-sumbel-NN	Sumbel				Gluing Machine		Gluing Machine	ASK
Photos	glu-Tünkers/JagenbergUAM80	Tünkers / Jagenberg	UAM 800		800mm	Gluing Machine		Gluing Machine, Format: 800mm, Cold Glue Device, Feeding Table, Belt Delivery	ASK
Photos	glu-Tünkers-1	Tünkers				Gluing Machine	1230252/48	Gluing Machine	ASK
Index cutting Machine									
Joint Forming /Nipping Machine									
Photos	JointForming-Antal-AJ-06-N	Antal Jozsef	AJ-06-NYB	2007	700x750x155	Book Press with Joint Forming	AJ-06-NYB	Format: 700x750x1550mm, Book Press with Joint Forming	ASK
Photos	joint-form-RAEL-Rolong	Gantenbein	RAEL Rolong	1971	500mm	Rückenreibemaschine/Book Back Rubbing Maschine		This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm	ASK

Photos	joint-form-Rolong	Gantenbein	RAEL Rolong 980 Tisch	1969		Rückenreibemaschine/Book Back Rubbing Maschine	o770	This back rubbing machine is used to press glued material with its carrier material, It offers unlimited possibilities of use in cardboard processing, book making, etc., Binding width:	ASK
Photos	joiningforming-Krause	Krause	FN 3 P			Book Press with Joint Forming	316889	Joint Forming / Nipping Machine	ASK
Photos	diff-schmedt-präform-2100	Schmedt	Präform 2100	2003		Book Press with Joint Forming	113	Format: 400x520x100mm, Book Height: upto 520mm, Book Width: 120-445mm, Book thickness: 8-100mm, Capacity: ca. 150 Pieces/hour	ASK
Photos	joint-form-Sealmaster-580	Sealmaster	580, AE 580.SA			Joint Forming	930.408.177	Joint Forming	ASK
<u>Knife Sharpner</u>									
<u>Label Applicator</u>									
Photos	more-Lable-Applicator-hun	Lable Applicator				Lable Applicator		Lable Applicator	ASK
Photos	more-Labelpack-Label-X-JR-SX	Labelpack	Label X/JR/SX	2010		Lable Applicator	1101E104.	Lable Applicator	ASK
Photos	more-SMC-CXSM15-50	SMC	CXSM15-50			Lable Applicator	I1141725	Lable Applicator, Max press 7 bar	ASK
<u>Lamination Machine</u>									
Photos	lam-Biedermann-RollLam-140WN	Biedermann	RollLam 140WN		140	Lamination Machine	140WN.438.10	Roller Widht: 150cm, Thermo Laminator, Heating of Silicon Roller ca. 30°C up to 60°C Possible, Max. Board Thickness: 25mm, Diameter of Rollers: 112mm, Capacity: Max Speed: 3,5 m/min.	ASK
Photos	laminator-Foliant-Orpheus-Compressor	Foliant	Orpheus Compressor			Lamination Machine		Fully Automatic, Compact, Industrial Singel-Side Sheet Laminating Machine, Max. Width: 530mm (B2+), Max. Sheet Size: 530x740mm, Min. Sheet Size: 320x250mm, Material 125-500 GSM, Max. Speed: 22M/Min., Max. Productivity 1900 B2 Sheets/Hour, Deep Pile Feeder, Intergral Compressor, Chromed Heating Cylinder, High Pneumatic Pressure System, Automatic Compact Separator With Shafts, PLC Controller, Touch Screen Panel, Preset Temperature, Adjustable Laminating Speed, Jogging Table On Delivery	ASK
Photos	lam-GBC-Voyager-3	GBC	Voyager 3	2004	76x102	Lamination Machine	1204	Automatic Gremser Pallet Feeder S80x120 AO/BTH, Automatic Sheet Seperator with Electronic Lap Control, Deep Pile Delivery, Table Delivery Size: Max. 76x102cm, Min. 30,5x30,5, Max. Speed up To: 10.000 Sheets/Hour, Feeder Capacity: 880 KG, Dry Lamination Unit, Separating Unit, Paper Weight: 150-350 gr/m2, Speed Max. 30 M/Min (Production 20-25 M/Min), Standard Accessories	ASK
Photos	lam-GBC-400	GBC	400			Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-GBC-DocuSeal-30	GBC	DocuSeal 30			Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	laminator-karmaplanomatVA130	Karma Planomat	VA 130		100x130	Lamination Machine	723901	Sheet To Sheet Laminator, Format: Max. 130x100cm, Min. 60x50cm, Speed: Max. 2400 Sheets/Hour, Mirus Feeder Working Width: 1300mm	ASK

Photos	lamina1620-Blackline-2011	Lamina	Blackline 1620 BL	2011	160x210	Lamination Machine		FA Feeder 800/500, Top Sheet: 130-450 gm/m2, Bottom Sheet: from 250 gm/m2, Thickness: 0,6 - 10mm, Glue: PVA Type or As Specified, Feeder Height: Bottom: 1600mm, Top: 800mm, Registration Accuracy: <+- 0,5mm or Top Sheet Overlap, Operation Speed: Up to 6000 Sheets/Hour, Total Installed Power: 4,0 Kw, Maximum Sheet Size: Widht: 1600mm, Lenght: 2100mm, Minimum Sheet Size: Width: 350mm, Lenght: 500mm, Electics: 400V, 3 Phase, Neutral, 50/60 Cycles	ASK
Photos	lam-Thermo-Lamination-Machine	Lamination Machine				Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-Lamination-mx6	MX6				Lamination Machine		Lamination Machine	ASK
Photos	lam-Peach-Lamination-SKY-330R8	Peach Lamination	SKY 330R8			Lamination Machine	O9EK8R009	Lamination Machine	ASK
Photos	lam-Seal-Laminator-Image-60S	Seal Laminator	Image 60S			Lamination Machine		Lamination Machine	ASK
Pallet Wrapping Machine									
Photos	more-Siat-AF1-CF2	Siat	AF1.CF2	1988		Palletenwickler / Pallet Wrapping Machine		Serial 786, Palletenwickler / Pallet Wrapping Machine	ASK
Photos	pall-wrapp-Siat-SW2-16-FM-4CF-2012	Siat	SW2 16-FM-4CF+	2012		Palletenwickler / Pallet Wrapping Machine	51782	Palletenwickler / Pallet Wrapping Machine	ASK
Photos	more-Siat-muh-de	Siat				Palletenwickler / Pallet Wrapping Machine		Palletenwickler / Pallet Wrapping Machine	ASK
Paper Drilling/Eyletting Machines:									
Photos	dril-AEG-Drill-Machine	AEG	DT-10			Drill Machine	87155726	Drilling machine	ASK
Photos	dril-Citoborma-270B	Citoborma	270B			Drill Machine		Paper Drilling Machine	ASK
Photos	dril-Dürselen-Corta-PB04-N	Dürselen	Corta PB04 N	2005		Drill Machine	PB0403.05/1304N	4 Heads, Drill Bit Cooling and Lubrication, Continously Variable Stroke and Spindle Speed Control, Dürselen Drill Belt for Drilling Support	ASK
Photos	dril-Droi-MTPP	Droi	MTPP			Drill Machine	304	Paper Drilling Machine	ASK
Photos	dril-DVS-120	DVS	120			Drill Machine		2 Head Paper Drilling Machine	ASK
Photos	dril-Georgii-Kobold-KS0122-S215	Georgii-Kobold	KS0122 S215			Drill Machine	105662	Drilling machine	ASK
Photos	dril-Hang-136DK-72184	Hang	136 DK			Drill Machine	72184	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-71711	Hang	136D			Drill Machine	71711	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-70349	Hang	136D			Drill Machine	70349	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-22089	Hang	136D			Drill Machine	22089	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-18289	Hang	136D			Drill Machine	18289	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136-17233	Hang	136			Drill Machine	17233	1 Head Paper Drilling Machine	ASK
Photos	dril-Hang-106DT20	Hang	106DT20			Drill Machine	15466	2 Heads Paper Drilling Machine	ASK
Photos	dril-Hang-106DTK	Hang	106DTK			Drill Machine	91545	2 Heads Paper Drilling Machine	ASK
Photos	drill-hang106DTK4	Hang	106 DTK4	ca. 1993		Drill Machine	92203	4 Heads Paper Drilling Machine with Automatic Table Lift, Approx. 35cm Drilling Depth, Drill Heads Approx. 50cm Adjustable to Each Other Tab	ASK
Photos	dril-Hang-106-DTK4-90813	Hang	106 DTK4			Drill Machine	90813	4 Heads Paper Drilling Machine	ASK
Photos	drill-hang-2-head	Hang	106DT20			Drill Machine	90031	2 Head Drilling Machine	ASK
Photos	drill-Hans-Maisel-2-Head	Hans Maisel				Drill Machine		2 Head Drilling Machine	ASK
Photos	dril-Modena-Venus-2-1983	Modena	Venus 2	1983		Drill Machine		2 Heads Paper Drilling Machine	ASK

Photos	drill-Nagel-Citoborma-280	Nagel	Citoborma 280			Drill Machine		Drilling machine	ASK
Photos	drill-Nagel-Citoborma-280b	Nagel	Citoborma 280b			Drill Machine		Drilling machine	ASK
Photos	drill-Nagel-Citoborma-280-B-DE-24	Nagel	Citoborma 280 B			Drill Machine		2 Head Drill Machine	ASK
Photos	drill-Nagel-Citoborma-KOD-524S-129	Nagel	Citoborma KOD 524S 129			Drill Machine		1 Head Paper Drilling Machine	ASK
Photos	drill-Nagel-Citoborma-hip-bg	Nagel	Citoborma 490			Drill Machine	1854040	Drilling machine, SN: 0009 3558	ASK
Photos	drill-Proma-PTB16B-230	Proma	PTB16B/230	2009		Drill Machine	B2009/0931	Total Height: 1,065mm, Head Handle: 1-16mm, 12 Stages of Speed Adjustment, Maximum Distance Of The Spindle From The Base: 600mm, Maximum Distance Of The Spindle From The Table: 350mm, Maximum Drilling Diameter: 20mm, Spindle Feed: 80mm, Table Size: 300 x 300mm, Base Dimensions: 500 x 285mm, Spindle Reach (Distance From The Spindle To The Column): 195mm, Speed Range: 180 / 250, 300 / 400, 480 / 580, 970 / 1,280, 1,410 / 1,540, 2,270 / 2,740 rpm., Column Diameter: 73mm, "T" Table Grooves: 16mm	ASK
Photos	drill-Stago	Stago				Drill Machine		Drilling machine	ASK
Photos	drill-WP22	WP 22	Paper Drill			Drill Machine		2 Head Paper Drill Machine	ASK
Photos	drill-2-Heads-Drill-Machine	2 Heads Paper Drilling Machine				Drill Machine		2 Heads Paper Drilling Machine	ASK
Photos	eylett-Constantin-Hang	Constantin Hang				Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-Eyeletting-Machine-NN	Eyeletting Machine				Eyeletting Machine		Eyeletting Machine	ASK
Photos	eylett-Facom-INOX	Facom	INOX			Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-hang-167-12	Hang	167-12			Eyleting/Rivetting Machine	38131	Eyleting/Rivetting Machine	ASK
Photos	eylett-hang-Sey-at	Hang	Piccolo 101 F			Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-hang-3-fach	Hang	87 F			Eyleting/Rivetting Machine	37954	3 Head Eyleting/Rivetting Machine	ASK
Photos	eylett-Hang-103-LOK	Hang	103 LOK			Eyleting/Rivetting Machine	31133	Eyleting/Rivetting Machine	ASK
Photos	eylett-Hang-103-SPK-15464	Hang	103 SPK			Eyleting/Rivetting Machine	15464	Eyleting/Rivetting Machine	ASK
Photos	eylett-Hang-Piccolo-III-2	Hang	Piccolo III			Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-Hang-Piccolo-III	Hang	Piccolo III			Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-Siac	Siac				Eyleting/Rivetting Machine		Eyleting/Rivetting Machine	ASK
Photos	eylett-Textima-Schuma-13811-73333	Textima	Schuma 13811	1967		Eyleting/Rivetting Machine	73333	Eyleting/Rivetting Machine	ASK
Photos	eylett-WSK-Fritz-Wagner-ED10	WSK Fritz Wagner	ED10	1990		Eyleting/Rivetting Machine	138	Eyleting/Rivetting Machine	ASK
Perforation Machines:									
Photos	perf-bickel-H1-50	Bickel	H1-50	1980	50	Perforation	21053	Perforation Machine	ASK
Photos	perf-CCCP-Y06	CCCP	Y06	1976		Perforation	227	Perforation Machine	ASK

Photos	perf-Crease-Matic-Electril-Creaser	Crease Matic	Electril Creaser			Perforation	304111	Perforation Machine	ASK
Photos	diff-Foellmer-EXPO	Foellmer	EXPO	1998		Perforation	858	Nutting Machine	ASK
Photos	perf-Friedrich-Walter-Muller	Friedrich Walter Müller				Perforation		Perforation Machine	ASK
Photos	perf-Fürcht-Zoltan-R-760	Fürcht Zoltan	R-760			Perforation		Perforation Machine	ASK
Photos	perf-Grafotechna	Grafotechna			700	Perforation		Perforation and Creasing, Workig Space Height: 2,5mm,	ASK
Photos	perf-Perforation-Tall	Kroll	Creasing and Perforation Machine			Perforation	R740202	Creasing and Perforation Machine	ASK
Photos	perf-Kroll-PF	Kroll				Perforation		Creasing and Perforation Machine	ASK
Photos	perf-Kroll-&Co.-2	Kroll & Co.				Perforation		Perforation Machine	ASK
Photos	perf-OM-245A	O.M.	245A	1997		Perforation	1149M	Rotary Creasing and Perforation Machine	ASK
Photos	perf-Perforation-roj-es	Perforation				Perforation		Perforation Machine	ASK
Photos	perf-Perforation-machine-deg	Perforation Machine				Perforation		Perforation Machine	ASK
Photos	perf-Polygraph-Titan	Polygraph	Titan CTK VII	1951		Rilling / Perforation Machine	91887	Rilling / Perforation Machine	ASK
Photos	perf-Shaw-Merlin-4040	Shaw	Merlin	1973		Perforation	4040	Rotary Creasing and Perforation Machine	ASK
Photos	perf-Table-Perforation	Table Perforation		ca. 1975		Perforation		Table Perforation	ASK
Photos	perf-Perforator-hu	Unimark	G.M. U.M. 931.0	1997		Perforation		Perforation Machine	ASK
Screen Printing									
Shrink Wrap/Sealing Machines:									
Photos	seal-beck-S12-24	Beck	S12-24	1985		Shrink Wrap/Foil Sealing	3893042	with B200/25 and Number: 6852884, Shrink Wrap / Foil Sealing	ASK
Photos	seal-Beck-packautomat-2	Beck	Packautomat			Shrink Wrap/Foil Sealing		Shrink Wrap/Foil Sealing	ASK
Photos	seal-Beck-TL50-40E	Beck	TL50 40E	1992		Shrink Wrap/Foil Sealing	o808	Shrink Wrap/Foil Sealing	ASK
Photos	seal-belca-2001	Belca	BE 85	2001		Shrink Wrap/Foil Sealing	L216N	Shrink Wrap, Front shuttle feeder, Rotary side feeder, Friction feeder, Shrink tunnel, Maximum Speed: 85 cycles per minute, Length: 85 to 395 mm, Width: 85 to 300 mm, Height: 2 to 70 mm	ASK
Photos	foil-seal-Albipack	Italdibipack	Albipack ECO 650	2010		Shrink Wrap/Foil Sealing	503	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Italdibipack-199-9	Italdibipack	Speed Bag V			Shrink Wrap/Foil Sealing	199-9	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Italdibipack-Baby-Pack	Italdibipack	Baby Pack			Shrink Wrap/Foil Sealing	2109-9	Shrink Wrap/Foil Sealing	ASK
Photos	seal-kalfass5050-400	Kalfass	5050/400	1980		Shrink Wrap/Foil Sealing	T05.80.61	Shrink Wrap/Foil Sealing With Dryer	ASK
Photos	seal-Kalfass-KW3535	Kalfass	KW3535	1986		Shrink Wrap/Foil Sealing	E986695	Shrink Wrap/Foil Sealing	ASK
Photos	Foil-seal-MAFWS2	MAF	WS2	1989		Foil Sealing	24151089		ASK
Photos	seal-Minipack-Mailbag-Digit	Minipack	Mailbag Digit	2000		Shrink Wrap/Foil Sealing	001071/D	Shrink Wrap/Foil Sealing	ASK
Photos	seal-SE-450	Smipack	SE 450	2004	A3	Shrink Wrap/Foil Sealing	o011104	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Smipack-SL-45	Smipack	SL45		440x300	Shrink Wrap/Foil Sealing		Power Supply: 230V / 50 Hz, Max. Heating Output: 1,65kW, Foil Sealing Frame Format: 440x300mm, Max. Insertion Area: 430x240mm, Max. Product Height: 210mm, Max. Size Of The Film Roll: Ø 250x450mm, 6 Storable Programs For Recurring Work Processes, Easy Adjustment Of The Shrinkage Time On The Display	ASK

Photos	seal-Smipack-S560-Red	Smipack	S560 Red			Shrink Wrap/Foil Sealing		Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display	ASK
Photos	seal-Smipack-S560-White	Smipack	S560 White			Shrink Wrap/Foil Sealing		Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display	ASK
Photos	seal-Soldi-Baby-Pack	Soldi	Baby-Pack			Shrink Wrap/Foil Sealing	116	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Zappe-851124	Zappe	KS44	ca. 1985		Shrink Wrap/Foil Sealing	851124	Shrink Wrap/Foil Sealing	ASK
Stapling/Stiching Machines:									
Photos	stap-Guternic-AB-Plockmatic 36	Guternic AB	Plockmatic 36	ca. 1985		Stapler	366031051	Stapling Machine	ASK
Photos	stap-gw-km17-586	GW	KM17	1997		Stapler	586	Stapling Machine	ASK
Photos	stap-gw-km17	GW	KM17	1994		Stapler	572	2 Head Stapling Machine	ASK
Photos	stap-Hans-Opitz-&Co	Hans Opitz & Co. Hannover				Stapler		Stapling Machine	ASK
Photos	stap-Isaberg-Rapid-AB	Isaberg	Rapid AB A106			Stapler	43028	Stapling Machine	ASK
Photos	stap-Isaberg-Rapid-AB-57542	Isaberg	Rapid AB Type: A106			Stapler	57542	2 Head Stapling Machine	ASK
Photos	stap-Koboldt	Koboldt		ca. 1972		Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak2	Nagel	Foldnak 2	ca. 1987		Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Foldnak-DE-24	Nagel	Foldnak 2			Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Foldnak	Nagel	Foldnak			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak-3	Nagel	Foldnak			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak-slow	Nagel	Foldnak			Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-2005	Nagel	Multinak-S	2005		Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-krode	Nagel	Multinak-S			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-deg	Nagel	Multinak-S			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-DE-24	Nagel	Multinak S			Stapler		2 Head Stapler	ASK
Photos	stap-Nagel-Multinak-2	Nagel	Multinak			Stapler		2-Head Stapler	ASK
Photos	stap-nagel-rinak	Nagel	Rinak	ca. 1974		Stapler		Stapling Machine	ASK
Photos	stap-Nagel-2-Head	Nagel	Stapler			Stapler		2-Head Stapler	ASK
Photos	stap-Nagel-6236-1	Nagel	Stapler			Stapler	6236-1	Stapling Machine	ASK
Photos	stap-Nagel-föhl	Nagel	Stapler			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-TAK-18	Nagel	TAK 18			Stapler		Pads Upto Approx. 140 Sheets, Staple Sizes: 50/6, 50/18, The Electric Pad Stapler NAGEL TAK 18, With Its Powerful Electric Motor And Integrated Foot Solution, Is Specialized In Stapling Thick Blocks. Blocks With A Thickness Of Upto 14mm Can Be Stapled. The Block Stapler Is Made From A Torsion-Free Cast Body And Has A Robust Stapling Head. All Wearing Parts Are Easily Replaceable. The Rear Stop Is Infinitely Adjustable	ASK

Photos	stap-Plokmatik-BK-5010-F102-002	Plokmatik	BK 5010 F102-002		297x427	Stapler	960854	Stapling Machine	ASK
Photos	stap-stapler-bru-mett	Stapler				Stapler		Stapling Machine	ASK
Photos	stap-stapler-6276	Stapler		ca. 1976		Stapler	6276	2 Head Manual Stapling Machine	ASK
Photos	stap-stapler	Stapler		ca. 1971		Stapler		2 Head Stapling Machine	ASK
Photos	stap-Stapling-Machine-NN3	Stapling Machine				Stapler		Stapling Machine	ASK
Photos	stich-Agrafix-BX	Agrafix	BX			Sticher	19318	Wire Sticher for Block and Pamphlets, Sticking Thickness: 2-25mm (up to 40 mm with Open Staples), Lenght of the Staple's Back: 14mm, For Round Wire n°21-30 or Flate Wire n°0-V, Upto 170 Stitches/min.	ASK
Photos	stich-Bostich	Bostich				Sticher	65055	Stiching Machine	ASK
Photos	stich-brehmer-bkb-de	Brehmer				Sticher		Stiching Machine	ASK
Photos	stich-Grapha-B1	Grapha	B1			Sticher	61901	Size Register Table: 500x210mm, Back Gauge Distance: 310mm, Thickness: Up to 10mm, 380V, 3 Ph, 50Hz, 1.15A	ASK
Photos	stich-Kaev-P710-9125-1989	Kaev	P710/9125	1989	Arm Lenght: 125cm	Sticher	307	Board Sticher	ASK
Photos	stic-Mueller-HF33	Müller Langenfeld	HF33	1988		Sticher	667	Board Sticher	ASK
Photos	stich-VEB-Leipzig	VEB Leipzig	Sticher			Sticher	66.01.68	Stiching Machine	ASK
Transferbelt									
Photos	belt-Conveyor Belt	Conveyor Belt				Conveyor Belt		Transferbelt	ASK
Photos	trans-belt-Filma-TTLI-500VR	Filma	TTLI/500VR	1997		Transferbelt	0871	Transferbelt	ASK
Photos	more-Kolbus-TG	Kolbus	TG	1989		Conveyor Belt	1032	Transferbelt	ASK
Photos	more-Kolbus-FS-Z-011	Kolbus	FS.Z 011	1987		Conveyor Belt	59	Transferbelt	ASK
Photos	more-Kolbus-TN	Kolbus	TN	1980		Conveyor Belt	944	Transferbelt	ASK
Photos	more-Markem-9064	Markem	9064			Conveyor Belt		Transferbelt	ASK
Photos	more-MK-Typ-GUF-P	MK	Typ GUF-P 2000 AC 2000-200	2008		Conveyor Belt	20224101001	Motorized Belt	ASK
Photos	more-Motorized-Belt	Motorized Belt				Conveyor Belt		Motorized Belt	ASK
Photos	trans-belt-Multi-Mount-IP66	Multi-Mount	IP66	2010		Transferbelt		Typ, 4, 12,13, Standard Enclosure	ASK
Photos	more-Müller-Martini	Müller Martini	36.200.162			Transferbelt	99.25077.01	Transferbelt	ASK
Photos	more-Solema-1992	Solema		1992		Conveyor Belt	4031	Transferbelt	ASK
Photos	more-Solema-3	Solema				Conveyor Belt		Transferbelt	ASK
Photos	more-Tec-Graf-S84-210	Tec-Graf	S84	1988		Transferbelt	210	Transferbelt	ASK
Photos	more-transferbelt	Transferbelt				Conveyor Belt		Transferbelt	ASK
Photos	more-transferbelt-hun	Transferbelt				Conveyor Belt		Transferbelt	ASK
Photos	more-transferbelt-hun2	Transferbelt				Conveyor Belt		Transferbelt	ASK
Photos	trans-belt-Transferbelt-45°	Transferbelt	45°			Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-green-ei	Transferbelt			142x65	Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-NN1	Transferbelt				Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-3,70-Length	Transferbelt				Transferbelt		3,70 Length	ASK
Photos	trans-belt-Transport-belt-Lenght-4-meters	Transport Belt			405x63	Transport Belt		Transport Belt	ASK
Photos	more-Trapo-Stumpf	Trapo	Stumpf	1994		Conveyor Belt	501407	Transferbelt	ASK
More:									
Photos	mores-buhrs	Buhrs	Variadress 218	1997		Adressing machine	4453-027	Adressing machine	ASK
Photos	more-Krumm-LRF20	Krumm	LRF20	2009		Air Filter System / Abluftfilteranlage	00054-09	Air Filter System / Abluftfilteranlage	ASK

Photos	more-small-compressed	Small compressed				Air Punch		air punch with punches and dies (Kleine Druckluft-Lochstanze mit Stempel und Matrizen)	ASK
Photos	more-Binder-Block-Press-obsteiKar	Binder, Block Press				Binder, Block Press		Binder, Block Press	ASK
Photos	more-MAC-Computer	MAC	Computer			Computer		Computer	ASK
Photos	more-Sharp-Digital-Copy-machine	Sharp	MX 3050N			Digital Copy machine	75064641	Digital Copy machine	ASK
Photos	more-Druckschrank-k-h-irg	Druckschrank				Druckschrank		Druckschrank / Print Wardrobe	ASK
Photos	more-sauger-KF-1300	Sauger	Type KF 1300	2004		Dust-Exhaust		Dust-Exhauster for Perfect Binder	ASK
Photos	more-Edge-protection-machine	Edge	Protection machine			Edge protection machine / Kantenschutzmaschine		Edge protection machine / Kantenschutzmaschine	ASK
Photos	more-Kolbus-FS.Z	Kolbus	FS.Z	2000		Electric Panel	227	Electric Panel	ASK
Photos	more-Foilcutter-AK	Foil Cutter				Foil Cutter		Foil Cutting Unit	ASK
Photos	more-Hefter-Systemform-si-4400	Hefter Systemform	SI 4400 B	2016		Folding and Inserting Machine	440396	Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230 V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2, single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programmable Jobs: upto 20 jobs.	ASK
Photos	more-Pitney-Bowes-7-Series	Pitney Bowes	7 Series			Folding and Inserting Machine		MPS Mailstream Productivity Series, Folding And Inserting Machine	ASK
Photos	more-Pitney-Bowes-DE-24	Pitney Bowes				Folding and Inserting Machine		MPS Mailstream Productivity Series, Folding And Inserting Machine	ASK
Photos	more-Pitney-Bowes-D1-600	Pitney Bowes	D1 600			Folding and Inserting Machine		Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2 single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programable Jobs: upto 20 jobs	ASK
Photos	more-Albert-Siebdruck	Albert	Siebdruck			Grinding Machine / Doctor Blade Grinder		Grinding Machine / Doctor Blade Grinder	ASK
Photos	more-METABO-730	METABO	730			Grinding Machine	206407	Grinding Machine	ASK
Photos	more-Helmut-Diebold-HSD01	Helmut Diebold	HSD01			Grinding Machine / Schleifmaschine	o493286	Grinding Machine / Schleifmaschine	ASK
Photos	more-Heater	Heater				Heater		Heater	ASK
Photos	more-hole-punch-tool	Hole	punch tool			Hole punch tool/Loch-Werkzeug		Hole punch tool/Loch-Werkzeug	ASK
Photos	more-Kern-K610-Ident No. 811	Kern	K610 Ident No. 811	1978		Inserting Machine	K610.6406	Kuvertiermaschine / Inserting machine	ASK
Photos	insert-Sitma-1005-BW	Sitma	1005-BW	2011		Inserting Machine		Inserting and Foiling Machine, Details: 2 Feeders, IJC Injjet-Controller and Video Jet Printer, Packaging Possibilities: >Lenght Min./Max. in mm: 150/420, Width: Min./Max. in mm: 100/305, Height Min./Max. in mm: 1-20 (upto 35mm When Working At Long Distances) Capacity: 15000 Products/Hour<; Foil: > Typ: PE-PVC-PPO, Thickness Min./Max. in µ: 18/50, Width: Min./Max. in mm: 200/700, Max. Roll Diameter in mm: 450, Min. Roll Diameter in mm: 76,2<) (Einsteck- und Foliermaschine	ASK

Photos	more-Einhell-KBS-500	Einhell	KBS 500	1984		Kombi-Kreissäge	O02204	Kombi-Kreissäge / Combi-Circular Saw, 2800 U/Min., 3KW/4PS, 380V/50Hz, Saw Blade: 315/500mm	ASK
Photos	more-Lexmark-T640	Lexmark	T640			Laser Printer		Laser Printer	ASK
Photos	more-FAG-Line-Saw-for-Lead-Type	FAG	J-75			Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype	34.08.408	Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype, Klischee Cutter, Volt: 380	ASK
Photos	more-Technotrans-EWP	Technotrans	EWP 1800/225-T			Motor	111749	Motor	ASK
Photos	more-Technotrans-EWP-	Technotrans	EWP 1800/225-T			Motor	121137	Motor	ASK
Photos	more-Josef-Florenz	Josef Florenz	Neigungswaage			Neigungswaage	B411162	Neigungswaage / Scale	ASK
Photos	more-Finest-FOG-Osmose	Finest	FOG	2009		Osmoseanlage	B070587	Osmoseanlage / Somosis System	ASK
Photos	more-Paper-wrapping-machine	Paper Wrapping Machine				Paper Wrapping Machine		Paper Wrapping Machine	ASK
Photos	more-Oki-C-9550	Oki	C.9550			Photo Copy Machine		Colour Photo Copy Machine / Farbkopierer	ASK
Photos	more-Robert-18c72oZ	Robert	18c72oZ	1979		Regid Plastic creasing with Heating		Regid Plastic creasing with Heating (Folien-Biegemaschine)	ASK
Photos	more-Gandossi-&-Fili-Fossati	Gandossi & Fili Fossati				Rilling Machine		Rilling Machine	ASK
Photos	rill-Nagel-Rillnak-350	Nagel	Rillnak 350			Rilling Machine	470358CFAB	Rilling Machine	ASK
Photos	more-avdel-rivet-gun	Avdel				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-gesipa-rivet-gun-2	Gesipa				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-gesipa-rivet-gun-1	Gesipa				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-rivet-gun	Rivet				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-pamü	PAMÜ	Scoring Machine			Scoring Machine		Scoring Machine	ASK
Photos	more-Scoring-Machine	Scoring Machine				Scoring Machine		Scoring Machine	ASK
Photos	more-höcker-phs-s-2019	Höcker Polytechnik	A3 Shredder PHS-S D/A	2019		Shredder For Die-Cutters	521080	Power: 11,5 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton.	ASK
Photos	more-höcker-phss-2017	Höcker Polytechnik	PHSS Shredder	2017		Shredder For Die-Cutters	493643	Power: 11 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton.	ASK
Photos	more-höcker-phss-2018	Höcker Polytechnik	PHSS Shredder	2018		Shredder For Die-Cutters	509617	Power: 11,5 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton.	ASK
Photos	more-yard-king	Yard King	40,0707			Snow Slider	92081532	Typ: 1221 02, Tire pressure: 4x1,5 Bar, Oil: 10W 40	ASK
Photos	more-stückmann-hillen	Stückmann & Hillen	AK200-1250	1954		Steal Banding Machine	454.103	Steal Banding Machine	ASK
Photos	more-table-1	Table	with Foilrolls Holder			Table		(Tisch mit der Möglichkeit für Folienrollen anzuhängen/Table with the possibility of hanging film rolls)	ASK
Photos	more-Table-Hole-Punch	Table Hole Punch				Table Hole Punch		Table Hole Punch	ASK

Photos	more-linotype	Mergenthaler	Linotype	unknown		Typesetting machine / Setzmaschine		Linotype, Typesetting machine / Setzmaschine	ASK																														
Photos	more-linotype-280-18120	Linotype	280			Typesetting machine / Setzmaschine	18120	Linotype, Typesetting machine / Setzmaschine	ASK																														
Photos	more-Dalex-PL40-1	Dalex	PL40-1			Welding Machine /Schweißmaschine	18913670/1	Welding Machine /Schweißmaschine	ASK																														
Photos	more-Dalex-SF16-71	Dalex	SF16/71			Welding Machine /Schweißmaschine	28611677/5	Welding Machine /Schweißmaschine	ASK																														
Photos	more-Bacher-180-1989	Bacher	180	1989					ASK																														
Photos	more-Diverse-1	Diverse-1							ASK																														
Photos	more-Diverse-2	Diverse-2							ASK																														
Photos	mores-Kärcher-KSM-950-B	Kärcher	KSM 950 B						ASK																														
Photos	mores-Kärcher-BR-55-60W	Kärcher	BR 55/60W						ASK																														
Photos	mores-Nash-Elmo-1400	Nash Elmo	G 200 2BH1400-7AH26				EU600155221034/ 06	Motor 50 Hz, 1,3 kW, 2800/min	ASK																														
Photos	mores-Nash-Elmo-1300	Nash Elmo	G 200 2BH1300-7AH16				EU600156240052/ 06	Motor 50 Hz, 0,40 kW, 2760/min	ASK																														
Photos	more-Polygraph-62-1-4	Polygraph	62 1/4				63021		ASK																														
Photos	more-Prym-SP-3-71	Prym	SP 3/71						ASK																														
Photos	more-Rhewa- 83Z	Rhewa	83Z				120394		ASK																														
Photos	more-Solema-2007	Solema		2007			7.017		ASK																														
Photos	more-Ulico-Herotherm	Ulico	Herotherm				481		ASK																														
Photos	more-ulmia-5653	Ulmia	1605-7	1960			5653		ASK																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="10" style="text-align: center;">AGM Anwar Graphische</td> </tr> <tr> <td colspan="10" style="text-align: center;">Friedenstrasse 1, D38259-</td> </tr> <tr> <td colspan="10" style="text-align: center;">E-Mail: agm@agm-graphics.com, WEB: www.agm-graphics.com</td> </tr> </table>										AGM Anwar Graphische										Friedenstrasse 1, D38259-										E-Mail: agm@agm-graphics.com, WEB: www.agm-graphics.com									
AGM Anwar Graphische																																							
Friedenstrasse 1, D38259-																																							
E-Mail: agm@agm-graphics.com, WEB: www.agm-graphics.com																																							