



SALES LIST

AGM Anwar Graphische Maschinen

| Photo | Ref. No. | Brand | Typ | Age | Size cm | Impression | MachineNo. | Details | Price/€ |
|------------------------|--------------------------|------------|----------------------|------|---------|------------|------------|---|---------|
| | | | | | | | | 12-Colours Offset | |
| | | | | | | | | 10-Colours Offset | |
| | | | | | | | | 9-Colours Offset | |
| | | | | | | | | 8-Colours Offset | |
| | | | | | | | | 7-Colours Offset | |
| | | | | | | | | 6-Colours Offset | |
| Photos | off6-HD-XL-75-6+L-C-2009 | Heidelberg | XL 75-6+LX3-C Format | 2009 | 53x75cm | 314 Mio. | | Straight Machine, Format: Max. 530x750mm, Min. 210x350mm, Largest Printing Area: 510x740mm, Maximum Production Speed: 15.000 Sheets/Hour, Prinect Press Centre With Remote Ink Control, Prinect Press Center Software, Axis Control, Diagonal Register, Preset Plus Feeder, Autoplate, Double Diameter Impression Cylinders, Alcolor Vario Continuous Dampening System, Technotrans Refrigeration, AlcoSmart, Ink Temperature Control, Auto Ink Roller Wash, Auto Blanket Wash, Auto Impression Cylinder Wash, Preset Plus Delivery, Anilox Coater, AirStar, Air-Cooled, UV Package – Delivery (Delivery Includes All Components Required To Equip The Delivery For UV Operation. Machine Is Equipped With DryStar Combination UV, 2 DryStar IR-/Hotair, 1 UV With 3 Lamps á 160 Watt/cm), UV Package – Coating Unit, 6th Printing Unit Is Equipped With Combi-Rollers, Double Sheet Detector – Pulling Device, Extended Delivery – X3, DryStar Combination UV CAN Dryer a/c, CombiStar CAN – Dampening Solution a/c, PowderStar AP232 – Powder Spray, StaticStar Compact – Antistatic Device, Varnish Supply Unit 550l/h UV, Second Varnish Circuit With CoatingStar | ASK |
| Photos | off6-Roland-R306-N-1998 | MAN Roland | R306 N | 1998 | 53x74 | 96 Mio. | 27764B | Perfector 1/5 and 6/0, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Refrigerator, Auto-Wash, Double Size Impression Cylinders, Roland Mabeg Jet Feeder, Steel Plate on Overlap, High Pile Delivery, Autosize, IR Dryer and UV Dryer | ASK |
| | | | | | | | | 5-Colours Offset | |
| Photos | off5-HD-GTO52-FP-1993 | Heidelberg | GTO52 FP | 1993 | 36x52 | 86 Mio. | 709393 | Perfection: 1/4, CPC 10.2, Plus Version, Alcolor Dampening with Baldwin Refrigeration Circulation, Quick Action Clamps, Electronic Double Sheet Control, Weko T6 Powder Sprayer | ASK |

| | | | | | | | | | |
|-------------------------|-------------------------------|------------|------------------------|------|--------|----------|----------|---|-----|
| Photos | off5-HD-MOFP-H-610856 | Heidelberg | MOFP-H | 1990 | 48x65 | 115 Mio. | 610856 | Perfection: 1/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix EXA S1-X Powder Spray, IR Dryer, High Pile Delivery | ASK |
| Photos | off5-HD-SM-74-5-H-DS000499 | Heidelberg | SM 74-5-H | 2010 | 52x74 | 285 Mio. | DS000499 | Straight Machine, Prinect Press Center, Preset Feeder and Delivery, Autoplate, Digital Controls, Touch Screen Control, Autosize, Alcolor Dampening with Technotrans beta.d Alcocontrol | ASK |
| Photos | off5-KBA-RA105U-5+L-ALV2-2004 | KBA | Rapida RA105U-5+L ALV2 | 2004 | 74x105 | 240 Mio. | | Paper Thickness: 100 G/M-1,2MM (Cardboard + Foils), (CX) Cardboard Attachment (Up To 1.2 MM), 5 Colours Plus Coating Tower For UV- And Water Based Varnish, (ALV) Extended Delivery 2600mm, Weko AP 262 Powder Sprayer, 2x UV Interdeck Dryer In 2nd and 5th Unit, 1x UV- And IR- Hot Air Dryer, (FAPC) Fully Automatic Plate Change, (ITC) Inking Unit Temperature Control, Colortronic Control Centre, Varidamp Dampening, Varicontrol, Baldwin Cooling, Intercommunication System, Colour Managment Techion, Prepared For CIP Link, Recovered Rollers, Retrofitting Non-Stop Feeder and Delivery, (ACS) Air Cleaning System, (GTW) Auto-Wash System for Blankets and Rollers, Auto-Wash Devices For Impression Cylinders in 1,3 & 4 Unit, Anilox Rollers Chamber Doctor Blade System | ASK |
| 4-Colours Offset | | | | | | | | | |
| Photos | off4-HD-MOVP-S-1992-613012 | Heidelberg | MOVP-S | 1992 | 48x65 | | 613012 | Perfection: 2/2, CPC 1.02, CP-Tronic, Alcohol Dampening, Grafix Exactomat Powder Spray, Low Pile Delivery | ASK |
| Photos | off4-HD-MOVP-H-1990-610851 | Heidelberg | MOVP-H | 1990 | 48x65 | 180 Mio. | 610851 | Perfection: 2/4, CPC 1.02, CP-Tronic, Alcolor Dampening with Baldwin Refrigerator, Grafix Powder Spray, IR Dryer, High Pile Delivery | ASK |
| Photos | off4-HD-PM-52-4-2006-721487 | Heidelberg | PM GTO 52-4-P | 2006 | 36x52 | 77 Mio. | 721487 | Perfection 2/2, Plus Version, Pull Lay Control, DDS Dampening with Technotrans Refrigerator, Single Sheet Feeder, Quick Action Clamps, Double Sheet Control, Sheet Decurler, Powder Spray, Format: Max. 36x52cm, Min. 10,5x18cm Max. Speed: 8000 S/H | ASK |
| Photos | off4-HD-SM-102-4P3 | Heidelberg | SM 102-4P3 | 2002 | 72x102 | 265 Mio. | 545084 | Perfection: 2/2, 4/0, Automated Perfecting Device, Electronic Double & Missing Sheet Control, Steelplate in Feeder & Delivery, Inking Unit Temperature Control, Alcolor Automatic Film Dampening with Technotrans Refrigeration, CP 2000 Control Center, CP 2000 Istant Gate, CP 2000 MasterLevel, Autoplate (Semi-Automatic Plate Loader), Auto Wash-Up Devices for Ink Rollers, Blankets and Impression Cylinders, Preset Feeder Automatic Paper Size, Non-Stop Pile Feeder, Technotrans Air Cooled, Electronic Pullay Control, High Pile Delivery, Non-Stop Delivery, Grafix Powder Sprayer, Eltex Antistatic Device, Speed: 13.000 Sheets/Hour | ASK |
| Photos | off4-HD-SM-74-4-P-H-2010 | Heidelberg | SM 74-4-P-H | 2010 | 54x74 | 189 Mio. | OS000438 | Perfection 2/2, Prinect Press Center, Instant Gate, Preset Feeder and Delivery, Autoplate, Digital Controls, Touch Screen Control, Autosize, Alcolor Dampening with Baldwin HydroStar Compact Refrigerator, All Wash-Up Devices, Static Star Antistatic, Powder Sprayer WEKO AP 232, Thickness: 0,03-0,6mm, High Pile Delivery | ASK |

| | | | | | | | | | |
|-------------------------|-----------------------------|----------------|------------------|------|--------|----------|-----------|---|-----|
| Photos | off4-Roland-R304-HOB-1996 | MAN Roland | R304 HOB | 1996 | 53x74 | 168 Mio. | 26381B | Perceptor 2/2, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Cooling Refrigerator, Auto-Wash, Roland Mabeg Jet Feeder, Steel Plate on Overlap, Steel Plate on the Lining, Non-Stop Device, Super Blue, Bacher Registry System Quick Bars, Powder Sprayer, High Pile Delivery, Capacity: 15000 Sheets/h, Paper Thickness: 0,04-0,6mm, Max Paper Size: 53x74cm, Min Paper Size: 26x40cm, Start of Print: 9.5-10.5mm, Plate Format: 605x745, Plate Thickness: Max 0,3mm | ASK |
| 2-Colours Offset | | | | | | | | | |
| Photos | off2-Adast-725P-1992 | Adast Dominant | 725P | 1992 | 48x65 | | 11295 | Perfection: 1/1, Standard Dampening | ASK |
| Photos | off2-HD-GTO-52-2-1998 | Heidelberg | GTO-52-2 | 1998 | 36x52 | 34 Mio. | 716470 | Straight Machine, Minus Version, Varn Kompakt Dampening | ASK |
| Photos | off2-HD-GTOZP-52-nag | Heidelberg | GTOZP 52 | 1992 | 36x52 | 22 Mio. | 705473N | Plus Version, Alcolor Dampening with Baldwin Cooling | ASK |
| Photos | off2-HD-GTOZP-52-704731 | Heidelberg | GTOZP 52 | 1991 | 36x52 | | 704731 | Alcolor Dampening | ASK |
| Photos | off2-HD-GTOZP-52/46-700081N | Heidelberg | GTOZP 52/46 + NP | 1990 | 36x46 | 26 Mio. | 700081N | Standard Dampening, Equipped with NP Unit | ASK |
| Photos | off2-HD-GTO52ZP-1986 | Heidelberg | GTOZP 52 | 1986 | 36x52 | 43 Mio. | 685849 | Varn Kompakt Dampening | ASK |
| Photos | off2-HD-GTOZP-52-1985 | Heidelberg | GTOZP 52 | 1985 | 36x52 | 51 Mio. | 684417 | Standard Dampening | ASK |
| Photos | off2-HD-GTOZ-52-684293 | Heidelberg | GTOZ 52 | 1985 | 36x52 | | 684293 | Straight Machine, Alcohol Dampening with Refrigeration | ASK |
| Photos | off2-HD-GTOZP+NP46-1980 | Heidelberg | GTOZP + NP 46 | 1980 | 32x46 | 30 Mio. | 670491 | Standard Dampening, Equipped With NP Unit | ASK |
| Photos | off2-HD-MOZ-E-1989 | Heidelberg | MOZ-E | 1989 | 48x65 | 62 Mio. | 609726 | Straight Machine, Alcohol Dampening With Technotrans Refrigerator, Quick Action Plate Clamps, Bacher Register, Powder Spray | ASK |
| Photos | off2-Heidelberg-MOZ-E-1984 | Heidelberg | MOZ-E | 1984 | 48x65 | 18 Mio. | 604211 | Straight Machine, Quick Action Plate Clamps, Powder Spray, Standard Dampening | ASK |
| Photos | off2-HD-MOZP-S-1991-611342 | Heidelberg | MOZP-S | 1991 | 48x65 | | 611342 | Perfection, CP-Tronic, Alcohol Dampening, Grafix Exactomat Powder Spray | ASK |
| Photos | off2-HD-PM-74-2-2004 | Heidelberg | PM 74-2 | 2004 | 52x74 | 40 Mio. | PM 740661 | Straight Machine, Stream Feeder, Double Sheet Detection, Electronic Side Lays Control, Alcolor Dampening With Baldwin Cooling Refrigeration, CP Tronic, Printmaster PM 74 Press Control, Autoplate, Auto Wash-Up Devices For Blankets, Impression Cylinder And Ink Rollers, Weko Powder Sprayer, Speed: Up To 13.000 Sheets/Hour | ASK |
| Photos | off2-Heid-PM-46-2-2005 | Heidelberg | PM 46-2 + NP | 2005 | 34x46 | 8,6 Mio. | 965063 | Straight Machine, DDS Dampening, Autoplate, Powder Spray, Paper Thickness: Max. 0,3mm, Speed: 10000 Sheets/Hour, Inclusive Nela Plate Punch QM46, AGE: 2004, 220mm | ASK |
| Photos | off2-HD-QM-46-2-1997 | Heidelberg | QM 46-2 | 1997 | 34x46 | 5,4 Mio. | 959331 | Alcohol Dampening | ASK |
| Photos | off2-HD-SM-102ZP-1979 | Heidelberg | SM 102ZP | 1979 | 72x102 | | 513441 | Perfection 1/1, Standard Dampening | ASK |
| Photos | off2-HD-SM-72-ZP-519385 | Heidelberg | SM 72ZP | 1982 | 52x72 | | 519385 | Perfection 1/1, Standard Dampening | ASK |
| Photos | off2-HD-SM-52-2-1997 | Heidelberg | SM 52-2 | 1997 | 36x52 | 42 Mio. | 201230 | Straight Machine, CP Tronic, Alcolor Dampening, Autoplate, Auto-Wash Automatic Blanket Washing, Automatic Impression Cylinder Washing, Roller Washing Device, Presest, Powder Spray, Format: Max. 360x520mm, Min. 105x145mm, Speed: 15000 Sheets/Hour | ASK |

| | | | | | | | | | |
|-------------------------|-----------------------------|---------------------|-----------------|----------|---------|-----------|---------|--|-----|
| Photos | off2-HD-SM-52-2-200769 | Heidelberg | SM 52-2 | 1997 | 36x52 | | 200769 | Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour | ASK |
| Photos | off2-HD-SM-52-2-1995 | Heidelberg | SM 52-2 | 1995 | 36x52 | | 200114 | Straight Machine, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Preset, Autoplate, Auto-Wash, Laser Cut Ink Ducts, Mediprint GS Powder Spray, Sheet Decurler, Format: 360x520, Min. 105x145mm, Speed: 15000 Sheets/Hour | ASK |
| Photos | off2-RZK3B-EH | Roland | Rekord RZK3B-EH | ca. 1984 | 72x102 | | | Perfectaion: 1/1, High Pile Feeder, High Pile Delivery, Standard Dampening, Powder Spray | ASK |
| Photos | off2-Ryobi-522-HXX | Ryobi | 522 HXX | 1999 | 36x52 | | 1644 | Suction Stream Feeder, Double Sheet Control, AAC (Aqua Automatic Control System) Ryobimatic Dampening with Refrigeratino & Re-Circulation Unit, Semi Auto Plate Change, Automatic Ink Roller and Blanket Washing Unit, Low Pile Delivery | ASK |
| 1-Colours Offset | | | | | | | | | |
| Photos | off1-Adast-715C-1998 | Adast Dominant | 715C | 1998 | 48x65 | | 12809 | Standard Accessories | ASK |
| Photos | off1-Gestetner | Gestetner | 211 | ca. 1989 | | | 268433 | Standard Dampening | ASK |
| Photos | off1-HD-GTO-52-713705 | Heidelberg | GTO 52-1 + NP | 1996 | 36x52 | 28 Mio. | 713705 | DDS Dampening, Plus Version, Equipped with NP Unit, Standard Accessories | ASK |
| Photos | off1-HD-GTO-52-707499 | Heidelberg | GTO 52+NP | 1992 | 33x46 | 42 Mio. | 707499 | With NP Unit, Small GTO 46 Plate Cylinder, Standard Dampening | ASK |
| Photos | off1-HD-GTO-46-1980-669066 | Heidelberg | GTO 46 | 1980 | 32x46 | | 669066 | Standard Dampening | ASK |
| Photos | off1-HD-GTO-46-1978-662551N | Heidelberg | GTO 46 | 1978 | 32x46 | | 662551N | Standard Dampening | ASK |
| Photos | off1-HD-GTO 46+NP-1978 | Heidelberg | GTO 46+NP | 1978 | 32x46 | | | Plus Version with NP Unit, Standard Dampening | ASK |
| Photos | 1-col-Hei-Kord64-1971 | Heidelberg | KORD 64 | 1971 | 46x64 | | 341852 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kord64-1974 | Heidelberg | KORD 64 | 1974 | 46x64 | | 349971 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1985 | Heidelberg | KORS | 1985 | 52x72 | | 361233 | Standard Dampening | ASK |
| Photos | 1-col-HD-KORS-1978 | Heidelberg | KORS | 1978 | 52x72 | | 354966 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1976 | Heidelberg | KORS | 1976 | 52x72 | | 351730 | Standard Dampening | ASK |
| Photos | 1-col-Hei-KORS-1974 | Heidelberg | KORS | 1974 | 52x72 | | 348459 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1969 | Heidelberg | KORS | 1969 | 52x72 | | 331699 | Standard Dampening | ASK |
| Photos | 1-col-Hei-Kors-1968 | Heidelberg | KORS | 1968 | 52x72 | | 329041 | Standard Dampening | ASK |
| Photos | off1-HD-MO-E-601914 | Heidelberg | MO-E | 1981 | 48x65 | 42 Mio. | 601914 | Standard Dampening | ASK |
| Photos | off1-HD-MO-S-613471 | Heidelberg | MO-S | 1993 | 48x65 | 68 Mio. | 613471 | Standard Dampening | ASK |
| Photos | off1-HD-PM-52-1-pl | Heidelberg | PM 52-1 | 2004 | 36x52 | | 720845 | DDS Dampening With Technotrans Refrigerator, Plus Version, Standard Accessories | ASK |
| Photos | off1-HD-PM 52-1-2001 | Heidelberg | PM 52-1 | 2001 | 36x52 | 22,5 Mio. | 719443 | DDS Dampening, Standard Accessories | ASK |
| Photos | off2-Heid-QM-46-1 | Heidelberg | QM 46-1 | 1996 | 34x46 | | 956541 | DDS Dampening, Autoplate, Powder Spray, Paper Thickness: Max. 0,3mm, Speed: 10000 Sheets/Hour | ASK |
| Photos | off1-HD-SORM-528100 | Heidelberg | SORM | 1988 | 52x72 | | 528100 | Standard Dampening; Powder Spray | ASK |
| Photos | off1-HD-SORM-522407 | Heidelberg | SORM | 1985 | 52x72 | 59 Mio. | 522407 | Standard Dampening | ASK |
| Photos | off1-HD-SORK-519360 | Heidelberg | SORK | 1982 | 48x65 | 93 Mio. | 519360 | Standard Dampening | ASK |
| Photos | off1-HD-SORS-1974 | Heidelberg | SORS | 1974 | 72x102 | | 507622 | Standard Dampening; Powder Spray | ASK |
| Photos | off1-HD-TOK-1990 | Heidelberg | TOK | 1990 | 28x39,5 | | 951321 | | ASK |
| Photos | off1-HD-TOK-NN | Heidelberg | TOK | | 28x39,5 | | | | ASK |
| Photos | off1-Roland-Practica-PR00 | MAN Roland Practica | PR00 + NP | 1991 | 36x52 | | 8835 | Serie: 182, NP Unit, Standard Dampening | ASK |

| | | | | | | | | | |
|--------------------------------------|--------------------------------------|--|-------------------|----------|----------|----------------------------------|--------------|--|-----|
| Photos | off1-Roland-Favorit-RF0B-1971 | Roland Favorit | RF0B | 1971 | 52x72 | | 25915 | Serial No. 117, Standard Dampening | ASK |
| Photos | off1-Rotaprint-R37KV | Rotaprint | R37KV | ca. 1988 | 35,6x51 | | 1361BC-01014 | Standard Dampening | ASK |
| Photos | off1-Rotaprint-R37K | Rotaprint | R37K | ca. 1989 | 35,6x51 | | 2261BB42011 | Standard Dampening | ASK |
| Photos | off1-Rota-R36K-2004 | Rotaprint | R36 K | ca.2004 | 36x50 | | | Standard Dampening | ASK |
| Accessories Printing Machines | | | | | | | | | |
| Photos | Acc-printing-Mikro-Jet | Mikro Jet | Addressing System | | | Addressing System | | With 3 Printing Heads And Variable Support System 140x75cm With Rotary Encoder | ASK |
| Photos | Acc-printing-Feket-KAG-VK-UV | Feket | KAG VK UV Curing | 2009 | 72 | UV Dryer / Curing | 540 | Volts: 380, 3 Phase, 50/60 Hz, 2 KVA, 7 Amp., Weight: 300KG | ASK |
| Photos | Acc-Off-foellmer-OK90 | Foellmer | OK90 | 1995 | | Tab Inserter | 91602 | Tab Inserter | ASK |
| Photos | Acc-Off-Autowash-Cloth-Cutter | Cloth Unwinder | | | | Cloth Unwinder | | Autowash Cloth Unwinding Unit | ASK |
| Photos | Acc-printing-Baldwin-2007 | Baldwin | Automix 229 D-1 | 2007 | | Baldwin Refrigerator | | Brand New Baldwin Refrigerator Automix 229 D-1 With Digital Display | ASK |
| Photos | Acc-Off-Citot-Printline-2008 | Citot | Printline | 2008 | | Inline Finisher | | RSP System for Inline Finishing | ASK |
| Photos | Acc-HD-GTO-Counterpressureplate | Heidelberg | | | | Plate For Impression Cylinder | | GTO Gegendruckblech / Counterpressure plate | ASK |
| Photos | Acc-NP for-GTO-52786633 | Heidelberg | NP for GTO 52 | | 52 | N&P Unit | 786633 | NP for GTO 52 | ASK |
| Photos | ctp-HD-CP31-1997 | Heidelberg | CPC31 | 1997 | max. 102 | Plate Scanner | 34373 | Plate Scanner/Plate Reader for Heidelberg Speedmaster SM 102/SM 74, SM 52, Plate Image reader, for measuring the printing part of the surface of offset plates and stores the measured values on the job Memory card or in the CPC data Memory, for on-line transfer of the values to the press's control unit (for calculation of ink fountain zone openings and ink stripe widths in CPC 1 control unit, for all types of printing plates up to SM 102 plates format | ASK |
| Photos | Acc-printing-Gerhard-Busch-TW-02 | Gerhard Busch | TW 02 | | | Printing Rollers Cleaning System | 30/1281 | Printing Rollers Cleaning System | ASK |
| Photos | Acc-Off-Numbering-Unit-for-GTO-52 | Numbering and Perforation Unit for GTO 52 | N+P Unit | | 52 | N&P Unit | | Numbering Unit for GTO 52 machine | ASK |
| Photos | Acc-Off-NP-Unit-for-GTO46 | Numbering and Perforation Unit for GTO 46 | N+P Unit | | 46 | N&P Unit | | Complete with all standard Parts | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS | Numbering and Perforation Unit for MOE/MOS | N+P Unit | | 65 | N&P Unit | | Numbering Unit for MO machines | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS-2 | Number and Perforation N&P unit for MO-E or MO-S | N+P Unit | | 65 | N&P Unit | | Number and Perforation N&P unit for MO-E or MO-S | ASK |
| Photos | Acc-Off-Numbering-Unit-for-MOE-MOS-3 | N&P for MO-E oder MO-S | N+P Unit | | 65 | N&P Unit | | Number and Perforation N&P unit for MO-E or MO-S | ASK |
| Photos | Acc-Off-Vacuomatic-MK4 | Vacuomatic | MK4 | | | Paper Counter | 358480 | Paper Counting Machine, Counting Head With Blower And Counter, Strip Insertion, Strip Shot (approx. 5mm), Min. of Shot 5 Sheets, Max. Stacking Height: 230mm, Counting Speed Upto 2000 Sheets/Minutes, Counter Max. 999.999, Material 25-240g/m2 | ASK |
| Photos | Acc-Off-Vacuomatic-CUT12 | Vacuomatic | CUT12 | | | Tab Inserter | | Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour | ASK |
| Photos | Acc-Off-Perforating-shaft | Perforating Shaft | | | | Perforation Shaft | | Perforating Shaft | ASK |

| | | | | | | | | | |
|---|--------------------------------------|----------------|-------------------|----------|-------------|-----------------|---------------------|--|-----|
| Photos | Acc-Off-Schneider-F60-796 | Schneider | F60 | | 360x360 | Envelope Feeder | 796 | Artikel No. 184.102, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height | ASK |
| Envelope Printing Machines | | | | | | | | | |
| Offset Rotations Printingmachine | | | | | | | | | |
| Reel to Sheet Cutter | | | | | | | | | |
| Cutting Machines | | | | | | | | | |
| Photos | cut-Dahle-Manual-Cutter | Dahle | Manual Cutter | ca. 1995 | | | | Manual Cutter | ASK |
| Photos | cut-manual-cutter-wod | Manual Cutter | | ca. 1991 | | | | Manual Cutter | ASK |
| Photos | cut-Polar-115-EMC-MON5931153 | Polar | 115 EMC MON | 1989 | 115 | | 5931153 | Programs With Monitor Display, Side Table, Light Barriers, Air Table, Standard Accessories | ASK |
| Photos | cut-Polar-115-CE-4732696 | Polar | 115 CE | 1977 | 115 | | 4732696 | Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-115-EL-1969 | Polar | 115 EL | 1969 | 115 | | 69/3966 | Right Side Pile Lift, Left Side Table, Light Barriers, Programmable, Air Table, Standard Accessories | ASK |
| Photos | cut-Polar-92CE-5111179 | Polar | 92 CE | 1981 | 92 | | 5111179 | Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-92CE-4711515 | Polar | 92 CE | 1977 | 92 | | 4711515 | Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-92-X-7711520 | Polar | 92X | 2007 | 92 | | 7711520 | Stainless Steel Air Bed, Light Barriers, Programmable, Color Display, Side Air Tables, Complete with Standard Accessories | ASK |
| Photos | cut-Polar-90-CE-4412578 | Polar | 90 CE | 1974 | 90 | | 4412578 | Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-Polar-90-EL-71-0523 | Polar | 90 EL | 1971 | 90 | | 71/0523 | Side Tables, Light Barriers, Programmable, Standard Accessories | ASK |
| Photos | cut-polar-76 EM-5661373 | Polar | 76 EM | 1986 | 76 | | 5661373 | Programs, Side Tables, Air Table, Standard Accessories | ASK |
| Photos | cut-Schneider-Senator-92-E-Line-2013 | Schneider | Senator 92 E-Line | 2013 | 92 | | M-092E-024-12/14-13 | Side Tables, Light Barriers, Chromed Air Table, Program, Standard Accessories | ASK |
| Photos | cut-Schneider-PS-650-1965 | Schneider | PS 650 | 1965 | Steelcutter | | 2074 | Plate Bending Machine Schneider PS 650, Heavy Standing Model, Working Width 650 mm, Attached Hand Lever Shears, Cutting Width Approx. 150 mm | ASK |
| Photos | cut-wohlenberg-107 | Wohlenberg | 107 | | 107 | | | Programs, Light Barrier, Side Tables, Standard Accessories | ASK |
| Photos | cut-Wohlenberg-92 | Wohlenberg | 92 | 2003 | 92 | | 3857-006 | Programs, Side Tables, Light Barriers, Air Table, Standard Accessories | ASK |
| Photos | cut-wohlenberg-76-2000 | Wohlenberg | 76 | 2000 | 76 | | 3776-005 | Programs, Air Side Tables, Chrome Air Table, Light Barriers, Standard Accessories | ASK |
| Accessories Cutting Machines | | | | | | | | | |
| Jogger | | | | | | | | | |
| Photos | cut-Baumann-BSB3-L-211163 | Baumann | BSB 3 L | | | Jogger | 211163 | Jogger | ASK |
| Photos | cut-Baumann-BSB2-L | Baumann | BSB 2L | | | Jogger | 211.645 | Jogger With Air Removal Pressing Roll | ASK |
| Photos | cut-Heinz-Steffens | Heinz Steffens | | | | Jogger | | Jogger | ASK |
| Photos | cut-Perfecta-SAB 105A-7162 | Perfecta | SAB 105A | ca. 1989 | | Jogger | 7162 | Paper Jogger with Pressingroll | ASK |
| Photos | cut-accessories-Jogger, PolarRAB5 | Polar | RAB5 | | | Jogger | | Jogger | ASK |
| Photos | jog-polar-rab5 | Polar | RAB5 | 1993 | | Jogger | 6381237 | Paper Jogger | ASK |
| Photos | jog-polar-ra-2-2008 | Polar | RA-2 | 2008 | | Jogger | 7883119 | With Stainless Steel Air Bed And Air Removal Roller | ASK |
| Photos | cut-polar-rb2 | Polar | RB2 | 1995 | | Jogger | 6581158 | Paper Jogger | ASK |
| Photos | cut-Polar-RAL6-5781095 | Polar | RAL6 | 1987 | | Jogger | 5781095 | Jogger with Pressing Roller | ASK |

| | | | | | | | | | |
|------------------------|-------------------------------------|--------------|--------------|----------|----------|-------------|----------|---|-----|
| Photos | cut-polar-jogger-rab2-1994 | Polar | Jogger RAB2 | 1994 | | Jogger | 6481340 | with Bizerba MCI-Z Weighting Device | ASK |
| Lift | | | | | | | | | |
| Photos | cut-Baumann-52295 | Baumann | NUP 650 | ca. 1994 | | Lift | 52295 | Paper Palletlift with Weighting Device, Overhead Control Panel | ASK |
| Photos | pile-Lift-Ewert-Butler-1200-1994 | Ewert Butler | 1200 | 1994 | | Lift | 2906 910 | Capacity: 1200 KG, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 390 KG, Lifting Height: 1000mm, Operating Pressur: 850 N/cm2 | ASK |
| Photos | pile-Lift-Ewert-Butler-1200-2906821 | Ewert Butler | 1200 | 1992 | | Lift | 2906821 | Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V | ASK |
| Photos | cut-Hunkeler-PF | Hunkeler | | | | Lift | | Palletlift | ASK |
| Photos | cut-Hunkeler-PF-2 | Hunkeler | | | | Lift | | Palletlift | ASK |
| Photos | cut-Hunkeler-106 | Hunkeler | | ca. 1986 | | Lift | 106 | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1000-3 | Hunkeler | AS1000 | ca. 1994 | | Lift | | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1004-13940 | Hunkeler | AS1004 | ca. 1991 | | Lift | 13940 | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1000-90-AS59 | Hunkeler | AS1000 | ca. 1990 | | Lift | 90-AS59 | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1000-2 | Hunkeler | AS1000 | ca. 1988 | | Lift | | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1000-85AS031 | Hunkeler | AS1000 | ca. 1985 | | Lift | 85AS031 | Palletlift | ASK |
| Photos | cut-Hunkeler-AS1000-85AS019 | Hunkeler | AS1000 | ca. 1985 | | Lift | 85AS019 | Palletlift | ASK |
| Photos | cut-Hunkeler-AB1000-56A8037 | Hunkeler | AB1000 | ca. 1982 | | Lift | 56A8037 | Palletlift | ASK |
| Photos | cut-Lechner-G900K-B-1729 | Lechner | G900K/B | 1986 | | Lift | 1729 | Palletlift | ASK |
| Photos | cut-Lechner-G900B-1985 | Lechner | G900B | 1985 | | Lift | 1709 | Palletlift | ASK |
| Photos | cut-Lechner-G900K-1336 | Lechner | G900K | 1978 | | Lift | 1336 | Palletlift | ASK |
| Photos | cut-Lechner-G900K-B-1275 | Lechner | G900K/B | 1978 | | Lift | 1275 | Palletlift | ASK |
| Photos | cut-Lechner-G900S-832 | Lechner | G900S | 1973 | | Lift | 832 | Palletlift | ASK |
| Photos | cut-Lechner-G900S-831 | Lechner | G900S | 1973 | | Lift | 831 | Palletlift | ASK |
| Photos | cut-Polar-BFA1000-W-3-6276025 | Polar | BFA 1000-W-3 | 1992 | | Lift | 6276025 | Paper Palletlift, Overhead Control Panel | ASK |
| Photos | cut-Polar-L-1000-W-3 | Polar | L1000-W-3 | 1995 | | Lift | 6672025 | Max. Format: 80x125cm | ASK |
| Photos | cut-Polar-L-600-G-3 | Polar | L-600-G-3 | 1991 | | Lift | 6172241 | Paperlift | ASK |
| Photos | cut-Polar-L600-3-EV | Polar | L600-3 EV | 1987 | | Lift | 5772408 | Paperlift | ASK |
| Photos | lift-Polar-L600-G3-1996 | Polar | L600-G-3 | 1996 | | Lift | 6672506 | Paperlift | ASK |
| Photos | cut-Polar-L1000-W-6 | Polar | L1000-W-6 | 1995 | | Lift | 6572850 | Paper Palletlift | ASK |
| Photos | acc-cut-Polar-LL600/3-1987 | Polar | LL 600/3 | 1987 | | Lift | 5772023 | Paper Pile Lift | ASK |
| Photos | cut-Polar-LW-1000-4 | Polar | LW-1000-4 | 1998 | | Lift | 6872459 | Paperlift | ASK |
| Photos | cut-Polar-LW-450-2-2008 | Polar | LW450-2 | 2008 | | Lift | 787A308 | Max. Format: 80x125cm | ASK |
| Pile Turner | | | | | | | | | |
| Photos | pile-turn-Baumann-BSW3-900-1989 | Baumann | BSW3-900 | 1989 | 800x1200 | Pile Turner | 800024 | Opening Width Max. 1400mm, Opening Width Min. 630mm | ASK |
| Photos | pile-turn-Busch-SE-125-111-1636 | Busch | SE 125 (175) | 2008 | 800x1200 | Pile Turner | 111/1636 | Opening Width: Max. 1750mm, Opening Width: Min: 650mm, Pile Height Max: 1750mm, Plateform Width: 1250mm, Plateform Depth: 900mm, Loading Capacity: 1200KG | ASK |
| Photos | pile-turn-Busch-SE-125 | Busch | SE 125 | 2008 | 800x1200 | Pile Turner | 110/1629 | Sheet Max. Format: 800x1200mm, Stack Heights Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG | ASK |

| | | | | | | | | | |
|---|---------------------------------|----------------------|---------------------------|----------|--------------------|-------------------------|----------|--|-----|
| Photos | pile-turn-Meyer-1000-1992 | Meyer | 1000 | 1992 | | Pile Turner | 007 | Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW | ASK |
| Photos | pile-turn-Thando-101-1993 | Thando | 101 (Riensch & Held 1000) | 1993 | | Pile Turner | 1459 | Serial: 14, Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW | ASK |
| Photos | pile-turn-Toppy-2006-127510 | Toppy | | 2006 | 72x104 | Pile Turner | 127510 | Capacity: 1000KG | ASK |
| Transomat | | | | | | | | | |
| Photos | cut-accessories-Baumann-BA3-611 | Baumann | BA3 | 1988 | | Transomat | 611 | Transomat, Capacity: 1500N | ASK |
| Side Tables | | | | | | | | | |
| Photos | cut-Perfecta-Seitentische | Perfecta Side Tables | | | 3 Pieces available | Side Tables for Cutting | | Side Tables | ASK |
| Cylinders/Platens (letter Press) | | | | | | | | | |
| Photos | cyl-HD-KSB-1967-324778 | Heidelberg | KSB Cylinder | 1967 | 40x58x5cm | Cylinder | 324778 | Standard Accessories | ASK |
| Photos | cyl-HD-KS-1960-3101 | Heidelberg | KS Cylinder | 1960 | 38x52 | Cylinder | 3101 | Standard Accessories | ASK |
| Photos | cyl-HD-SGS-1976 | Heidelberg | SGS | 1976 | 72x104 | Cylinder | 38829 | Power: 14kW, Speed: max 3600 c/h, Sheet Counter, 2 Chases, Cylinder Jacket, Standard Accessories | ASK |
| Photos | cyl-HD-S-Cyl-1961-518045 | Heidelberg | S Cylinder | 1961 | 54x72 | Cylinder | 518045 | Standard Accessories | ASK |
| Photos | cyl-HD-S-Cyl-1959-12856 | Heidelberg | S Cylinder | 1959 | 54x72 | Cylinder | 12856 | Standard Accessories | ASK |
| Photos | cyl-HD-S-Cyl-1955-5457 | Heidelberg | S Cylinder | 1955 | 52x72 | Cylinder | 5457 | Standard Accessories | ASK |
| Photos | plat-Adast-Grafopress-ca-1984 | Adast Grafopress | | ca. 1984 | 26x38 | Platen | 65807 | Standard Accessories | ASK |
| Photos | cyl-Adast-Grafopress-GPE-60469 | Adast Grafopress | GPE | 1982 | 26x38 | Platen | 60469 | Standard Accessories | ASK |
| Photos | plat-HD-GT-Platen-1969 | Heidelberg | GT Tiegel A3 | 1969 | 34x46 | Platen | GT65177N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1954 | Heidelberg | Tiegel A3 | 1954 | 34x46 | Platen | 54587N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-T193126N | Heidelberg | TP Tiegel A4 | 1980 | 26x38 | Platen | T193126N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1980 | Heidelberg | Tiegel A4 | 1980 | 26x38 | Platen | T192818N | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1975 | Heidelberg | Tiegel A4 | 1975 | 26x38 | Platen | T188401E | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1974 | Heidelberg | Tiegel A4 | 1974 | 26x38 | Platen | T185819E | Standard Accessories | ASK |
| Photos | plat-HD-Platen-1967 | Heidelberg | Tiegel A4 | 1967 | 26x38 | Platen | T160654N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-123054N | Heidelberg | Tiegel A4 | 1959 | 26x38 | Platen | 123054N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-spic | Heidelberg | Tiegel A4 | 1958 | 26x38 | Platen | 121361N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-120548N | Heidelberg | Tiegel A4 | 1958 | 26x38 | Platen | 120548N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-116513N | Heidelberg | Tiegel A4 | 1957 | 26x38 | Platen | 116513N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-116130N | Heidelberg | Tiegel A4 | 1957 | 26x38 | Platen | 116130N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-111549N | Heidelberg | Tiegel A4 | 1956 | 26x38 | Platen | 111549N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-111006N | Heidelberg | Tiegel A4 | 1956 | 26x38 | Platen | 111006N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-46148N | Heidelberg | Tiegel A4 | 1953 | 26x38 | Platen | 46148N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-42286N | Heidelberg | Tiegel A4 | 1952 | 26x38 | Platen | 42286N | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-30837 | Heidelberg | Tiegel A4 | 1950 | 26x38 | Platen | 30837 | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-bosn | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-föhl1 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-föhl2 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |

| | | | | | | | | | |
|----------------------------------|--|--------------------------------|--------------------------------------|----------|----------|-------------------------|----------|---|-----|
| Photos | plat-HD-TiegelA4-DE-24 | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Photos | plat-HD-TiegelA4-NN | Heidelberg | Tiegel A4 | | 26x38 | Platen | | Standard Accessories | ASK |
| Hot Stamping / Embossing | | | | | | | | | |
| Photos | hot-stamp-Baier-Geba-9-A | Baier | Geba 9/A | | 15x23 | Hot Stamping | 80415 | Baier Geba 9/A Hot Stamping Machine, 220/380 Volts, 10 Ampere, Embossing Pressure: 4 Tons, Stamping Surface 150x230mm, With Motor Driven Foil Feeding Device | ASK |
| Photos | hot-stamp-Therm-O-Type | Therm-O-Type | MX Series | | | Thermal Relief Printing | 102592 | Thermal Relief Printing | ASK |
| Photos | cyl-HD-SBD-1970-35806 | Heidelberg | SBD Cylinder with Steuer Hotstamping | 1970 | 64x90 | Hot Stamping | 35806 | Cylinder with Steuer Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication | ASK |
| Photos | hot-stamp-HD-Platen-1970-175805N | Heidelberg | A4 Platen with Hotstamping | 1970 | 26x38 | Hot Stamping | 175805N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-HD-Platen-1969-T170370N | Heidelberg | A4 Platen with Hotstamping | 1969 | 26x38 | Hot Stamping | T170370N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-HD-Platen-1968-T167848N | Heidelberg | A4 Platen with Hotstamping | 1968 | 26x38 | Hot Stamping | T167848N | A4 Platen with Hot Foil Stamping System | ASK |
| Photos | hot-stamp-RBZ-P350x240-12/86 | RBZ Ration-Betrieb der Zentrag | POMA P350x240 | ca. 1986 | 350x240 | Hot Stamping | 12 / 86 | Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit | ASK |
| Photos | hot-stamp-RBZ-P350x240 | RBZ Ratio-Betrieb der Zentrag | POMA P350x240 | ca. 1984 | 350x240 | Hot Stamping | 30895 | Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit | ASK |
| Photos | hot-stamp-RBZ-P350x240-1982-ne | RBZ Ratio-Betrieb der Zentrag | POMA P350x240 | ca. 1982 | 350x240 | Hot Stamping | | Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit | ASK |
| Photos | hot-stamp-RBZ-P350x240-1978 | RBZ Ratio-Betrieb der Zentrag | POMA P350x240 | 1978 | 350x240 | Hot Stamping | | Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit | ASK |
| Accessories for Goldpunch | | | | | | | | | |
| Carton & Packaging | | | | | | | | | |
| Window Patcher | | | | | | | | | |
| Photos | win-pat-Esatec-Turbotechline-MT6B-1999 | Esatec | Turbotechline MT6B | 1999 | 850x1048 | Window Patcher | 33 | Automatic Window Patching Pick and Place Machine, Max. Blank Width: 850mm, Max. Blank Length: 1048mm, Speed: 6000/Hour, Accuracy: +/- 0,5mm For Standard Products, - Timed Belt Feeder, - Chain Alignment, - PVC Feeder, - Vacuum Belt Conveyor, - Gluing Station, - Pressing Cylinder, - Belt Delivery | ASK |

| | | | | | | | | | |
|------------------------|--------------------------------------|---------------------|--------------|------|---------|----------------|-----------|--|-----|
| Photos | win-pat--Heiber-&-Schroder-WP11-1998 | Heiber & Schroder | WP11 | 1998 | 110x102 | Window Patcher | 5074 | Automatic Window Patcher with Tissue Box Slitting Device, Max. Blank Width: 1100mm, Min. Blank Width: 90mm, Max. Blank Length: 1020mm, Min. Blank Length: 100mm, Max. Window Width: 820mm, Min. Window Width: 40mm, Max Window Length: 720mm, Min. Window Length: 50mm, Complete with: - EF 11 Bottom Belt Friction Feeder, - Chain Infeed, - Vacuum Transfer Belt, - Retractable Glue Unit, - Vacuum Film Transfer Cylinder, - Tissue Box Slitting Device, - Belt Delivery | ASK |
| Folder Gluer | | | | | | | | | |
| Photos | folglu-Bobst-Media-100-II-2001 | Bobst | Media 100 II | 2001 | 100x60 | Folder Gluer | O34113103 | Automatic Carton Folder Gluer For Processing Straight Line, Crash Lock, 4 Corners Style Cartons, Max. Open Blank Width: 1000mm, Min. Open Blank Width: 56mm, Max Feed Up Length: 600mm, Min. Feed Up Length: 60mm, Convertible Stock Solid 100-600 g/m2, Corrugated Upto E Flute, Operating Speed 20 - 300 m/min., Complete with: - Bottom Belt Friction Feeder, - Pre Fold, - Servo Driven Back Lifter, - HHS Xtrend Glue System with 3 Guns, - Double Trombone with Kicker, - Compression Belt Delivery) | ASK |
| Photos | folglu-Bobst-PCR-880-1964 | Bobst | PCR 880 | 1964 | 65x88 | Folder Gluer | 332806 | Serie No: 96225/64, Straight Line, Crash Lock, 4 Gluing Points, Width unfold: Max: 880, Min: 45, Width fold: Max: 425, Min: 18, Length Unfold: Max: 900, Min: 60, Capacity: 0-300 m/min, Material: Corrugated Cardboard with Waves E and B, Cardboard, With Bobst Polyfoder, M-No. 390101, AGE: 1972, Standard Accessories | ASK |
| Photos | folglu-Brause-TA110-C4-6-2012 | Brause | TA110-C4/6 | 2012 | 110x110 | Folder Gluer | TH23048 | Automatic Carton Folder Gluer For Processing Straight Line, Crash Lock, 4 and 6 Corners Style Cartons, Max. Open Blank Width: 1100mm, Min. Open Blank Width: 120mm, Max. Feed Up Length: 1100mm, Min. Feed Up Length: 55mm, Max. Belt Speed: 325m/min, Material: Carton Board Upto 800gsm - Corrugated Upto E Flute, Complete with: - Bottom Belt Friction Feeder, Feeder Belts with Suction, - Vibration System in Feeder, - Left and Right Hand Side Belt Pre Brake System, - Left and Right Bottom Glue Pots, - HHS C 1100 with 4 x Glue Guns, - Servo Motor Operated Back Folding System, - 3 x Belt Carriers in Folding Section, - Batch Kicker Counter, - Heavy Duty Double Frame Trombone Section, - Compression Belt Delivery with Addition Press Belt for Crash Lock Boxes) | ASK |
| Photos | folglu-Guschky&TönnemannEPL | Guschky & Tönnemann | EPL | 1967 | | Folder Gluer | 23531 | | ASK |
| Photos | folglu-Jagenberg-Diana-90-1-1989 | Jagenberg | Diana 90-1 | 1989 | 75x91,5 | Folder Gluer | 1.044.816 | Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories, With JackPack Delivery Unit | ASK |

| | | | | | | | | | |
|---------------------------------------|-------------------------------------|---------------------|---------------------|----------|---------|---|------------|--|-----|
| Photos | folglu-Jagenberg-Diana-90-1-1984 | Jagenberg | Diana 90-1 | 1984 | 75x91,5 | Folder Gluer | 1.044.262 | Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories | ASK |
| Photos | folglu-Jagenberg-Diana-125-3-2002 | Jagenberg | Diana 125-3 | 2002 | 110x125 | Folder Gluer | 1010031127 | With Jagfeed and Jackpack 40-2 Delivery | ASK |
| Photos | folglu-PLVega | Vega | Folder Gluer | | | Folder Gluer | | | ASK |
| Kartonage | | | | | | | | | |
| Diff. Book Production Machines | | | | | | | | | |
| Photos | diff-mansfeld-85625 | Mansfeld | Rotary Board Cutter | | 150 | Rotary Board Cutter | 85625 | Rotary Board Cutter | ASK |
| Photos | diff-Rotary-Board-Cutter-140 | Rotary Board Cutter | | | 140 | Rotary Board Cutter | | Rotary Board Cutter | ASK |
| Photos | diff-bpm-Rotary-RBZ-Poma | RBZ | Poma | | | Rotary Board Cutter | | Rotary Board Cutter | ASK |
| Photos | diff-Bobst-ER-1650 | Bobst | ER 1650 | 1960 | | Rotary Board Cutter | 13492 | Serie No. 66605/60, Format: Max 1650x1200cm, Min: 200mm, Capacity: 3600 Sheets/Hour, Rotary Board Cutter | ASK |
| Photos | diff-bpm-Bobst-ER | Bobst | ER 1300 | ca. 1962 | | Corrogated sheet slotting machine (Rotations-Schlitz und Stanzmaschine) | 12062 | Corrogated sheet slotting machine (Rotations Schlitz- und Stanzmaschine, Stärke der Pappe: 0,5 – 4 mm, Stärke der Wellpappe: 3–7 mm, Leistung (Geschwindigkeit): bis 3600 einzelne Zuschnitte pro Stunde, Schlitz- und Heftrand werden beiseitig in einem Durchgang ausgeführt, Böden oder Deckel können in einem Arbeitsgang einzeln, und mit Zentralo-schnitt doppelt, hergestellt werden, Bei zusätzlicher Lieferung einer Schneide- und Rillvorrichtung kann Wellpappe in einem Arbeitsgang gestanzt, geschlitzt und in einer Richtung gerillt und beschnitten werden, Automatische Abfall-Auswerfvorrichtung, Serie 5301, Max: 1300x1200mm, Min: 250mm, 3600/Hours) | ASK |
| Photos | diff-bpm-bobst-2-side-rill | Bobst | Standard 1300 | 1960 | | 2 Side Rotary creasing and slotting Machine | 13612 | 2 Side Rotary creasing and slotting Machine, serie 69175/60, Max: 1300mm, Min: 135x80mm, 100m./minute | ASK |
| Photos | diff-bpm-bobst-Standard-serie-5310 | Bobst | Standard 1300 | ca. 1961 | | 2 Side Rotary creasing and slotting Machine | 12072 | (serie 5310) 2 Side Rotary creasing and slotting Machine, Max: 1300mm, Min: 135x80mm, 100m./minute | ASK |
| Photos | diff-CCCP-Slitter/Rewinder-2836 | CCCP | Russian | 1975 | | Slitter / Rewinder Reel To Reel | 2836 | Slitter/Rewinder Reel To Reel | ASK |
| Photos | diff-Graphic-Wizard | Graphic Wizard | | | | Numbering machine | | Numbering machine | ASK |
| Photos | diff-morgana-FSN | Morgana | FSN - 60030 | | | Numbering machine | | Numbering machine , Serie: 063593JCAM | ASK |
| Photos | diff-Book-Block-Rounder-Fomm-FBR-67 | Fomm | FBR 67 | 1964 | | Case Straightening Machine | 39868 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-Fomm-Clothcutter | Fomm | Clothcutter | | | Cloth Cutter/Kalikoschere | 2712 | Cloth Cutter/Kalikoschere | ASK |
| Photos | diff-Knut-1030-56-1 | Knut | 1030/56/1 | 2001 | | Case Straightening Machine | 2293 | 380 Volts, 50Hz, 3 Phase, Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-bpm-Prakma-GI-162021 | Prakma | GI | ca. 1973 | | Case Straightening Machine | 162021 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-Tiflex-S.A.-T240GM-1989 | Tiflex S.A. | T240GM | 1989 | | Case Straightening Machine | 789 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |
| Photos | diff-bpm-K-Tränklein-1413-66-4 | Karl Tränklein | | ca. 1971 | | Case Straightening Machine | 1413/66/4 | Book Cover Straightening Machine / Buchdeckenausbiegemaschine | ASK |

| | | | | | | | | | |
|------------------------|--|------------------------------|------------------------------------|----------|--|---|------------|---|-----|
| Photos | diff-Reece-BKR-Repress-1965 | Reece | Folding Machine, Model BKR Repress | 1965 | | Straightening-Pressing Machine under Steam Pressure | | Straightening-Pressing Machine under Steam Pressure, Heater Watts: 4800, Volts 220, Phase 1 | ASK |
| Photos | diff-bpm-Karl-Krause-207369 | Karl Krause Leipzig | | | | Rise and Fall Die cutting machine | 207369 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-bpm-Krause-Biagosch-Y50-12EM58 | Krause Biagosch | Y50-12EM58 | 1958 | | Rise and Fall Die cutting machine | 308701 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-bpm-Krause-Biagosch-YFM120-20Z-58 | Krause Biagosch | YFM120-20Z-58 | 1958 | | Rise and Fall Die cutting machine | 308522 | Rise and Fall Die cutting machine | ASK |
| Photos | diff-unknown-rise-and-fall | Unknown | Rise and Fall Die Cutting Machine | | | Rise and Fall Die Cutting Machine | 8-80-10555 | Rise and Fall Die Cutting Machine | ASK |
| Photos | diff-bpm-Krause-Biagosch-U135YS-57 | Krause Biagosch | U135YS-57 | 1957 | | Creasing Machine | 307342 | Creasing Machine | ASK |
| Photos | diff-bpm-Krause | Krause | Creasing Machine | | | Creasing Machine | | Creasing Machine | ASK |
| Photos | diff-Pressing-Unit-NN | Pressing Unit | | | | Pressing Unit | | Pressing Unit | ASK |
| Photos | diff-bpm-Preusse-&-Co | Preusse & Co. | Creasing Machine | ca. 1968 | | Creasing Machine | 41659 | Creasing Machine | ASK |
| Photos | diff-Creasing-Machine-NN | Creasing Machine | | | | Creasing Machine | | Creasing Machine | ASK |
| Photos | diff-mubea-kl30-44810 | Mubea | KL30 | 1977 | | | 44810 | (Stanze / Punch) | ASK |
| Photos | diff-bpm-Preusse-&-Co-38603 | Preusse & Co. | | | | Corner Cutter For Corrugated Boxes | 38603 | Corner Cutter For Corrugated Boxes | ASK |
| Photos | diff-Punching-Numbering-machine | Punching & Numbering machine | | ca. 1970 | | Punching & Numbering machine | | Punching & Numbering machine | ASK |
| Photos | diff-Schmedt-PräKant-0603 | Schmedt | PräKant 0603 | 2002 | | Turning In Machine/Cover Edge Wrapping Machine | 887 | Hard Cover Edge Wrapping Machine, Format: Min: 150x150 mm, Max: 600x600 mm, Max. Board Thickness: 6 mm, Min.: 1,5 mm | ASK |
| Photos | diff-schmedt-PräRund | Schmedt | PräRund 1700 | 2002 | | Book Case Rounder | 559 | Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregelt Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom) | ASK |
| Photos | diff-Schmedt-Bock-Back-Rounder | Schmedt | PräRund1700 | 2001 | | Book Case Rounder | 520 | Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat geregelt Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom) | ASK |
| Photos | diff-Schmedt-PräDeck-2310-2002 | Schmedt | PräDeck 2310 | 2002 | | Hard Cover Mounting Table | 95 | Hard Cover Mounting Table | ASK |
| Photos | diff-Schmedt-PräDeck-2300-2001 | Schmedt | PräDeck 2300 | 2001 | | Hard Cover Mounting Table | 75 | Hard Cover Mounting Table | ASK |
| Photos | lam-Sirozo | Sirozo | | | | Diff. Book Production | | Diff. Book Production | ASK |
| Die-Cutter | | | | | | | | | |

| | | | | | | | | | |
|------------------------|-----------------------------------|----------------|---------------------|------------------|-----------|-------------|----------------|--|-----|
| Photos | die-cut-BobstSPO-1575EEG-574004 | Bobst | SPO 1575 EEG | ca. 1971 | 1055x1575 | Die Cutting | 574004 | Fully Automatic Flatbed Die-Cutter, Non-Stop Feeder, Automatic Introduction With Large Vacuum Plate, Double Sheet Cleaning Station, Platin Unit, Turn Die Cutting Frame, (Batch Delivery) Non-Stop Delivery With Belt, Cutting Force 300 TON, 4.500 Speed/H, Working With Corrugated Cardboard Of Thickness Max. 9,5 mm, Min. 0,8mm, The Machine Can Cut On Micro-Corrugated Cardboard, Jobs Quick Change Device, Working With Compact Stock Of Thickness 1 mm And Beyond, Cutting Force 350 TON, Format: Max. 1055x1575mm, Min. 400x600mm, Standard Accessories | ASK |
| Photos | die-cut-brausse-1050-SE | Brausse | 1050 SE | 2006 | 75x105 | Die Cutting | SEM015/JZ11788 | Fully Automatic Die-Cutting and Creasing Machine with Inline Stripping, Reconditioned By Manufacturer in 2012, Max. Sheet Size: 1050x750mm, Min. Sheet Size: 400x370mm, Max. Impression Strength: 300 Tons, Max. Mechanical Speed: 7500 Sheets/Hour, Min. Gripper Edge: 9,5mm, Material Range: Paper Min. 80-90gsm, Carton Board Upto 1600gsm, Corrugated Board Upto 4mm, Plastic Like PP. PE, 0.6mm, Complete with: Preload Gates, Non-Stop Feeder with Automatic Pile Lift, Motorised Side Adjustment of Pallet Table, Left and Right Hand Side Register Lays for Push and Pull, Pneumatic Clutch and Brake Mechanism, Pneumatic Push Button Die-Chase Locking Mechanism, High Precision Alloy Gripper Bars, Triple Action Stripping Station with 1 Upper and Lower Stripping Frame, Gripper Edge Removal, Automatic Delivery with Non-Stop Flying Curtain, Heated Upper Die with Temperature Control and Operating Panel, 1 x Chase, 1 x 5mm Hardened Die-Cutting Plate | ASK |
| Photos | die-cut-Busch-B-EST-1970 | Busch | B EST | 1970 | 18x18 | Die Cutting | 4310 | Automatic Die-Cutting/Lable Punching Machine, Max. Punching Size: 180x180mm, Min. Punching Size: 20x20mm, Max. Feeding Height: 150mm, (Height of Punching Die 60/70mm), Punching Strokes 12 p/min., Machine Output 720.000 Sheets/Hour, (Insertion 1000 Sheets/80gsm), Punching Pressure 2.500 Kg | ASK |
| Photos | die-cut-Chinese-Die-Cutter | Chineese | Die Cutting Machine | | 114x165 | Die-Cutting | | Platen Size: 114x165cm, Format: 106x157cm, Speed: 800~1000, Pressure: 380 Ton, Weight: 12000 KG | ASK |
| Photos | die-cut-Everest62 | Everest | 62 | | 114x165 | Die-Cutting | | Platen Size: 114x165cm, Format: 106x157cm, Speed: 800~1000, Pressure: 380 Ton, Weight: 12000 KG | ASK |
| Photos | cyl-lemm-gaby-1991 | Lemm | Gaby | 1991 | | Die-Cutting | | Capacity: 60t, Bar: 150 | ASK |
| Photos | die-cut-Kama-TS-74-102102 | Polygraph Kama | TS 74 | 2002 | 74x54 | Die-Cutting | | Format: Max. 740x540mm, Min. 279x210mm, Product Format: 720x520mm, Thickness of Product: 1,8mm, Sheet Side needs for Gripper max. 10mm, Carton Thickness: 100-1500 g/m2 | ASK |
| Photos | die-cut-Titan-Erba-EM4 | Titan | Erba EM4 | 1972 / rev: 2019 | 100x142 | Die Cutting | 1494 | Rebuit in 2019, Format: Min. 300x300 mm, Max. 1000x1420 mm, Suitable For Waves: B-C-E-EB-BC, WKZ Knife 28,8 mm x 1,05 mm Thickness, Single Stroock, Timed Operation, Continuous Operation | ASK |
| Photos | die-cut-VEB-Optima-TPIII-AGE 1959 | VEB Optima | TPIII | 1959 | 92x64 | Die-Cutting | 95800 | Die-Cutting | ASK |
| Photos | die-cut-Victoria-A3 | Victoria | | | A3 | Die-Cutting | | Brand New / Unused, With Auto Feeder | ASK |

| | | | | | | | | | |
|------------------------|----------------------------|------------------|----------------------|----------|-----------|-------------|--------------|--|-----|
| Photos | die-cut-WTNS-SSF-1700-2008 | WOOK IL WTNS-SSF | 1700 Auto Die Cutter | 2008 | 1200x1700 | Die-Cutting | | Vacuum Feeder, Stripping Unit, Pallet Delivery, Format: Max. 1200x1700, Min. 600x850mm, Cutting Size: Max. 1170x1670mm, Min. Holding Width: 10mm, Operation Pressure: 400Ton, Paper Thickness: 1-10mm, Corrugated Fiber Board (B, A, AB, E - Plate), Chase Size (Inner Size): 1231x1740mm, Chase Size (Out Size): 1338x1860mm, Cutting Plate Size: 1200x1700mm, Table Stroke: 84mm, Max. Speed: 4000 Sheets/Hour, Power: 31,5kW, Weight: 32 Tons | ASK |
| Perfect Binders | | | | | | | | | |
| Photos | p-bin-Bourg-BBF-2005-2 | Bourg (CP Bourg) | BBF 2005 | ca. 1996 | | 1 Clamp | 11949039 | 1 Clamp Perfect Binder, Delivery Belt | ASK |
| Photos | p-bin-Bourg-BBF-2005 | Bourg (CP Bourg) | BBF 2005 | ca. 1993 | | 1 Clamp | | 1 Clamp Perfect Binder, Delivery Belt | ASK |
| Photos | p-bin-HD-Eurobind-EB-600 | Heidelberg | Eurobind EB-600 | 2008 | | 2 Clamp | FM DDA000062 | 1 Clamp Perfect Binder For Hotmelt Adhesive, Glue Vapor Extraction, Flaps And Creasing Tools, Envelope Double Sheet Control, Touch Screen With Simple Setting Via Icons, Preheating Timer, For Spine And Side Gluing, Copy Counter, Error Analysis, Etc., Pneumatic Opening And Closing Pliers, Automatic Adjustment Of Nipper Opening According To Block Thickness, Side Gluing Disc According To Block Thickness, Back Creasing According To Block Thickness, Creasing Depth, Positioning Of The Rear Envelope Guide Rail According To The Envelope Width, Adjustable Milling Depth 0-3mm, Backworking Station With A Combination Tool With Dust Cutters, Height Adjustable Notching Knife And Ring Brush, Hotmelt Adhesive Basin With Two Application Rollers And Glue Squeegee And Integrated Side Gluing Unit With Slanted Discs (Production Possible Without Side Glue), Cover feeder With Integrated Double Creasing Unit (Decorative Creasing Possible), Automatic Envelope Pressing, Belt Delivery With Single Compartment Stacker, Speed: 600 Cycles, Book Block Height: 120mm-440mm, Book Block Width: 120mm-320mm, Book Block Thickness: 2mm-50mm, Grammages: 60-170g/m2, Cover Width: 242mm-710mm, Cover Height: 120mm-440mm, Cover Grammage: 120mm-30 g/m2, Milling Depth : 0-3mm) | ASK |

| | | | | | | | | | |
|------------------------|--------------------------|----------------|----------|----------|---|----------|---------------|--|-----|
| Photos | p-bin-Horizon-BQ470-2009 | Horizon | BQ 470 | 2009 | 320x320x65 | 4 Clamps | 307023 | Impression: 356424, Fully Automated 4 Clamps Perfect Binder With PUR Gluing Unit from SM Klebetechnik GX2311, AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1350 Cycles/Hour, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories | ASK |
| Photos | p-bin-Horizon-BQ-270 | Horizon | BQ 270 | | 320x320x50 | 1 Clamp | 349003 | Max. Book Size: 320x320mm, Min. Book Size: 135x105mm, Book Thickness 1 to 50mm, Max Production Speed 500 Cycles/Hour (About 300 Books) | ASK |
| Photos | p-bin-Horizon-BQ 270-C | Horizon | BQ 270-C | | Impressions: 12761 Books, Format: 320x320 | 1 Clamp | | 1-Clamp Automated Perfect Binder, Format: Sheet Size: Max. 320x320mm, Min. 148x105, Format: Cover Size: Max. 660x320mm, Min. 230x135mm, Book Thickness: 1 to 50mm, Cover Weight Range: 80-300 g/m ² , Cover Pile Height: Max. 70mm, Max. Production Speed: 500 Cycles/Hour (About 300-400 Books/Hour), Color Touchscreen Control Display Panel, 200 Memories For Repeat Orders Saveable Jobs, Double And Miss Detection, 1 Carriage Clamp Automatically Adjusted To The Input Book Thickness, Automatic Book Thickness Caliper, Milling And Roughening Station, Adjustable Milling Depth From 0mm To 3mm, Glue Tank With Dual Application Rollers And Side Gluing Roller (Adjustable Amount Of Glue And Glue Length Through The Color Touchscreen, Spine Gluing, Side Gluing, Nipping Station, Suction Drum Cover Feeder, 4x Cover Scoring/Creasing, PUR Gluing System SM Klebetechnik, Typ: AN 533604, AGE: 2009, Serial No. 09083899, ALKO Dust Extraction, Delivery To A Vertical Stacker Below The Book Loading Station, Power: 400V/50Hz - 2,7kW, Standard Accessories | ASK |
| Photos | p-bin-Kirchner | Kirchner | | 1979 | | | LB2.3 1079.51 | | ASK |
| Photos | p-bin-Müller-Martini3020 | Müller Martini | 3020 | ca. 1989 | 400x270x40 | 5 Clamps | 9 30870 A398 | Cover Size: Max. 610x410mm, Format: Max. 400x270x40mm, Min. 120x100x3mm, Thickness: 3mm to 40mm, Speed: Max. 3.000 Cycles/Hour, 900-2500 Books/Hours, Cover Feeder With Scoring, Milling And Roughening Station, Hot-Melt Spine Gluing Unit, Hot-Melt Side Gluing Unit, Delivery | ASK |

| | | | | | | | | | |
|-----------------------------------|----------------------------------|----------|--|----------|--------------|----------------------|--------|---|-----|
| Photos | p-bin-Planax-FII | Planatol | Planax Perfect Binder FII | | 38x35x36 | 1 Clamp | 74074 | Cold Glue Perfect Binder, Format: Length Max. 380mm, Height Max. 350mm, Thickness Max. 36mm, Capacity: Ca. 170-220 Books/Hour, Slot Capacity Up To 0,8mm Deep And Up To 36mm Block Thickness, Milling Performance: (Continuously Adjustable) from 0 To 1,8mm Depth, Up To Approx. 25mm Block Thickness, Paper Dust Extraction | ASK |
| Photos | p-bin-Sulby-1250-3-Clamps | Sulby | 1250 | 1995 | 420x290 | 3 Clamps | | 3 Clamps Perfect Binder, Auto Cover Feeder With Scoring (Suction), Hot Spine Gluing & Milling & Notching Unit, Speed: Up To 1250 Books Per Hour, Book Block Format: Max. 420x290, Min. 125x105mm, Binding Thickness: 3 to 45mm, Conveyor Delivery | ASK |
| Photos | p-bin-Sulby-MKIII-Lu | Sulby | MKIII | | 432x285x45 | 1 Clamp | | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/Hour | ASK |
| Photos | p-bin-sulby-mkIII-D11566 | Sulby | MKIII | ca. 1995 | 432x285x45 | 1 Clamp | D11566 | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/hour | ASK |
| Photos | p-bin-sulby-mkII-ca.1990 | Sulby | MKII | ca. 1990 | 432x285x45 | 1 Clamp | | 1 Clamp Perfect Binder, Hot-Melt Gluing, Cover Feeder, Back Router Roughening with Swarf Extraction, Hot Glue Tank with Two Applicator Rollers, Contact Pressure, Format: Max. 432x285x45mm, Min. 50x50x3mm, Capacity: 600 Books/hour. | ASK |
| <u>Perfect Bindingline</u> | | | | | | | | | |
| Photos | perf-bin-line-Horizon-BQ470+HT70 | Horizon | BQ-470 PUR&EVA + Horizon HT-70 Trimmer | 2009 | 320x320x65mm | Impressions: 1342918 | 313021 | Fully Automated Perfect Binder & In-Line Three Knife Trimmer, 4 Clamps Perfect Binder with EVA/PUR Gluing Unit from SM-Klebeteknik GZ3530 included 5m Long Hot Glue Hose , AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1.350 Cycles/Hour (with PUR 1.000 Cycles/Hour), Horizon Melt Tank Stand S-470, M-No. 305011, TriCreaser, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Horizon Stack Lifter SL-40, M-No. 051001, Horizon Trimmer HAT-70, Cutting Size: A6 to A4, M-No. 03007, Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------|--------|--------|------|--------------|---------------|-----|---|-----|
| Photos | bind-line-Kolbus-KM-600-2016 | Kolbus | KM 600 | 2016 | 460x320x60mm | 27 Mio. | 183 | Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 805 Gathering Machine, AGE: 2016, Basic Frame with 16 Gathering Stations, Gathering For Folded Sections And Single Sheets Possible, Mechanical And Electrical De-Coupling Of Each Station Possible, Air Center Vacuum And Compressed Air Supply For Gatherer, Reject Unit AS Raceway/Transfer, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder, Perfect Binder: Kolbus KM 600, AGE: 2016, 21 Clamps With Co-Pilot Touchscreen, TFT Visualizing Monitors With Graphic Operator Guidance, Milling/Brushing, Equalizing Milling, Notching And Brushing Units, Kolbus LH370 EVA Hot-Melt Pre-Melt Unit, EVA Hot-Melt Roller Type Spine Gluing Unit On Mobile Base, PUR Spine Glue With Nordson Pre-Melter, EVA Hot-Melt Side Glue Unit With Controlled Cut-Off, I.R. Heating In Radius For Increased Glue Open Time, RA 49.A Pile Cover Feeder With Nipping, 2 Pressing Stations Plus 1 Roller, Inclined Delivery To Lay-Down Device, XFA660 Spiral Tower And Flat Conveyor System To: Check Weight Quality Control Unit, Three Knife Trimmer: Kolbus HD143.P, AGE: 2016, Pile Trimmer With Co-Pilot Pre-Setting, Kolbus KL Compensating Book Stacker Delivery, Including Many Spares, Tools And Manuals, Book Format: Max. 383x320x70mm, Max. 320x450x80mm, Min. 100x100x2mm, Mechanical Speed: Max. 7.500 Cycles/Hour | ASK |
| Photos | perf-bin-line-Kolbus-KM473-2006 | Kolbus | KM 473 | 2006 | 460x320x70 | 59 Mio. Books | | Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 804, AGE: 2006, Basic Frame with 21 Gathering Stations, 20 Standard Feeders, 1 Hand Feeding Station, Book Block Feeder, ZA 800 Stacker Delivery, AGE: 2006, Kolbus VA 422 End Sheet Unit, AGE: 2006, Air Center Becker CS ZU804/01 Vacuum Unit, AGE: 2006, Reject Unit AS 841 To The Right, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder. Perfect Binder: Kolbus KM 473, AGE: 2006, 32 Clamps, Hand Feeding, Co-Pilot System Monitor, Main Milling Station, Equalized Milling Station, Notching Station, Micro-Notching Station, Brushing Station With Roller Brush, 2 x Pre-Melters LH 370, AGE: 2006, Nordson PUR Spine Gluing System, Hotmelt Spine Gluing Unit, Hotmelt Side Gluing Unit, Gauzing/Lining Station, IR Heating At Curve, Scoring Station For 4 Scores, 2 Pressing/Nipping Stations, Stream Cover Feeder SAL 411.A With Shingle Conveyor, AGE: 2006, Gripper Carriage Delivery, Lay Down Device And Reject Station, Transport And Drying Line, Capacity: Max. 8.000 Cycles/Hour, Formats: Max. 383x320x70mm, Max. 460x190x70mm, Min. 105x100x3mm. Three Knife Trimmer: Kolbus HD 150.B, AGE: 2006, Co-Pilot, Right Hand In-Feed, Counter Stacker, Silicon Spraying Device, Standard Cutting Cassettes 7-18. Format: Circumcised: Max. 310x430x80mm, Min. 100x120x2mm, Uncircumcised: Max. 310x430x80mm, Capacity: Max. 6.600 Cycles/Hour, Kolbus (Rima) XRS 130 Compensating Stacker, AGE: 2005, All Belts Are Included. | ASK |

| | | | | | | | | | | |
|---|---|----------------|----------------------------------|----------|---------------|------------------------------------|--------------|---|-----|--|
| Photos | bind-line-Müller-Martini-Alegro-A7-2014 | Müller Martini | Alegro A7 | 2014 | 480x320x65 mm | Only 24 Mio. Books | | Müller Martini Perfect Binding Line: Equipped with Perfect Binder: Müller Martini Alegro A7, AGE: 2014, 19 Clamps, Solema Book Block Feeder, Endsheets Feeder, Milling Station, Spine Preparing Unit, Hotmelt Spine Gluing Unit, Premelter, Hotmelt Side Gluing Unit, Premelter, Gauzing Station, Drum Cover Feeder with Scoring Unit, 2 Pressing Stations, Laydown Device, Size Range: Max. 480x320x65mm, Min. 100x100x1mm, Speed: Max. 7.000 Cycles/Hour, Transport and Drying Line, Inklusiv Emergency Delivery, Three Knife Trimmer: Granit 3676, AGE: 2014, Right Hand In-Feed, Off Cut Delivery Belt, Size Range: Cutted: Max. 351x305x80mm, Min. 125x75x3mm, Uncutted: Max. 400x320x80mm, Speed: Max. 2.500 Cycles/Hour, Stacker Uno 1534.0412, AGE: 2014, Size Range: Max. 500x320x70mm, Min. 140x100x4mm, Speed: Max. 16.000 Cycles/Hour | ASK | |
| Photos | perf-bin-line-Müller-Martini-3006-18-Starbinder | Müller Martini | Type: 3006-18, Model: STARBINDER | ca. 1996 | 420x305x60mm | Perfect Binding Line | 9907541 C005 | Müller Martini Perfect Binding Line, Equipped With: Perfect Binder: Müller Martini 3006-18 with Stream Cover Feeder with 18 Stations, Book Block Feeder, Hot-Melt Spine And Side Gluing With Pre-Melter, Spiral Lay Down Balance or Drying Conveyor to Trimmer. Three Knife Trimmer: Müller Martini 3670 With Cassettes for Quick Change, Stacker Delivery, Max. Size: 450x310mm, Max. Speed 6.000 Cycles/Hour, Max. Size Head/Tail: 420mm, Max. Size Spine/Front: 305mm, Production: 4.000 Books/Hour. | ASK | |
| Photos | perf-bin-line-Müller-Martini-Type-3016-18 | Müller Martini | Type: 3016-18, Model: MONOTSTAR | 1998 | 420x305x60mm | Perfect Binding Line | 9402359 | Müller Martini Perfect Binding Line, Equipped With: Gathering Machine: Müller Martini Type 1571, 12 Stations, Plus Hand Station, Transfer Element / Reject Gate Müller Martini 3641, Transfer Element To Binder Müller Martini 3643. Perfect Binder: Müller Martini 3016-18 (1998) M-Mo. 94.02359, MONOSTAR with 18 Clamps, Milling and Notching Station, Hot-Melt Spine and Side Gluing with Pre-Heating Tank, Stream Cover Feeder, Pressing Station, Conveyor Belts to Trimmer. Three Knife Trimmer: Müller Martini Merit 3671 (1998), Müller Martini 3631 (1998) Stacker Delivery, Mechanical Speed: 5.000 Cycles/Hour, Format: Min. 100x140mm, Max. 420x305mm, Book Thickness: Min. 3mm, Max. 60mm, Cover Width (Open): Min. 203mm, Max. 642mm | ASK | |
| Accessories Perfect Binding Line | | | | | | | | | | |
| Photos | acc-perf-bl-Kolbus-FA-650 | Kolbus | Frontcutter FA 650 | 2011 | 370x480x50mm | Frontcutter | 38 | Frontcutter, Format: >>Cutted: Min. 100x120x3mm, Max. 350x480x50mm<<, Format: >>Uncutted: Min. 105x125x3mm, Max. 375x480x50mm<<, Capacity: Max. 65 cycles/min | ASK | |
| Photos | acc-perf-MartiniITM | Müller Martini | ITM + KFA | | | Solo Feeder with KFA Cross Folding | 73097 | Folding Machine For Papers, Layers, Automatic Feeder Type KFA, Belt Feed, Knife Folding Device For Swiss Postal Folding, Delivery, Vacuum Pump | ASK | |
| Photos | acc-perf-bl-Rima-103545-10 | Rima | RS-10S 9-1/4" | ca. 1998 | | Stacker Delivery | 103545-10 | Stacking Delivery | ASK | |

| | | | | | | | | | |
|--|---|-------------------|--------------------------|-----------|---------------|--|--------------|--|-----|
| Photos | acc-perf-bl-SCS-Automaberg-Easy-Fly-Pro-Frontcutter | SCS Automaberg | Easy Fly Pro Frontcutter | 2019 | 520x350x60 mm | 3,4 Mio. Only | | Frontcutting of Perfect Bound and Thread Sewn Soft Cover Books with Folded-In-Flaps, Size: Max. 520x350x60mm, Min. 100x100x3mm, Speed: Max. 5.500 Cycles/Minute | ASK |
| Photos | acc-perf-bl-Solema-50m-Drying-Station | Solema | 50m Drying Station | 2009 | | Drying Station | | Drying Station | ASK |
| Photos | acc-perf-bl-Solema-1999 | Solema | | 1999 | | Stacker Delivery | 15034 | Stacking Delivery | ASK |
| Book Sewing Machine | | | | | | | | | |
| Photos | IshidaTF-8A-816 | Ishida | TF-8A | 1987 | 32x42 | Book Sewing Machine | 816 | Automatic Book Sewing Machine With Feeder | ASK |
| Photos | sew-MM-3215MC-2010 | Müller Martini | 3215 Ventura MC | 12 / 2010 | 35x51 | 4150 Hours | 1743608 | MC 200, Full Auto Computer Programmable Sewing Machine, Automatic Size Setting At Feeder and Delivery, Auto Signature Feeder with 4 Upper and 4 Lower Opening Heads, Electronic Programs, Commander With Colour Touch-Screen Console, Staggered Stich, Format: Max: 510x320mm, Min: 120x75mm, Signature Max. Thickness: 4mm, Signature Length: 120-210mm, Signature Width: 75x320mm, Sticking Length: 16,5mm, Max. Mechanical Speed: Max. 200 Cycles/Min., 12000 Cycles/Hour, ASIR Automatic Signature Image Recognition Control System, Belt Delivery | ASK |
| Accessories Book Sewing Machine | | | | | | | | | |
| Photos | Acc-sew-headop-38 | Headop Feeder | 38 | ca. 1991 | | Automatic Signature Feeder | 11002 | Automatic Signature Feeder | ASK |
| Photos | Acc-sew-LBW-340 | Polygraph Brehmer | LBW 340 | | | Thread Sealing Machine | 341 | Thread Sealing Machine | ASK |
| Photos | Acc-sew-Polygraph-Brehmer-301 | Polygraph Brehmer | 301 | | | Thread Sealing Machine | O1500 72/002 | Thread Sealing Machine | ASK |
| Diary Production | | | | | | | | | |
| Photos | diary-Garudan-GPS-F-6032-HS-22 | Garudan | GPS/F-6032 HS-22 | | | Diary Production / Fully Automatic Sewing Machine | 903 | Heavy Material, Sewing Area: 600x320, Max. Sewing Speed (for Stich Lenth Up to 3mm = 2500 spm, For Rotary Hook = 2300 spm, Stich Length: 0,1-12,7 mm, Number of Needles: 135x17, Nm. 120-160, Lift of Presser Foot Max. 20 mm (Strock: 0-7mm), Lift of Feeding Frame: Standard 35 mm, Memory Device: USB Compatible, Unlimited No. of Stiches in Memory, Unlimited No. of Patterns in Memory, 750 W Servomotor Driving Unit, Power Supply: 1-Phase 220 V, 240 V, 50/60 Hz (Power Input 2 KW), Air Consumption 0,6 Mpa (6 Kg/cm2), Ambient Temperature 5°C - 40°C, Fully Automatic Sewing Machine | ASK |
| Photos | diary-Kiefel-1532 | Kiefel | | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 1532 | High Frequency Welding Machine With Kiefel Generator Typ 1200 Sb, Gen. HF, 4,5/7,8 A, 1,5 HF-kW, Air Cooled, ca. 4 cbm/min. | ASK |
| Photos | diary-Kiefel-KH500-2407-775 | Kiefel | KH 500 | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 2407/775 | KW 0,75, 220/380V, High Frequency Welding Machine With Körting Generator Typ Fixuy G3500 Sb, M-NO. 60 364 689, Gen. HF, 4 HF-kW, 27,12 MHz, 380V, 15,5/27A, 50 Hz, Air Cooled, 8,5 cbm/min. | ASK |
| Photos | diary-Kiefel-KH500-2407-930 | Kiefel | KH 500 | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 2407/930 | 3 KW, 380 V, High Frequency Welding Machine With Kiefel Generator Typ G3500 Sd, No. 60364861, Gen. HF, 4 HF-KW, 27.12 MHz, 380V, 15,5 A, 50 Hz, Air Cooled, 8,5 cbm/min., Weight: ca. 280 KG | ASK |

| | | | | | | | | | |
|------------------------|-------------------------------|---|---------------|------|--|---|-----------|---|-----|
| Photos | diary-Kiefel-1153 | Körting | FP 150 B | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 6.415 305 | High Frequency Welding Machine With Körting Generator Typ Fixus G2000 Sb | ASK |
| Photos | diary-Körting-FP-150 | Körting | FP 150 B | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 6415 356 | High Frequency Welding Machine With Körting Generator G2000 Sb, No. 60210544, Gen. HF, 2,3 HF-kW, 27,12 MHz, 380/220 V, 8,6/14,9 A, 50 Hz, Weight: 236 KG, Air Cooled, ca. 8,5 cbm/min. | ASK |
| Photos | diary-Milan-PM5-S | Milan | PM5/S | 2000 | | Diary Production / Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse mit Heissfolien | 100010 | Automatic Folding Press Machine With Hotstamping Option, 380V, 50 Hz, 4,5kW | ASK |
| Photos | diary-moenus-1333 | Moenus | 1333 | | | Diary Production / Schwenkarmstanze / Swing Arm Punch | 110893 | Hydraulic Swing Arm Punch for Manual Loading of Material and Tooling, Especially Suitable for Smaller Batch Sizes or Smaller Part Dimensions, Pressure Capacity: 250 KN, Punching Surface ca. 3x50cm, Swiveling Support Table ca. 45x90cm, Power: 380 Volts | ASK |
| Photos | diary-protos-709125N | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 709125N | Diary Production | ASK |
| Photos | diary-protos-709572N | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 709572N | Diary Production | ASK |
| Photos | diary-protos-1653001 | Protos (Schuhmaschinen W. Ullrich KG) | | | | Diary Production | 1653001 | Diary Production | ASK |
| Photos | diary-protos-1652-450 | Protos | 1652/450 | 1996 | | Diary Production | 283 | 380V, 700W, 3,5A, Working Width: 450mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine) | ASK |
| Photos | diary-protos-1652-1991 | Protos | 1652 | 1991 | | Diary Production | 1652257 | U: 220 V, Working Width: 420mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine) | ASK |
| Photos | diary-Saval-Mirus-TTL4-LR | Saval | Mirus TTL4-LR | | | Diary Production | 001 | Sheeter for Unwinding, Cutting and Stacking All Flexible Materials Like Thin Laminated Plastic, Woven-Non-Woven Material (Both Rugged Textile Fiber As Spanbond And Elastic Textile Fiber As Spunlaces) And Paper. Automatic Control System Each Material Roll Can be Unwinded According To An Optimal Material Tensioning. A Dragging Collet Positioned After The Cross Cut Allows To Stack On A Pallet The Sheets Automatically Without Needing Any Operator. Very Good Tolerances On Length are possible Even With Grammage Up To 20 GR/M2, Material: Plastic, Woven-Non-Woven, Paper, Grammage: From 20 GR/M2, Shear Cut Slitting System, Automatic Stacking System | ASK |
| Photos | diary-Slotting-Machine-305203 | Slotting Machine | | | | Diary Production | 305203 | Slotting Machine | ASK |
| Photos | diary-various-leather | Various Original Leather for Diaries and Covers | | | | Diary Production | | Raw Material | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|------------------|------------|------|--|--|--------|---|-----|
| Photos | diary-Weldan-Denmark-5011-PR-TD | Weldan Denmark | 5011-PR-TD | | | Diary Production / Plastic Processing / Thermoforming / HF Welding Machine | 04/91 | Automatic High Frequency Welding Machine With Auto Feeder, On-Line Inserter, On-Line Hot Foil Stamping, Auto On-Line Slitter, Promotional Card, Wallet & Pouch Making Machine, 1 Phase, 220+PE Volts, 91 A, Wittmann Tempro Basic C90 | ASK |
| Photos | diary-WSK-Fritz-Wagner-1465-1995 | WSK Fritz Wagner | 1465 | 1995 | | Diary Production / Fully Automatic Sewing Machine | 121759 | Pfaff, M-No. 3554, M-NO. 67016, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine | ASK |
| Photos | diary-WSK-Fritz-Wagner-1465-1993 | WSK Fritz Wagner | 1465 | 1993 | | Diary Production / Fully Automatic Sewing Machine | 115639 | Pfaff, M-No. 901-1081-001402, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine | ASK |
| Photos | diary-WSK-Fritz-Wagner-350-1992 | WSK Fritz Wagner | 350 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 133329 | Fully Automatic Folding Press Machine with 2 Heads, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1995 | WSK Fritz Wagner | 348 | 1995 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 103359 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1995-2 | WSK Fritz Wagner | 348 | 1995 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 103259 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1994 | WSK Fritz Wagner | 348 | 1994 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 117049 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1993 | WSK Fritz Wagner | 348 | 1993 | | Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse | 104439 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110129 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-2 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110329 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-3 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 110429 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-4 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 110529 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm | ASK |
| Photos | diary-WSK-Fritz-Wagner-348-1992-5 | WSK Fritz Wagner | 348 | 1992 | | Diary Production / Full Automatic Folding Press Machine / Umbugpresse | 110229 | Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm | ASK |

| | | | | | | | | | |
|--|---------------------------------------|------------------|----------------|----------|-----------|--|------------|--|-----|
| Photos | diary-WSK-Fritz-Wagner-348-1991 | WSK Fritz Wagner | 348 | 1991 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 134419 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-WSK | WSK | | | | Diary Production / Automatic Folding Press Machine / Umbugpresse | | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Photos | diary-Zehma-707650 | Zehma | 707650 | 1979 | | Diary Production / Automatic Folding Press Machine / Umbugpresse | 1042 | Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm | ASK |
| Pad Making Machine | | | | | | | | | |
| Three Knife Trimmer | | | | | | | | | |
| Photos | Trimmer-StahlVBF-135 | Stahl | VBF 135 | ca. 1992 | 30x38 | Three Knife Trimmer | | Format: Max. 300x380 mm Min. 60x80 mm, Semi Auto Feed, Conveyor Belt, Standard Accessories | ASK |
| Photos | 3-t-Wohlenberg-Trim-Tec-75I | Wohlenberg | Trim-Tec 75I | 2002 | 42x32 | Three Knife Trimmer | 3815-004 | Format Max: 42x32cm, 500-4500 c/h, 9-75 c/min, Max Pile Height: 70, Standard Accessories | ASK |
| Photos | 3-t-Wohlenberg-44FS50-3282-009 | Wohlenberg | 44FS50 | ca. 1990 | 300x380mm | Three Knife Trimmer | 3282-009 | Three Knife Trimmer With In-Feed, Magazine, Cutting Device, Delivery Belt | ASK |
| Accessories Three Knife Trimmer | | | | | | | | | |
| Saddle Stickers / Collators / Gathering Machines / Booklet Makers | | | | | | | | | |
| Photos | sad-col-Duplo-DC-1200 | Duplo | DC-1200 | ca. 1990 | | Collator | 71234288 | 12 Stations Collator | ASK |
| Photos | sad-col-Guternic AB-Typ-Plockmatic 12 | Guternic AB | Plockmatic 12 | ca. 1984 | | Collator | 120101263 | 12 Stations Collator | ASK |
| Photos | sad-col-Horizon-VAC-100 | Horizon | VAC 100C | ca. 1999 | 35x50cm | Collator | 45524 | Horizon VAC-100C, 10 Stations Collator, Technology: Touch & Work, Suction And Blowing Air Collating Tower, Error Prevention: Missing Sheet, Double Sheet And Jam Control, Job Memory: 9 Memory Locations For Repeat Jobs, Double Cycle (Non-Stop Operation), Insertion (1-Fold and 2-Fold), Booklet Programs, Block Programs, Selective Collating, Format: Max. 500x350mm, Min. 148x120mm, Paper Weight: 40-250g/sqm, Output: Up To 9500 Sets/Hour, Loading Capacity: 55mm/Station, Power: 230V, 50/60Hz - 1,86kW, Horizon PJ-77 Jogger Delivery, Machine No: 476003 | ASK |
| Photos | sad-col-Horizon-AC-8000S | Horizon | AC 8000S | | A5-A3 | Collator | 38006 | Air Suction Collator With 8 Stations, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jogger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/bin, Capacity: Upto 2400 Cycles/Hour, Jogger Delivery | ASK |
| Photos | sad-col-Lindaco-3025 | Lindaco | 3025 | ca. 1979 | | Collator | 3005-1592 | 12 Stations Collator | ASK |
| Photos | coll-Plockmatic-100-DocuVac | Plockmatic | 100 DocuVac | ca. 1998 | | Collator | 100024100 | 8 Stations Collator with Plockmatic 101 DocuStack | ASK |
| Photos | coll-Plockmatic-60 | Plockmatic | 60 | | | Collator | 60101581 | Sticher | ASK |
| Photos | col-Theissen-Bonitz-TB-Sprint 303 | Theissen Bonitz | TB Sprint 303 | | | Collator | | with QS 303 | ASK |
| Photos | col-Theissen-Bonitz-TB-ECO-A308-FP | Theissen Bonitz | TB ECO A308 FP | 2000 | 31x43 | Collator | A308FP2663 | 8 Stations, Stacking Height: 5cm, Paper Thickness: 20-1000g, Format Max: 31x43cm, Format Min: 10,5x14,8cm, Capacity: 3100/hour | ASK |
| Photos | col-TMF-N14 | TMF | N14 | | | Collator | Z-2088 | | ASK |
| Photos | col-TMF10 | TMF10 | N10 | ca. 1985 | | Collator | L1250 | 10 Stations Collator, Delivery | ASK |

| | | | | | | | | | |
|------------------------|---|----------------|---------------------|----------|---------------------------------------|---------------|---------------------|---|-----|
| Photos | gathering-MM-1571-1996 | Müller Martini | 1571 | 1996 | 32x45x6 | 9523 Hours | 9.401.607 | 12 Stations 1571, Hand Feeding Station, Sheet Control System, Mechanical Double And Sheet Missing Control, Müller Martini 1536 Criss Cross Delivery, M-No. 94.01668.01, Year 1996, Mechanical Speed: 5000 Cycles/Hour, Format: Back Length: 120-450mm, Book Width: 100-320mm, Book Thickness: Loose Book Blocks: Max. 60mm, Channel Passage: Max. 85mm, Paper Thickness: Max. 4mm, Standard Accessories | ASK |
| Photos | saddle-HD-Stichmaster-ST-100-6-Stations | Heidelberg | Stichmaster ST 100 | | 305x349 | Saddlesticher | | 6 Stations, Cover Feeder, Sticking Unit, Trimmer, Rima Stacker Delivery, Format: Max. 305x349 mm, Min. Format: | ASK |
| Photos | saddle-HD-Stichmaster-ST100.2-2007 | Heidelberg | Stichmaster ST100.2 | 2007 | 305x349 | Saddlesticher | FJ.DABO-001409 | 4 Stations, Cover Feeder, Sticking Unit, Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, | ASK |
| Photos | saddl-HD-Stichmaster-ST-400-2 | Heidelberg | Stichmaster ST 400 | 2003 | Min. 90x130, Max. 320x480 | Saddlesticher | 390100 | Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Feeder Stations, 3x DVU 400 Vertical Feeder, 3x DHU 400 Feeders, 1x CHU 450 Cover Feeder, Sticking Unit ST 400 with 2 Sticking Heads, Three Knife Trimmer TR 400 with Stacker Delivery | ASK |
| Photos | saddl-HD-Stichmaster-ST-400 | Heidelberg | Stichmaster ST 400 | 2002 | Min. 90x130, Max. 320x480 | Saddlesticher | O037/02 | Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Vertical TAS Feeders, 1x Cover Feeder UFA, Sticking Unit ST400 with 2 Sticking Heads, Three Knife Trimmer ST 400 | ASK |
| Photos | saddl-HD-Stichmaster-ST-450-2011 | Heidelberg | Stichmaster ST 450 | 2011 | 320x480 | Saddlesticher | DKA0-00250 | Format: Untrimmed: Min. 85x128mm, Max. 320x480mm, Format: Trimmed: Min. 80x120mm, Max. 315x475mm, Product Thickness: Max. 12mm, Capacity: 14000 Cycles/Hour, Colour Monitor Touch Screen Control For All Functions, Automatic Format Pre-Setting, Feeders: 1 Hand Feeder, Horizontal Signature Feeders: 6x DHU 450, Vertical Signature Feeders: 2x DVU 450, Cover Feeder CHU 450, Sticking Unit ST 450 with 2 Sticking Heads 45-N14, Thickness Control, Delivery To The Left, Reject Gate For Incomplete Products, Three Knife Trimmer TR 450, With Heidelberg CHA Automatic Compensation Stacker, Delivery To The Left, Machine Condition: Excellent, Machine Was Complete Overhaultd In 2019, After That Was Very Rare Used | ASK |
| Photos | saddl-MM-Valore-2001 | Müller Martini | Valore | 2001 | Impressions: Only 1315 Hours. 305x365 | Saddlesticher | NN8414/Z049480 2 | 3 Double Feeders 1559 + 1 Hand Feeder, 1x Cover Feeder 1558, Sticking Unit 1558, Three Knife Trimmer 1522, Belt Delivery, Capacity: 6000 Cycles/Hour | ASK |
| Photos | saddl-MM-Presto-2001 | Müller Martini | Presto | 2001 | 300x360, Impressions: 9242 Hours | Saddlesticher | NN9617 Z0514096 | 3 Double Feeders, 1 Hand Feeder, 1 Cover Feeder 1522, Sticking Unit 1528, Three Knife Trimmer, Belt Delivery, Format: Max. 365x305mm, Min. 148x105mm, Max. 360x300mm, Min. 140x75mm, Sticking Thickness: Max. 10mm, Capacity: 9000 Cycles/Hour, Standard Accessories | ASK |
| Photos | saddl-MM-Bravo-1999 | Müller Martini | Bravo | 1999 | 48x32 | Saddlesticher | 179219 | 6 Feeder Stations, 1x Cover Feeder, Sticking Unit with 2x HK 75, Three Knife Trimmer, Rima RS-10S 9-1/4" Stacking Delivery, M-No. 103403-10, Capacity: 12000 Cycles/Hour | ASK |
| Photos | saddle-MM-JGV-ca.1979 | Müller Martini | JGV | ca. 1979 | | Saddlesticher | 96159 | Saddlesticher, 4 Feeding Stations, Sticking Unit, Grapha DDS Three Knife Trimmer, M-No. 96159, Delivery, Complete with Standard Accessories | ASK |

| | | | | | | | | | |
|---|-----------------------------------|------------------|-------------------|----------|----------|---------------------------|----------------|--|-----|
| Photos | bk-let-Barenthin-with-SPF-10II-92 | Barenthin | with SPF-10II | 1992 | | Booklet Makers | 106008 | Format: A5-A3, 30 Stations = 3x 10 Stations Barenthin GmbH Collators, with Horizon SPF-10II Sticking Unit | ASK |
| Photos | bk-let-Bourg-Collator | Bourg | BT 12/BT15 | ca. 1988 | | Booklet Makers | 228040054 | 27 Stations Collator, with Sticking Unit and Trimmer | ASK |
| Photos | bk-let-Duplo-5000 | Duplo | 5000 | ca. 2006 | | Booklet Makers | | Collator section DC-10/60 (20 bins), Minimum size 120 x 148 mm, Maximum size 350 x 500 mm, Bin capacity 60 mm, Paper stock 40 - 300 gram, Speed 5.000 booklets per hour or 10.000 sets per hours, Booklet maker Duplo, DBM500 stitcher/folder + Duplo DBM600T trimmer, Stitching heads 2 x Hohner | ASK |
| Photos | bk-let-Duplo-DC-8000S | Duplo | DC-8000S | 1996 | | Booklet Makers | 61201001 | Collator: >>16 Stations Collator 2x8 Stations DC8000S Collator, SN-No.30400968 and SN-No.21001603<<, Trimmer: >>DC48TW Trimmer, SN-No.61201001<< | ASK |
| Photos | bk-let-Duplo-5000-040501222 | FKS Duplo System | 5000 | ca. 2008 | 35x50 | 6212267 | 40501222 | 2 x 10 Stations (20 Bins) Duplo Collator DC-10/60, M-No. 040600126/-129, Duplo Connecting Bridge, M-No. 040200317, Duplo Lifting Unit LUL-HM, M-No. 040600026, Duplo Sticking Unit With 2 Hohner Universal 43/6 Heads, Duplo DBM-500T Trimmer, M-No. 040600855, Total Cuts: 7929640, Brochure Repress Sation, M-No. 00152158, Duplo Stacker System 5000 For Product Delivery, M-No. 040601504, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour | ASK |
| Photos | bk-let-Horizon-Stielow-MC-8-m | Horizon | Stielow MC 8-m | 1995 | | Booklet Makers | 39035 | 24 Stations MC-8 Collators (3x8 Stations), with Horizon Sticking Unit SPF-10, Format A5 to A3, serial 39035 | ASK |
| Photos | bk-let-Horizon-MC-8a | Horizon | MC-8a | | A5 to A3 | Booklet Makers | 09028 | Exist With: 8 Stations Collator MC-8a, M-No. 09028, With Horizon SPF-10 Sticking and Folding Unit, M-No. 19021, Delivery | ASK |
| Photos | bk-let-Horizon-MC-8m | Horizon | MC-8m | ca. 1992 | | Booklet Makers | 57018 | 32 Stations with Sticking and folding unit SPF-2, No. 016012. Tower 1: MC-8m, No. 09102. Tower 2: MC-8m, No. 33110. Tower 3: MC-8m, No. 11126. Tower 4: MC-8a, No. 09002. With Trimmer FC-20, No. 016004 | ASK |
| Photos | bk-let-Horizon-MAC-80 | Horizon | MAC-80 | ca. 1993 | | Booklet Makers | 15319 | 16 Stations Collator with Jogger PJ-77, Sticher and Folder SPF-10II, Format A5 to A3 | ASK |
| Photos | bk-let-Horizon-MAC-8a-8-Stations | Horizon | MAC-8a | ca. 1992 | A5 to A3 | Booklet Makers | 11018 | Complete Booklet Maker, Exist with: 8 Stations Collator MAC-8a, M-No. 11018, With Horizon SPF-10 Sticking and Folding Unit, M-No. 24038 and Horizon FC-10 Trimmer, M-No. 09032, Jogging Delivery | ASK |
| Photos | bk-let-Horizon-VAC-100 | Horizon | VAC 100 | 1998 | A3 | Booklet Makers | 64025 | 20 Stations, format: A/3, Sticking Unit SPF-10II Sticher & Folder, Fronttrimmer FC-10II Trimmer, M-No.64025, 40.000 Exp./hr. | ASK |
| Photos | bk-let-ricoh-75656 | Ricoh | Booklemaker SR 85 | 2000 | | Booklet Makers | 75656 | Collator | ASK |
| Accessories Saddle Stickers / Collators / Gathering Machines | | | | | | | | | |
| Photos | sad-col-Mü-Mart-6254 | Müller Martini | 6254 | 1994 | | Accessories Saddlesticher | 35366-95 | Accessories Saddlesticher | ASK |
| Photos | sad-col-Mü-Mart-338-CS-70 | Müller Martini | 338 CS-70 | 1995 | | Accessories Saddlesticher | 9701497 | Accessories Saddlesticher | ASK |
| Photos | sad-col-Mü-Mart-314 | Müller Martini | 314 | | | Accessories Saddlesticher | 99.12964/C.419 | (type 310-14) | ASK |
| Photos | sad-col-Reel-Holder | Reel Holder | | | | Reel Holder | | Reel Holder | ASK |
| Photos | sad-col-Sticking-Wires | Sticking Wires | | | | Sticking Wires | | Sticking Wires | ASK |
| Folding Machines | | | | | | | | | |
| Photos | fol-cfm-345 | CFM | 345 | ca. 1985 | 34x46 | | | Small Table Folder | ASK |
| Photos | fol-Duplex | Duplex | Folder | ca. 1978 | 35x55 | | | Small Table Folder | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|-------------------------------|------------------------|----------|-------------|--|------------|--|-----|
| Photos | fol-Duplo-Paperfolder | Duplo | | | 35x55 | | | Paperfolder | ASK |
| Photos | fol-GUK-K72-6KL-F4-1998 | GUK | K72/6KL-F4 | 1998 | 72x102 | | 39071 | Flatpile Feeder, 6 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-GUK-FA72-4-37587 | GUK | FA 72/4 STAT 1, F4 | 1997 | 72x102 | | 37587 | Flatpile Feeder, 4 Pockets, 4 Pockets, 2 Pockets, Delivery | ASK |
| Photos | fol-GUK-FA49/4- 1991 | GUK | FA49/4 | 1991 | 49x66 | | 30477 | Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-GUK-K49/4-FE | GUK | K 49/ 4 FE | 1987 | 49x66 | | 24340 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-Guk-K49-4-FE-1986 | GUK | K49/4-FE | 1986 | 49x66 | | 23925 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | Stahlfolder-78-82-2013-32Pages | Heidelberg Stahlfolder | KH-78/82 | 2013 | 78x112 | | 1224440855 | Serial No. FHFNF01661, Roundpile Feeder, 4 Pockets, 4 Knives, (Left,Right,Center) and 4th for 32 Pages | ASK |
| Photos | fol-HD-Stahlfolder-TH-82-2009 | Heidelberg Stahlfolder | TH-82 | 2009 | 82x112 | | 1224426195 | Serial No. FH-ESCA-02357, Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 4 Pockets, with SPH-100 Delivery | ASK |
| Photos | fol-HD-Stahlfolder-TI-40 | Heidelberg Stahlfolder | TI-40 | 2005 | 40x84cm | | 1224406595 | Serial No. FH.FANB-000076, Flatpile Feeder With Tremthead And DCT Control, 4 Pockets, Delivery, Equipped With Heidelberg Gluing Unit, Format: Max. 40x84cm, Min. | ASK |
| Photos | fol-HD-Stahl-KH-78-82-4KTL+TSH-50 | Heidelberg Stahlfolder | KH-78/82-4KTL + TSH 50 | 2008 | 78x112 | | 1224425683 | Serial No. FH.FNJO-00255, Pallet Feeder, 4 Pockets, 2 Knives with TSH 50, AGE: 2009, Serial No. FH.FDMCO-00299, Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare | ASK |
| Photos | fol-HD-Stahl-KH78-2008 | Heidelberg Stahlfolder | KH-78 | 2008 | 78x108 | | 1224424910 | Serial No. FH.FNJO-01302, Pallet Feeder, 4 Pocket, 2 Knives, Desta Pressing Unit with Stream Delivery BAS-SA 500, AGE 2007, Serial No. 2035, Max: 230 m/min, Capacity: 50.000 cycles/hour | ASK |
| Photos | Stahlfolder-PFH-82-2006 | Heidelberg Stahlfolder | PFH-82 | 2006 | 82x112 | | | Pallet Feeder, 4 Pocket, 2 Knives, With SBP Pressing Delivery | ASK |
| Photos | fol-HD-Stahl-PFH-82-2006 | Heidelberg Stahlfolder | PFH-82 | 2006 | 82x112 | | 1224418808 | Serial No. FH.HCCO-00630, Pallet Feeder, 4 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-HD-Stahl-TH 66-8-4 | Heidelberg Stahlfolder | TH-66 | 2011 | 66x96 | | 1224435471 | Serial No. FH.FAV0-00708, Roundpile Feeder, 1st Station: 8 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-HD-Stahlfolder-TI-52-2009 | Heidelberg Stahlfolder | TI-52 | 2009 | 52x72 | | 1224426196 | Serial No. FH.FAFP-001439, Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-HD-Quickfolder-T34B-2-P-4 | Heidelberg | Quickfolder T34B-2-P-4 | | 35,5x50,8cm | | | Format: 35,5x50,8cm, Details: Format: Max. 35,5x50,8cm, Min. 7,6x12,7cm, Fold Length: 5,1 - 34,3cm, Folding Speed: 180 M/Min., Paper Weight Upto 170 Grams Paper, With Display And Program For Automatic Settings, Suction Drum With Double Sheet Control And Front Blowers For Sheet Seperation, Anti-Noise Hood, Counter, Delivery | ASK |
| Photos | fol-Horizon-AFC-504-AKT | Horizon | AFC-504 AKT | ca. 2004 | 54x76 | | 2912 | Speed: 230 m/min, Full Automatic Adjustment Control, Touch & Work Technology, Memory Storage for Folding Programs, Flate Pile Feeder, 4 Pockets, 1 Knife, Anti Noise Hood, Delivery Conveyor, Standard Accessories | ASK |
| Photos | fol-Martin-Yale-959- | Martin Yale | 959 Autofolder | ca. 1987 | 35x55 | | 959220 | serial: 5105 ,2 Pockets, Delivery | ASK |
| Photos | fol-Multipili-382-79831001 | MB Multipili | 382 | ca. 1979 | 38x52 | | 79831001 | Suction Feeder, 2 Pockets, Compressor, Table Folding Machine | ASK |
| Photos | fol-MB-Multipili-382-77430446 | MB Multipili | 382 | ca. 1977 | 38x52 | | 77430446 | Suction Feeder, 2 Pockets, Table Folding Machine | ASK |
| Photos | fol-MB-Multipili-382-kro-de | MB Multipili | 382 | ca. 1982 | 38x52 | | | Suction Feeder, 2 Pockets, Delivery | ASK |
| Photos | fol-MB-Multipili-FM-352 | MB Matthias Bäuerle Multipili | FM 352 | ca. 1979 | 35x55 | | 79350316 | 2 Pockets, Delivery, Table folding Machine | ASK |

| | | | | | | | | | |
|-------------------------------------|----------------------------|----------------|---------------|----------|--------|----------------|------------------|--|-----|
| Photos | Fold-MB-Bäuerle-CAS-52-44X | MB Bäuerle | CAS 52/4+4+X | | 52x72 | | 1058245 | Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, M-No. 01958220, MB Bäuerle Mobile Knife, M-No. 01133002, Incl. Window Pocket, Digital Setting, Minimum Folding Length: 35mm, Delivery | ASK |
| Photos | fol-MB-Multipili | MB Multipili | 35 | ca. 1993 | 35x55 | | | 2 Pockets, Delivery, Table folding Machine | ASK |
| Photos | fol-MB-Multipili-2 | MB Multipili | 35 | ca. 1992 | 35x55 | | | 2 Pockets, Delivery, Table folding Machine | ASK |
| Photos | fol-MBO-B-30-R | MBO | B30-1-30/4 | 1989 | 72x102 | | 30539 | Serial No. R09/105, Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery | ASK |
| Photos | fol-MBO-K76-6KL-1972 | MBO | K76/6KL | 1972 | 76x102 | | 72071372 | Serial No. 60811, Flatpile Feeder, 6 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-mbo-t800 | MBO | T 800-1-82/4 | ca. 2001 | 80x120 | | 32427 | Serial No. R11/47, Roundpile Feeder with Overhead Digital Panet, HSS Gluing System, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Pressing Delivery | ASK |
| Photos | fold-mbo-t500-2-x | MBO | T500-2-X | 1994 | 50x70 | | 3335 | Serial No. M12/42, Flatpile Feeder, Overhead Control Panel, 4 Pockets, 1 Cross Fold Knife, Delivery | ASK |
| Photos | fold-mbo-t72-1-72-4-1993 | MBO | T72-1-72/4 | 1993 | 72x102 | | 930714441 | Pallet Feeder with MBO Vaculift Feederhead, 1. Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, with MBO pressing Delivery SAP46, M-No. 85058495 | ASK |
| Photos | fol-MBO-terb | MBO | T52/44 | 1988 | 52x72 | | 880210483 | Serial No. 50871101, Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-MBO-T52/4X-130119 | MBO | T52/4X | 1980 | 52x72 | | 130119 | Serial No. 80025129, Roundpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery | ASK |
| Photos | fol-MBO-T49-4x-C04 17 | MBO | T49/4X | 1985 | 49x69 | | C04 17 | Flatpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery | ASK |
| Photos | fold-Morgana-Junior-904222 | Morgana | Junior 904222 | | A3 | | O41761 FEA AW | High Speed Paper Folding Machine, Counting and Batching, Digital Plate Adjustment For Accurate Reading, Sound Hoods, 6 Fold Types, Double Sheets and Jam Detector, Suction Feeding, Complete with Perforation Unit and Perforation Blades, Up To 240gsm, Speed: 27000 Sheets/Hours | ASK |
| Photos | fol-Otto-Klingner-Type-45 | Otto Klingner | Type 45 | ca. 1975 | 45x55 | | 1147 | 2 Pockets, Table Folding Machine | ASK |
| Photos | fol-schmidt-k52-1-832 | Schmidt | K52 | ca. 1979 | 52x72 | | 1-832 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Photos | fol-stahl-k-78-4ktll-wolf | Stahl | K78/4KTLL | ca. 1978 | 78x108 | | | Flat Pile Feeder, 4 Pockets, 3 Knives, 32 Pages, Delivery | ASK |
| Photos | fol-Stahl-K78-4KTL-bosn | Stahl | K78/4KTL | | 78x108 | | | Flatpile Feeder, 4 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-Stahl-KC66-4KTL-FE | Stahl | KC66/4KTL-FE | | 66x96 | | 26821 | Flatpile Feeder with Tremat Head, 4 Pockets, 2 Knives, Delivery | ASK |
| Photos | fol-Stahl-TS49-4K-FSA | Stahl | TS49/4K-FSA | 1983 | 49x65 | | 24264/83 | Flatpile Feeder, 4 Pockets, Delivery | ASK |
| Photos | fol-StahlT52/4 | Stahl | Ti52/4-Fi | 1998 | 52x72 | | 114591/98-267759 | Flatpile Feeder with Tremat Head, 4 Pockets, SAK 56 S2 Delivery | ASK |
| Photos | fol-Stahl-K44-4K-F-14118 | Stahl | K44/4K-F | 1975 | 44x64 | | 14118 | Flatpile Feeder, 4 Pockets, 1 Knife, Delivery | ASK |
| Accessories Folding Machines | | | | | | | | | |
| Photos | fol-Gluing-station | Gluing station | Opimatic | ca. 1981 | | Gluing Station | | Gluing station | ASK |

| | | | | | | | | | |
|------------------------|---|------------------------|----------------------|----------|-----------|---------------------------------------|----------------|--|-----|
| Photos | acc-fol-HD-Twinstacker-TSH-70 | Heidelberg | Twinstacker TSH-70 | 2006 | 700x340mm | Accessories Folding | 1224417222 | Serial No. FH.DMA0-00272, The Twinstacker TSH Vertical Stack Delivery Is The Economical Solution To Broadly Cover The Medium To High Capacity Range. The Delivery Transports The Individually Pressed Sheets Through The Belt Section Without Marking. Subsequently, The Stacks Are Formed From The Top In Catch Baskets And Laid Out Alternately – In Two Stacking Levels Arranged One Above The Other. This Enables Effective Non-Stop Operation. The Simple Handling With Good Accessibility Also Facilitates The Processing Of Multiple-Ups. The Height-Adjustable Feed Table Ensures That The TSH Twinstacker Can Be Positioned Easily And Flexibly At The Various Preliminary Stations. Whether Laying Out Isolated Sheets Or Even In A Shingle Stream – The Twinstacker TSH Convinces In Every Respect With Its Performance. User-Friendly Stack Delivery, Mark-Free Laying Out Up To Two Uses, With User-Friendly Ergonomic Removal, Format: Max. 700x340mm, Min. 100x100mm, Product Thickness Max. 6mm, Stacking Height Per Level Max. 10cm, Optimal For One-Man Operation On Folding Machines With High Machine Speeds Of Up To 18,000 Cycles, MCT Control Panel | ASK |
| Photos | acc-fol-HD-TSH-50-2013 | Heidelberg | Twinstacker TSH 50 | ca. 2013 | | Accessories Folding | | Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare | ASK |
| Photos | acc-fol-HD-TSH-50 | Heidelberg | Twinstacker TSH 50 | 2009 | | Accessories Folding | FH.FDMC0-00255 | Twin Stacking Delivery, Mobile Stacking System for Markfree Delivery, Built-in Controller, Sheet Size Max: 50x34cm, Sheet Size Min: 10x10cm, Product Thickness: 6mm, Pile Height Max: 10cm, 2 Usare | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-0080-03 | Heidelberg | Folding Coupling Box | 2012 | | Accessories Folding | | Folding Coupling Box | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-FH-GKAO-02690 | Heidelberg | Folding Coupling Box | 2011 | | Accessories Folding | | Folding Coupling Box, Serial No. FH.GKAO-02690 | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box-0263-01 | Heidelberg | Folding Coupling Box | 2011 | | Accessories Folding | | Folding Coupling Box, Serial No.: 0263.01 | ASK |
| Photos | acc-fol-HD-Folding-Coupling-Box | Heidelberg | Folding Coupling Box | 2007 | | Accessories Folding | 1224422746 | Folding Coupling Box, Serie: FH.GKAO-01785 | ASK |
| Photos | acc-fol-HD-Stahl-VSA-86-D-MKE-D | Heidelberg Stahl | VSA 86.D+MKE.D | | | Accessories Folding | 111181-263542 | Pressing Delivery | ASK |
| Photos | acc-fol-HD-Stahl-VSA-86-M.D | Heidelberg Stahl | VSA 86/M.D | | | Accessories Folding | 705572-305030 | Pressing Delivery | ASK |
| Photos | acc-fol-HD-Stahl-SAK-66-3-47945-210009 | Heidelberg Stahl | SAK 66.3 | | 66 | Accessories Folding | 47945-210009 | Delivery | ASK |
| Photos | acc-fol-HD-Stahl-2.TD-66.1-4 | Heidelberg Stahl | 2.TD 66.1/4 | | | Accessories Folding | 86234-245062 | Accessories Folding | ASK |
| Photos | acc-fol-HD-Stahl-1224426195 | Heidelberg Stahlfolder | SPH-100 | 2009 | 100 | Pressing Delivery | 1224426195 | Serial No. FH.DLB0-00268, Pressing Delivery With Marking Unit | ASK |
| Photos | fol-Palamides-BA700 | Palamides | BA700 | 1999 | | Bundle Delivery with Pressing Station | 102-9-700-016 | Serial 0317,Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm | ASK |

| | | | | | | | | | |
|--------------------------------|--|------------------|------------------------------|----------|-------|---------------------------------------|------------------------|---|-----|
| Photos | fol-Palamides-BA700-2 | Palamides | BA700 | 1999 | | Bundle Delivery with Pressing Station | 1026-700-011 | Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm | ASK |
| Photos | fol-MBO-Coupling-Box-16-10-Pin-DC-AC | MBO | Coupling Box 16/10 Pin DC/AC | | | Coupling Box | | Coupling Box 16/10 Pin DC/AC | ASK |
| Photos | fol-Multieffect-delivery | Multieffect | Delivery | | | Delivery | | Delivery | ASK |
| Photos | fol-MBO-Access-Fold-2 | MBO | Accessories Folding Machines | ca. 1976 | | Delivery | | Delivery | ASK |
| Photos | fol-MBO-A76 | MBO | A76 | ca. 1979 | 76 | Delivery | | Delivery for Folding Machine | ASK |
| Photos | fol-Morgana-UFO5 | Morgana | UFO5 Crossfolder | | | Cross Folding Unit | D35038V6AB | Cross Folding Unit | ASK |
| Photos | fol-Stahl-SAK78-3 | Stahl | SAK78.3 | 1989 | 78 | Delivery | 38745/89-158148 | Delivery | ASK |
| Photos | fol-Stahl-SAK78-2 | Stahl | SAK78.2 | 1989 | 78 | Delivery | 30223-116172 | Delivery | ASK |
| Photos | acc-fol-HD-Stahl-2.66 | Stahl | 2.78 (2nd Station) | | 78 | Folding Station | | 2nd Unit for Folding Machine, 4 Pockets | ASK |
| Photos | fol-MBO-Access-Fold | MBO | Accessories Folding Machines | ca. 1976 | | Folding Station | | Folding Station | ASK |
| Photos | fol-MBO-PA46-80810411 | MBO | PA 46 | 1980 | 46 | Pressing Delivery | 80810411, Ser:81056004 | MBO Pressing Delivery Unit | ASK |
| Photos | fol-MBO-SAP46 | MBO | SAP46 | 1983 | 46 | Pressing Delivery | 83097396 | Fabr. Nr.8083080772, for Spare Parts | ASK |
| Photos | fol-Stahl-2.TF66-4 | Stahl | 2.TF66-4 | 1991 | 66 | Folding Station | 42835-177077 | 2nd Station | ASK |
| Photos | fol-Stahl-2-TV-66-4LD1 | Stahl | 2.TV 66/4LD1 | 1979 | 66 | Folding Station | 13856/79 | Folding Station | ASK |
| Photos | fol-Stahl-MKE-112-D | Stahl | MKE 112.D | 1997 | 112 | Marking Device | 96886-97-254002 | Marking Device MKE 112 | ASK |
| Photos | fol-Stahl-MKE86 | Stahl | MKE 86 | ca. 1988 | 86 | Marking Device | 33736-135060 | Marking Device MKE 86 | ASK |
| Photos | fol-Stahl-MKE66-1991 | Stahl | MKE66 | 1991 | 66 | Marking Device | 41733-91-174047 | Marking Device MKE66 | ASK |
| Photos | fol-stahl-ps66.2-44191 | Stahl | PS 66.2 | ca. 1992 | 66 | Pressing Delivery | 44191-180558 | Pressing Delivery Unit | ASK |
| Photos | fol-stahl-ps66-27262-84 | Stahl | PS 66 | 1984 | 66 | Pressing Delivery | 27262/84 | Pressing Delivery | ASK |
| Photos | fol-Stahl-SBP46.2-47872 | Stahl | PS 46.2 | ca. 1994 | 46 | Pressing Delivery | 47872-207503 | Pressing Delivery | ASK |
| Photos | acc-fol-Stahl-SB-66-MP.D-705665 | Stahl | SB-66-MP.D | | | Accessories Folding | 705665-300012 | Pressing Delivery, Accessories Folding machine | ASK |
| Photos | acc-fol-stahl-SBP.D-86+MKE | Stahl | SBP.D-86+MKE | 2002 | 86 | Pressing Delivery | 706641 | Serial No. FH.DBAB-00039, Pressing Delivery | ASK |
| Photos | acc-fol-Stahl-2.-TF 66-4.2-2 | Stahl | 2.TF 66/4.2 | | 66 | 2nd Unit for Folding Machine | 45784-192034 | 2nd Unit for Folding Machine | ASK |
| Photos | fol-Stahl-VFZ-52-D | Stahl | VFZ 52.D | | | Mobile Knife | 88174-248008 | Mobile Knife | ASK |
| CTP / CTF / Plate Maker | | | | | | | | | |
| Photos | ctp-Agfa-Acento-II-S-PT-R4300S | Agfa Acento II S | PT-R4300S | 2006 | 66x86 | CTP | 279 | Plate Size: Max - 830x660mm, Plate Size: Min - 340x370mm, With Agfa Azura Plate Processor, 21 Plates Per Hour | ASK |
| Photos | ctp-Agfa-Xcalibur-VLF | Agfa | Xcalibur VLF | | | CTP | | Agfa Xcalibur VLF With Online Processor, Voilet Technology With Complete Software, Processor And RIP, Full Online | ASK |
| Photos | ctp-HD-Suprasetter-A52-A75-2015-PJ002750 | Heidelberg | Suprasetter A52/A75 | 2015 | | CTP | PJ002750 | PJ.003.0000, CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 64 Diodes, External Drum, Throughput 17 Plates/Hour At 2540 DPI, With Plate Processor Raptor 85 Thermal, Complete With Software And Dongles, Laser Exposure Time: 211232 Pieces, Total Exposed Plates: 5937 Hours, Complete With Accessories | ASK |

| | | | | | | | | | |
|------------------------|--|---------------|--|------|----------------------------|-----------------|------------|---|-----|
| Photos | ctp-HD-Suprasetter-A52-A75-Gen-III | Heidelberg | Suprasetter A52/A75 Gen III | 2010 | | CTP, 1325 Hours | PJ001632 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ001632, Age: 2010, Laser Type Gen3 / 160-, with 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Prinect MetaDimension Software (12.0 License Service Dongle), Signa Station: Workstation Monitor Mouse, Laser Exposure Time: 54575 Pieces, Total Exposed Plates: 1325 h, Complete with Accessories, Plate Processing Station: Glunz & Jensen C85 Processor, M-No. 95455-0115, Age: 2010, Advand PST 26 Stacker | ASK |
| Photos | ctp-HD-Suprasetter-A52-A74-2008 | Heidelberg | Suprasetter A52/A74 | 2008 | 67x75 | CTP | PJ000790 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ000790, 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching Distance 425mm, Plate Format: 240mmx240mm Up To 670mmx 760mm, with Workstation Monitor Mouse, Laser Exposure Time: 62313 Pieces, Total Exposed Plates: 3566 h, PST 26 Compact Stacker, Complete with Accessories | ASK |
| Photos | ctp-HD-Suprasetter-A52-A74-2007 | Heidelberg | Suprasetter A52/A74 | 2007 | 67x75, Min: 24x24 | CTP | PJ000653 | 67x75cm, Min: 24x24cm, Max Image Area: 66,8x75cm, Resolutions: Max. 2540 dpi, 64 Diodes, 15 Plates/hour, Advance PST 26 Stacker, Standard Accessories | ASK |
| Photos | ctp-HD-Suprasetter 105-2007 | Heidelberg | 105 | 2007 | 790x1030 | CTP | PL001614 | CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 2xLaser Heads, Solution: 2400, 2540 dpi, Format: Max. 790x1030mm, Min. 370x323mm, Plate Thickness: 0,15-0,35mm, Speed: 23 Plates/Hour | ASK |
| Photos | ctp-HD-Topsetter-2335-2005 | Heidelberg | Topsetter 2335 | 2005 | 66x83 | CTP | O54191192 | Plate Size Max: 660x830mm, Plate Size Min: 370x324mm, Max. Image Area: 633x830mm, Resolutions: 2540 dpi (Max 4000 dpi), Handling: 32 Chanals Laser Head, Productivity/Speed: 20 Plates/Hour, Type of Plates: Thermostar P970, Energy Elite Pro, Other Thermal Plates (830nm), Laser Diodes: 32 Diodes (Mo. P74), Heidelberg Topsetter P74 Plate Size: 660x830mm, with Processor, Plate Stacker, PC Working Station RIP, Software with Dongle, Standard Accessories | ASK |
| Photos | ctp-Screen-Plate-Rite-PT-R4100-2005 | Screen | Plate Rite PT-R4100 | 2005 | Max. 830x660, Min. 324x370 | CTP | 679 | Max. 830x660, Min. 324x370, Thermal CTP, Resolutions: 2,400/2,438/540 dpi, Plate Stacker M-No. 03SDS1040, Screen AT-4000 Processor BridgeGlunz & Jensen Raptor 85 Thermal | ASK |
| Photos | ctf-DPX-System-Eskofot | Eskofot | DPX System Purup | | | CTF | | CTF: Computer to Film | ASK |
| Photos | ctf-HD-Signasetter-Pro-Model-1250 | Heidelberg | Signasetter Pro Model 1250 with Kodak Polychrome | | | CTF | 10564-0012 | CTF: Computer to Film | ASK |
| Photos | ctf-HD-Signasetter-1250i-Kodak-Polychrome-PC32 | Heidelberg | Signasetter 1250i Kodak Polychrome PC 32 | 1997 | 72x102 | CTF | 1966 | Internal Drum Imager A0, Automatic Sheet Pliers, Online Developer Kodak Kodakmatic 1250i, PC Control 1 Delta Tower, Heidelberg Signastation | ASK |
| Photos | ctf-Agfa-Accuset-1000 | Agfa | Accuset 1000 | | | Film Exposure | | Film Exposure | ASK |
| Photos | ctf-SGB-Filmexposure | SGB | Film Exposure | | | Film Exposure | | Film Exposure | ASK |
| Photos | ctf-Alfalith-T51-365 | Alfalith | T51 | | | Film Processor | 365 | Film Processor | ASK |
| Photos | ctp-Bacher-wod | Bacher | with Agfa Elantrix 125S Plate Processor | | | Light Table | 6765 | Light Table | ASK |
| Photos | ctp-Bacher-schom-de | Bacher | | | | Light Table | | Light Table | ASK |
| Photos | Light-Table-Biromatika-MO-T-405 | Biromatika MO | T 405 | | | Light Table | 34324044 | Serial no: 1163, Light Table | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------------|-----------------------------|----------------------------|----------|--------|-----------------|-----------------|--|-----|
| Photos | ctp-Boettcher-Renner-light-table | Böttcher + Renner (Sixt) | | | | Light Table | | Light Table | ASK |
| Photos | light-tab-Just | Just | Color-Control Professional | | | Light Table | | Light Table | ASK |
| Photos | ctp-light-table-vo | Light Table | | | | Light Table | | Light Table | ASK |
| Photos | ctp-Mega-Stahl-699-2-91314 | Mega Stahl | 699-2 | 1991 | | Light Table | 91314 | Light Table | ASK |
| Photos | ctp-Megastahl-Light-Table | Megastahl | Light Table | ca. 1975 | | Light Table | | Light Table | ASK |
| Photos | ctp-Mega-Stahl-wod | Mega Stahl | Light Table | | | Light Table | 6765 | Light Table | ASK |
| Photos | ctp-Proofprint-on-movable-Table | Proofprint-on-movable-Table | Proofprint Table | | | Light Table | | Proofprint Table / Light Table | ASK |
| Photos | ctp-Agfa-Printon-CDL-2000-S | Agfa | Printon CDL 2000 S | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | ctp-Bacher-Repro-2000 | Bacher | Repro 2000 | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-Degra-Unicop-620 | Degra | Unicop 620 | ca. 1984 | 50x62 | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-Eskofot-263FPP | Eskofot | 263 FPP | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | p-m-O.M.S.-Typ-Copystar-A2-Nr-99-2060 | O.M.S. | Typ Copystar A2 | | | Plate Exposure | Nr. 99-2060 | Plate Exposure | ASK |
| Photos | p-m-Plate-Exposure-HU | Plate Exposure | | | | Plate Exposure | | Plate Exposure | ASK |
| Photos | pl-exp-Polygraph-slow | Polygraph | 7203.2 | | | Plate Exposure | 6597 | Plate Exposure | ASK |
| Photos | p-m-Reprocontact-Actalux-ACX 650=2003 | Reprocontact Actalux | ACX 650=2003 | ca. 2003 | 60x70 | Plate Exposure | 87217 | Plate Exposure | ASK |
| Photos | p-m-Sack-190855 | Sack | Typ 190855 | | 65x85 | Plate Exposure | 19941612 | Plate Exposure, (Kom Nr. T4-1612) | ASK |
| Photos | p-m-Sack-300920 | Sack | 300920 | | | Plate Exposure | Kom-Nr. 87-2351 | Fabrik Nr.30871568 | ASK |
| Photos | p-m-Screen-P-641-FW-92 | Screen | P-641-FW | 1992 | 70x100 | Plate Exposure | 521200516 | Plate Exposure | ASK |
| Photos | p-m-Multimat-O 64-3180 | Theimer Multimat O 64 | 3180 | 1982 | 64x72 | Plate Exposure | 86120166 | Plate Exposure | ASK |
| Photos | ctf-Plate-Processor-Agfa-Akrana-85 | Agfa | Akrana 85 | | 85 | Plate Processor | | Plate Thickness: 0.15-040mm, Speed: 160cm/min., Thermal Plate Processor Incl. Conveyor, Plates: Energy Elite Eco, Positive-Working Digital Thermal Offset Plate, Min. Plate Width: 200mm, Max. Plate Width: 850mm, Min. Plate Length: 300mm, Plate Throughput: 95 Plates/Hour (Landscape), Plate Throughput: 67 Plates/Hour (Portrait) | ASK |
| Photos | ctf-Plate-Processor-hu | Plate Processor | | | | Plate Processor | | Plate Processor | ASK |
| Photos | p-p-Bacher-2005 | Bacher | Type: 2005.01 | 2000 | | Plate Punch | 2491 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-2670 | Bacher | 2045 | 1983 | | Plate Punch | 2670 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-4530 | Bacher | 2045 | ca. 1980 | | Plate Punch | 4530 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2045-2832 | Bacher | 2045 | 1981 | | Plate Punch | 2832 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-2042-6809 | Bacher | 2042 | | | Plate Punch | 6809 | Plate Punch | ASK |
| Photos | pl-punch-Bacher-Controll-2000 | Bacher | Controll 2000 | | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-Bacher | Bacher | Plate Punch | | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-Beil-425-T-H-1998 | Beil | 425-T-H | 1998 | 52 | Plate Punch | 10666 | Plate Punch | ASK |
| Photos | pl-punch-beil-HU | Beil | Plate Punch | | | Plate Punch | | Plate Punch | ASK |
| Photos | pl-punch-beil-4 | Beil | BRS 425-T-St | 1990 | | Plate Punch | 5406 | Plate Punch | ASK |
| Photos | pl-punch-Beil-425-T-H-AP | Beil | 425-T-H-AP, Typ: 11100097 | 2009 | | Plate Punch | 26646 | Plate Punch | ASK |

| | | | | | | | | | | |
|---|--|------------------------------|--------------------------------|----------|----------|-----------------------------------|---------------|--|--|-----|
| Photos | pl-punch-Beil-550-S-H | Beil | 550-S-H-Komori | 1994 | | Plate Punch | 7516 | | Plate Punch | ASK |
| Photos | pl-punch-beil-635-T-110 | Beil | Type 635-T-110 | 2000 | | Plate Punch | 13660FA251922 | | Plate Punch | ASK |
| Photos | pl-punch-Billows-Protocol-Register | Billows | Protocol Register System | ca. 1975 | | Plate Punch | | | Plate Punch | ASK |
| Photos | plate-bend-HD-Nela-4684-45 | Heidelberg | Nela 91.144.1301/03 | 1999 | | Plate Bender | 4684/45 | | Plate Bender | ASK |
| Photos | pl-punch-HD-Nela | Heidelberg | Nela, C2.144.1301-08 | 2003 | | Plate Punch | 6547/46 | | Plate Punch | ASK |
| Photos | pl-punch-HD-Nela-1995 | Heidelberg | Nela Autoplate, C2.144.1301/02 | 1995 | | Plate Punch | 429/04 | | Plate Punch | ASK |
| Photos | pl-punch-HD-G2-090-9041 | Heidelberg | Nela Plate Punch | | 52 | Plate Punch | G2.090.9041/ | | Plate Punch | ASK |
| Photos | pl-punch-Kieper-285-97 | Kieper | Plate Punch | 1997 | | Plate Punch | 285-97 | | Plate Punch | ASK |
| Photos | pl-punch-Horst-Kieper | Horst Kieper | | 1997 | | Plate Punch | 285-97 | | Plate Punch | ASK |
| Photos | pl-punch-Liorigrafic | Liorigrafic | Plate Punch | | | Plate Punch | 661880 | | Plate Punch | ASK |
| Photos | pl-punch-montaloch | Montaloch | Plate Punch | | | Plate Punch | | | Plate Punch | ASK |
| Photos | pl-punch-OPS-24-2 | Offset Plate Punch | OPS-24-2 | | | Plate Punch | O01315 | | Offset Plate Punch | ASK |
| Photos | pl-Plate-Punch-3.2.1974.3 | Plate Punch | | | | Plate Punch | 3.2.1974.3 | | Plate Punch | ASK |
| Photos | pl-Plate-Punch-70-14-870100 | Plate Punch | | | | Plate Punch | 70-14-870100 | | Plate Punch | ASK |
| Photos | pl-punch-plate-punch-RP22 | RP | 22 | ca. 1994 | | Plate Punch | | | Plate Punch, RP22, serial 0559 | ASK |
| Photos | ctp-Mega-Stahl-1840 | Mega Stahl | 1840 1000 | ca. 1992 | | Plates Test Station | oo2387 | | Offsetplates Test Station / Offsetplatten-Prüfstand | ASK |
| Photos | Plotter-epsonstylus-pro11880 | Epson | Stylus Pro 11880 | | 162,6 cm | Plotter | KU20000024 | | Print Resolution: 2.880 x 1.440 dpi | ASK |
| Photos | Plotter-Epsonstylus-Pro9900 | Epson | Stylus Pro 9900 | 2011 | 111,8 cm | Plotter | LFXE000687 | | 2.880x1.440 dpi, 0,8 min for printing in DIN A1 format, more than 40 qm/h, (44 Zoll) Plotter | ASK |
| Photos | p-l-epson-pro-7900-K161A | Epson | Stylus Pro 7900 | 2009 | | Plotter | | | Model K161A | ASK |
| Photos | plott-epson-stylus-pro-4900A | Epson | Stylus Pro 4900 | | | Plotter | | | | ASK |
| Photos | Plotter-Mutoh-ValuejetVJ1624 | Mutoh | Valuejet VJ 1624 | 2011 | 162,5 cm | Plotter | G06U000115 | | Format: Max. Material Format 162,5 cm (63,97"), Max. Printing Format 1615mm (63,58"), Max. Material Thickness: | ASK |
| Photos | pre-press-mores-Electro-Power-Trim-250 | Neolt Electro Power Trim 250 | EL PW Trim 250 | | 250 | Roll Cutter / Laminator Schneider | 6391609481 | | Roll Cutter / Laminator Schneider | ASK |
| Photos | pre-press-mores-Prepress-Solution-CE98 | Prepress Solution CE98 | Model RM-3 | | | | 984939 | | | ASK |
| Photos | pre-press-mores-Prepress-Solution-CE94 | Prepress Solution CE94 | Model RM-3 | 1994 | | | 943129 | | | ASK |
| Accessories CTP | | | | | | | | | | |
| Photos | AccCTP-Epson-Stylus-Color-1520 | Epson | Stylus Color 1520 | | | CTP Accessories | 3KFY017091 | | CTP Accessories | ASK |
| Mores CTP | | | | | | | | | | |
| Photos | ctp-mores-Busch-w.vollm | Busch | DO | 1994 | | | 945/691 | | | ASK |
| Photos | ctp-Deitenbach-906-S | Deitenbach | 906 S | ca. 1998 | | Platwasher | 982047 | | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Deitenbach-93771 | Deitenbach | 93771 | ca. 1998 | | Platwasher | o36395 | | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Küvette | Küvette | | | | Küvette | | | Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Photos | ctp-Küvette-an | Küvette | | | | Küvette | | | Platwasher/Küvette | ASK |
| Photos | ctp-kuevette-Lefra | Lefra | 10550-100 | 1993 | | Küvette | 4905 | | Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual | ASK |
| Wiro Binding / Calender Production | | | | | | | | | | |

| | | | | | | | | | |
|--------------------------|-------------------------------|----------------------|-----------------------------|----------|-------|-----------------------------------|-------------------|---|-----|
| Photos | cal-Amia-Compact-1 | Amia | Compact A2 Brevettata (1) | | | Calender Production Machine | | Calender Production Machine | ASK |
| Photos | cal-Amia-Compact-2 | Amia | Compact A2 Brevettata (2) | | | Calender Production Machine | | Calender Production Machine | ASK |
| Photos | diff-bomco-em2 | Bomco | EM2 | 2000 | | Wire-O-Closure | 1907/00 | Pitch: PERL | ASK |
| Photos | wiro-Iberica-71 | Iberica 71 | 71 | | | Wirobinder | 7906 | Wirobinder | ASK |
| Photos | diff-bpm-jack-burn-prot | Jack Burn | PROT | ca. 1973 | | Wiro Closing Machine | T1/9602 | Wiro Closing Machine | ASK |
| Photos | James-BurnEX500-2013 | James Burn | Lhermite EX500 | 2016 | | Wire-O-Punching Machine | 2011.10 | Model: Value, Automatic Punching Machine, Standard Tools, Belt Delivery | ASK |
| Photos | calend-Lamirel-S.A. | Lamimetal | 500 | | | Calender Production | 960353 | Lamirel S.A. | ASK |
| Photos | cal-Lamirel-Megastar-Fellowes | Lamirel | Megastar Fellowes | | 42 | Wirobinding / Calender Production | | Wire Bind Punch, igh Capacity Electrical Punching Machine For All Your Document Binding Needs In Formats Upto 42cm or 161/2" with Foot Drive Control, Equipped with 2 Dies | ASK |
| Photos | wiro-leitz-impressbind-280 | Leitz | Impressbind 280 | | | Wirobinding / Calender Production | 100307661B | Wirobinding / Calender Production | ASK |
| Photos | wiro-renz-srw | Renz | SRW 3:1 4x4 mm | | | Wirobinding / Calender Production | 26310020. 32789 | Wirobinding / Calender Production | ASK |
| Photos | wiro-renz-bosn | Renz | | | | Wirobinding / Calender Production | | Wirobinding / Calender Production | ASK |
| Photos | wiro-Renz-Eco-S-360 | Renz | Eco S 360 | | | Wirobinding / Calender Production | | Wirobinding / Calender Production | ASK |
| Photos | cal-Renz-ECL-500 | Renz | ECL 500 | | 500 | Wirobinding / Calender Production | | Electric Wire Comb Closer For Wire Binding, For Combs Pitch 3:1 And 2:1, Approx. 400 Circles/Hour, Can Close Wire Combs | ASK |
| Photos | Rilecart-FAR-5-55-2001 | Rilecart | FAR-5/55 (WireBind) | 2001 | | Wirobinding / Calender Production | F5 0144 | WireBind, Including 5 Dies | ASK |
| Photos | Rilecart-Linea-F500 | Rilecart | Linea F-500 | | 50 cm | Wirobinding / Calender Production | FE | Punching Machine | ASK |
| Photos | wiro-Wiro-Closing-Machine-NN | Wiro Closing Machine | | | | Wiro Closing Machine | | Wiro Closing Machine | ASK |
| Digital Printers | | | | | | | | | |
| Photos | dig-prin-canon-2012 | Canon | 6010 SRA/3 | 2012 | | Digital Printers | F146002 | | ASK |
| Photos | digital-printer-IMAX | I-MAX | | 2020 | | 3D UV Printer | 8090t30 | I-Max 3D UV Printer, 60x90cm Printable Area, Printable On All Surfaces Flat Or Round On Any Materials: Paper, Wood, Glas, Metal, Tiles, Stone, Rigid PVC Board, Organic Board, Plastic, Leather, Rubber, Special Paper, Porcela, Cancas etc., Print On Object Thickness Upto 15cm, 3 SQM Per Hour (4 Pass), Print On Almost Every Materials, Less Maintainness Cost, Low Ink Consumption Cost, Max. Printing Resolution: 2880 dpi * 1440 dpi, Water Cycling Cooling System, CISS Built Inside Ink System, Automatic Height Adjustment With Sensor, Equipped With Vacumm Suction System, Image Format: Tiff, Bmp, Jpg, Eps, Pdf, CAD, Rip Software: Maintop, Photoprint. Ref-NO.: digital-printer-IMAX | ASK |
| Photos | dig-Ricoh-Pro-C900 | Ricoh | Pro C900 | | 30x42 | Digital Printers | | Color Digital Press with High Capacity Tray and Finisher Unit, Fiery Rip, Format: 30x42, Standard Accessories | ASK |
| Photos | dig-prin-Xerox-iGen4 | Xerox | iGen4 Press Diamond Edition | ca. 2011 | | Digital Printers | | Resolution: 4800 DPI, Speed: 110 PC/MIN V, RIP Model FreeFlow | ASK |
| Photos | dig-prin-Xerox-DocuColor-5000 | Xerox | DocuColor 5000 | 2004 | | Digital Printers | 01965/POSTEL/2004 | Product Identifier: FVB-1, 2400 dpi, Fiery EXP50 RIP, Speed: 50 Pages/Minute, Resolution: 600x600 dpi, Paper Capacity: Dual 2000 Sheet Paper Drawer | ASK |
| UV Surface Coater | | | | | | | | | |

| Diverses | | | | | | | | | |
|------------------------------------|----------------------------------|-------------------|---------------|----------|---------|--|----------|--|-----|
| Banding/Strapping Machines: | | | | | | | | | |
| Photos | ban-Compac-Tippy | Compac Tippy | Pack auto | | | Banding Machine | | Banding Machine | ASK |
| Photos | ban-banding-machine-brummett | Gerhard Busch | TB 22 P | | | Banding Machine | 365/34 | Banding Machine | ASK |
| Photos | strap-Humboldt-HU600 | Humboldt | HU 600 | 2005 | 850x600 | Strapping Machine | 5019703 | Automatic Strapping Machine, Product Thickness Max.: 850x600mm, Roller In The Table Top For Easy Handling Of The Products, Wear-Free Positively Controlled Belt Guide System, Electronic Temperature Control, Strapping Time: 28 Bars/Minute, For Bandwidth: 9,10,12 and 15,5mm, Band Tension: 2,5 - 45KG, Core Recording: 200mm, Width: 190mm | ASK |
| Photos | strap-Sato-1050-2H-28 | Sato | 1050-2H-28 | | | Strapping Machine | 47013498 | Strapping Machine | ASK |
| Photos | strap-TP-100En | TP-100En | | | | Strapping Machine | | Fully Automatic Strapping Machine, Band Thickness: 0,55mm, Working Height: 800mm, Frame Width: 850mm, Depth: 1440mm, 30 Strapping Per Minute, Band Width: 12mm, Core Diameter: 200mm, Frame Height: 600mm, Frame Width: 600mm, Suitable For Material: Polypropylene (PP), Band Tension: 15-70Kg | ASK |
| Board Cutters: | | | | | | | | | |
| Photos | bo-cut-AK-N | Board Cutter | | | | Board Cutter | | Manual Board Cutter | ASK |
| Photos | bo-cut-Board-Cut-HU | Board Cutter | | | | Board Cutter | | Board Cutter | ASK |
| Photos | bo-cut-Board-Cut-No.2 | Board Cutter | | | | Board Cutter | | Board Cutter | ASK |
| Photos | diff-bpm-board-cutter | Board Cutter | | | | Board Cutter | | 3 m, Board Cutter | ASK |
| Photos | bo-cut-Ernst-F-Hofmann-Perfekta | Ernst F. Hofmann | Perfekta | ca. 1984 | | Board Cutter | | Board Cutter | ASK |
| Photos | bord-cut-Karl-Krause-7183 | Karl Krause | | | | Board Cutter | 7183 | Board Cutter | ASK |
| Photos | bo-cut-schimanek-10 | Schimanek | 10 | | | Board Cutter | 24127 | Board Cutter | ASK |
| Book Block Rounder | | | | | | | | | |
| Book Back Lining Machines | | | | | | | | | |
| Photos | more-Matador-Perfekt-11B-9910 | Matador | Perfekt 11B | ca. 1988 | | Book Back lining machine | 9910 | Book Back lining machine, one-sided lamination with De-curling device for perfect lie-flat sheets | ASK |
| Photos | more-Matador-Perfekt-11B-ca.1985 | Matador | Perfekt 11B | ca. 1985 | | Book Back lining machine | | Book Back lining machine, one-sided lamination with De-curling device for perfect lie-flat sheets | ASK |
| Photos | more-Matador-Perfekt-11B-DE-24 | Matador | Perfekt 11B | | | Book Back lining machine | | Book Back Lining Machine, One-Sided Lamination With De-Curling Device For Perfect Lie-Flat Sheets / Tool For Adhesive Tape For Writing Pad Or Books | ASK |
| Photos | bbIm-Multiplex-RAS-40-Super | Multiplex | RAS 40 Super | | 45x75 | Fälzelmaschine, Book Back Lining Machine | 506 | Fälzelmaschine, Book Back Lining Machine | ASK |
| Photos | more-Planatol-Planax-TB390 | Planatol | Planax TB 390 | 1991 | A5-A4 | Book Back lining machine | | Bordering and Book Back lining machine for bookbinderies / Einfass- und Fälzelmaschine für Buchbindereien | ASK |
| Photos | bbIm-polygraph-LBW-651E | Polygraph Brehmer | LBW 651E | ca. 1988 | | Book Back Lining Machine | 0090 | Book Back Lining Machine, Belt Infeed, Spine Preparing Unit, Cold Glue Unit, Lining Station, Drying Unit | ASK |
| Book Production | | | | | | | | | |

| | | | | | | | | | | |
|---|--------------------------------|----------------------------------|--------------------------------|------|-----------|-----------------------------|---------|---|-----|--|
| Photos | Ochsner-GA91-1991 | Ochsner | GA 91 | 1991 | | Book Production | OCH1968 | Ochsner Edge Gilding Machine, For Semi-Automatic Edge Gilding of a Variety of Books, Hand Feeding Area for End Boards and Book Blocks, 4 Sanding Stations, 1st Cross Sanding Station with 100 Grade Sanding Belt, 2nd Linear Sanding Station with 180 Grade Sanding Belt, 3rd Linear Sanding Station with 240 Grade Sanding Belt, 4th Linear Sanding Station with 320 Grade Sanding Belt, Brushing Station, Dust Bag Extraction Unit, Pre-Heating of Book Blocks, Gild Foil Application with 2 Rollers, Electrical and Mechanical Guarding, Main Control Panel with Timer For Pre-Heating, Foil Cutter, Return Conveyor, Format: Book Size: Max. Any Standard Book Sizee Plus Larger Formats, Min. 68x102mm, Production: at Block Thickness of 75mm ca. 50 Blocks/Hour, Pocket Diary Size: 25 Blocks/Hour Desk Diary Size | ASK | |
| Book Block Production | | | | | | | | | | |
| Book Inserting Machines/Casing-In Machines | | | | | | | | | | |
| Photos | more-casing-in-MAWNH-B3 | MAWNH B3 | Russian | 1982 | | Casing-In-Machine | 121 | Automatic Casing-In Machine | ASK | |
| Photos | more-prakma-2 | Prakma | EH/1 | | 38 | Manual Casing-In Machine | 156111 | Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h | ASK | |
| Photos | more-prakma-EH-1kon | Prakma | EH/1 | | 38 | Manual Casing-In Machine | | Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h | ASK | |
| Photos | diff-Schmedt-Präleg-1815-2003 | Schmedt | Präleg 1815 | 2003 | | Casing-In-Machine | 681 | Block Height: 80-340mm, Block Width: 110-450mm, Block Thickness: 2-80mm, Capacity: 200-300 Pcs/h) | ASK | |
| Book Press | | | | | | | | | | |
| Photos | book-pr-AK | Book Press | | | | Book Press | | Manual Book Press | ASK | |
| Photos | book-Press-3 | Hunkeler | P.D.E. 001 R. | 2005 | 32x45 | Book Press | 4226-7 | Book Press | ASK | |
| Photos | book-Press-HunkelerADP32-44 | Hunkeler | ADP 32/44 | | 450x300mm | Book Press | 2440-7 | Hydraulic Book Press, Format: 450x300mm, Stacking Height: 350mm, Rollable, Mechanical Drive | ASK | |
| Photos | book-Press-Multiple-Polygraph | Polygraph | Multiple Book Pressing Machine | | | Book Press | | Multiple Book Pressing Machine | ASK | |
| Photos | book-pr-Sperr-Lechner-1657 | Sperr & Lechner | Splek SLIIA-100 | 1996 | | Book Press | 1657 | Twin Book Press, Bar Max. 70, Delivery Volume: 8,5 l/min, Power Requirement: 3 KW, Rotation/Minute: 1400, Pressure: 3,000kp | ASK | |
| Photos | book-Pr-Tecno-Meccanica | Tecno Meccanica | Book Press | | | Book Press | | Book Press | ASK | |
| Photos | book-pr-Twin-Book-Press-NN | Twin Book Press | | | | Twin Book Press | | Twin Book Press | ASK | |
| Photos | book-pr-Zasadnicza-PIS-5t-1975 | Zasadnicza Szkota Zawodowa | PIS-5t | 1975 | | Book Press | 478 | Weight: 300KG | ASK | |
| Bundling Press | | | | | | | | | | |
| Photos | bundl-BMF-SK825 | BMF Berlichinger Maschinenfabrik | SK825 | 1969 | | Bundling Press / Book Press | O251 | Bundling Press / Book Press | ASK | |
| Photos | bundl-Press-AK-1 | Bundling Press | | | | Bundling Press | | Bundling Press/Book Press | ASK | |
| Photos | bundl-Press-AK-2 | Bundling Press | | | | Bundling Press | | Bundling Press/Book Press | ASK | |
| Photos | bundl-Hunkeler-9814 | Hunkeler | | | 700mm | Bundling Press | 9814 | Bundle Press For Folding Sheets, Stacking Length: 700mm, Hydraulic, Rollable | ASK | |
| Photos | bundl-Tränklein-B.P. | Tränklein | B.P. | | 700mm | Bundling Press | 462653 | Bundle Press For Folding Sheets, Stacking Length: 700mm, Stable Design, Hydraulic, Rollable | ASK | |

| | | | | | | | | | |
|------------------------|--------------------------------------|-------------|------------------|------|---------|------------------|----------------|---|-----|
| Photos | bundl-ZentragHBP | Zentrag | HBP | | 800mm | Bundling Press | | Bundle Press For Folding Sheets, Stacking Length: 800mm | ASK |
| Case Makers: | | | | | | | | | |
| Photos | case-maker-WegraBD15 | Polygraph | Wegra BD 15 | 1984 | 53x40 | | 1057/1984 | Hand Feeding Covering Material, Hand Feeding Hard Spine Insert, Automatic Cardboard Feeding, Automatic Soft Spine Insert Feeding From Roll, Hot Glue, Format: Max. 530x400mm, Min. 110x155mm, Speed: Max. 15 Cycles/Min. | ASK |
| Photos | case-make-Rebord-Darix-Standard-2005 | Rebord | Darix Standard | 2005 | 46x100 | | DX100Z05100455 | Semi Automatic Casemaking Machine, It Is Suitable For The Gluing And Turning In For Short/Medium Production Of Books In Different Sizes, Rigid Calendars, Files, Game Boards, Puzzles, Displays, Sections Of Luxury Boxes And "Windowed" Products (Straight Or Inclined), It Is Set Up With A Central Reference Light To Keep The Maximum Accuracy Between Print Paper And Central Spine (Required For Luxury Jobs). Practical, Installed On Wheels, It Can Be Easily Placed And Moved Everywhere. Technology, Compactness And Great Simplicity In Its Use, Darix Standard Casemaker Machine Gives The Opportunity To Produce Each Kind Of Job With An Industrial Rigor. Machinery Particularly Suitable For Bookbinding And Short/Medium Runs Of Books On Demand. Darix Can Run "Window" Products Without Any Mechanical Adjustment. Format: Min. 10,5x17cm (Open Case), Max. 46x100cm, Extra Size: 70x100cm, Minimum Floor Space: 4M2, Spine Width: 6-100mm, Overlap: 15-30mm, Board Thickness: 1,5-6mm, (Can Use Multiple Thickness In One Case), Cover Weight: 80-400grams, Speed: 3-4 Pieces/Minute, Change Over Time: About 2 Minutes | ASK |
| Colour Pumps | | | | | | | | | |
| Photos | more-bvs-211398 | BVS | BCP-108-R | 1998 | | Colour Pumps | 211398 | 5 Bar, Colour Pump | ASK |
| Photos | more-bvs-298022 | BVS | BCP-1010RB | 1998 | | Colour Pumps | 298022 | 5 Bar, Colour Pump | ASK |
| Compressor | | | | | | | | | |
| Photos | more-ABAC-Compressor | ABAC | 200 Hp4 | 2013 | | Compressor | | Compressor | ASK |
| Photos | comp-Airstar-AC-503-100 | Airstar | AC 503/100 | 2016 | | Compressor | AS5316039 | Maximum volume flow: 500 Ltr., contents: 100 Ltr., maximum speed: 1310 U/min, 10 Bar | ASK |
| Photos | comp-Atlas-Copco-GX11FF | Atlas Copco | GX11FF | | | Compressor | | Discharge Pressure: 13 Bar, Air Tank Capacity: 80 Gallon, Maximum Flow Rate: 125 PSI, Horse Power: 15 HP | ASK |
| Photos | comp-Atlas-Copco-Automan-AP4 | Atlas Copco | Automan AP4 | | | Compressor | | | ASK |
| Photos | compr-Atlas-Copco-GA18VSD | Atlas Copco | GA18VSD+ | 2014 | | Compressor | AP1823062 | 13 Bar | ASK |
| Photos | comp-blitz-050117 | Blitz | Hobby 1,1-24 | 2005 | | Compressor | 50117 | Stages: 1, Motor: 1,1, Overpressure: 8 bar, Suction capacity: 200 l/min, Speed: 2860 1/min, 1300 Watt | ASK |
| Photos | more-Ecoair-D20-10 | Ecoair | D20-10 | 1991 | 23093 h | Screw Compressor | 901065136 | 1, 95 M3/min, 10 bar, 3000 1/min, Schrauben -Kompressor / Screw Compressor for Central Air Supply | ASK |
| Photos | more-Grapha-ANT-Compressor | Grapha | ANT | | | Compressor | 30684/53 | Compressor | ASK |
| Photos | comp-Kaeser-KCT-1069 | Kaeser | KCT 401-TAH6-100 | 2010 | | Compressor | 1069 | Artikel Number: 1.6016.00010, 10 Bar, 2741 L/Min (6,0 Bar) | ASK |
| Photos | comp-komnino-ZS-400 | Komnino | ZS-400 | | | Compressor | 3196 | Compressor | ASK |

| | | | | | | | | | |
|-------------------------|---------------------------------|--------------------------|------------------------------|------|---------|--------------------------|-------------------|---|-----|
| Photos | comp-kronwald | Kronwald | | 1991 | | Compressor | 56870 | Capacity: 11 Bar, 500l | ASK |
| Photos | comp-mark-msa-15D | Mark | MSA 15 500DG2 | 2010 | | Compressor | CAI1452423 | Product No. 4152007214, Compressor: 15 Kw 3Ph, Max. Pressure: 8 Bar, Dryer: 0,385 Kw 1 Ph, Refrigerant Type: R134A | ASK |
| Photos | comp-siemens | Siemens | | | | Compressor | 599 | Compressor | ASK |
| Photos | comp-Rietschle-1641133 | Rietschle | CLFG 41V (01) 31.123.1401/01 | 1994 | | Compressor | 1641133 | Compressor | ASK |
| Photos | comp-Rietschle-1641135 | Rietschle | CLFG 41V (01) 61.123.1401/01 | 1994 | | Compressor | 1641135 | Compressor | ASK |
| Photos | comp-Rietschle-1641130 | Rietschle | CLFG 41V (01) 61.123.1401/01 | 1994 | | Compressor | 1641130 | Compressor | ASK |
| Photos | comp-Rietschle-CLFG-41V | Rietschle | CLFG 41V (01) | 1983 | | Compressor | 763959 | Compressor | ASK |
| Photos | comp-Rietschle-SKK-33403-(05) | Rietschle | SKK 33403 (05) | 1986 | | Compressor | 991298 | Compressor | ASK |
| Photos | comp-ROWI-1100-24-1 | ROWI | 1100/24/1 | | | Compressor | | Compressor | ASK |
| Photos | comp-steeb-06-4516 | Steeb Werke, Sulz Neckar | 06-4516 | 1986 | | Compressor | o07 | 12 Bar, 30 KW | ASK |
| Photos | comp-Step-VS1V09 | Step Trutnov | VS1V09 | 2005 | | Compressor | 5089 | 10 Bars | ASK |
| Photos | comp-Ultrafilter-FDS-0170-257 | Ultrafilter | FDS-0170/257 | 1996 | | Compressor | 96/10768/033 | 16/30 Bar | ASK |
| Photos | comp-VIG | VIG | M98150900-11-00/750 | 2000 | | Compressor | 6157 | Capacity: 11 Bar, 750L | ASK |
| Corner Cutters | | | | | | | | | |
| Photos | corn-cut-Beier-Hans-Opitz-&-Co. | Beier (Hans Opitz & Co.) | | | | Corner Cutter | | Corner Cutter | ASK |
| Photos | corn-cut-GBC-1033-LA-HD00060 | GBC | 1033-LA | | | Corner Cutter | HD00060 | 1x Edge Points | ASK |
| Photos | corn-cut-GBC-1033-LA-1861334 | GBC | 1033-LA | | | Corner Cutter | 1861334 | 1x Edge Points | ASK |
| Photos | more-Karl-Krause-Leipzig | Karl Krause Leipzig | | | | Corner Cutter | 57954 | Corner Cutter | ASK |
| Photos | more-Karl-Krause-Leipzig-192730 | Karl Krause Leipzig | | | | Corner Cutter | 192730 | Corner Cutter | ASK |
| Photos | corn-cut-MM-VBF-EKS-400-2000 | Müller Martini | VBF EKS 400 | 2000 | | Corner Cutter | 550 0043 | Corner Cutter, Power Required: 3x400 / 230V 50/60 Hz, Largest Consumer: 3,4 A, Overcurrent Protection: 16A, Ounching Speed for Corners: 400mm | ASK |
| Photos | more-Super-Pan-52 | Super Pan | 52 | | | Corner Cutter | 5561-1 | Corner Cutter | ASK |
| Photos | corn-cut-Tränklein | Tränklein | | | | Corner Cutter | | Corner Cutter | ASK |
| Photos | corn-cut-Warrior-21144 | Warrior | | | | Corner Cutter | 21144 | Corner Cutter | ASK |
| Photos | corn-cut-Westel | Westel | Corner Cutter | | | Corner Cutter | | Corner Cutter | ASK |
| Endsheet Tipping | | | | | | | | | |
| Photos | end-tipp-Kolbus-KB200 | Kolbus | KB200 | 1970 | 400x310 | Endsheet Tipping Machine | 22/294 | Serial No. 500, Endsheets Tipping Machine, Size: Max. 400x310mm, Min. 100x70mm, Mechanical Speed: 6.600 Cycles/Hour | ASK |
| Endsheet Gluing | | | | | | | | | |
| Forklift | | | | | | | | | |
| Photos | fork-25F-RCF-A06 | Ascade | 25F-RCF-A06 | 2002 | | Reel Clamp for fork lift | 794709-A-260265-1 | Reel Clamp for fork lift, Capacity: 1200, Weight: 355 kg, Max. 160 Bar, Operating pressure (Arbeitsdruck): 140 bar, Centre of Gravity (Eigenschwerpunkt): 220 mm, At Load Centre (bei Lastschwerpunkt): 650 mm | ASK |
| Photos | fork-C.&W.-Sichelschmidt | C.&W. Sichelschmidt | DMFG | 1976 | | Forklift | 505.456 | Electric Forklift, Capacity: 1000 | ASK |
| Photos | fork-Desta-MV12BA-1995 | Desta | MV12BA | 1995 | | Diesel Forklift | 6654 | Diesel Forklift, Capacity: 1250 KG | ASK |
| Photos | fork-doosan | Doosan | Forklift | | | Forklift | | Pallettruck / Forklift | ASK |
| Photos | fork-ETN-782428 | ETN | 782428 | | | Reel Clamp for fork lift | | Reel Clamp for fork lift | ASK |

| | | | | | | | | | |
|---------------------------------------|---|---------------------|-----------------------|------|-------------|--|---------------|---|-----|
| Photos | fork-Jungheinrich- EMC-10G-115-160E | Jungheinrich | EMC 10G-115-160E | 1997 | | Electric Pallet Truck | 4742 | Electric Pallet Truck, Capacity: 1000 KG, Battery 24 V / 60 Ah, Weight: ca. 470 KG | ASK |
| Photos | fork-Jungheinrich-EJC-A-12-C-115-290-ZT | Jungheinrich | EJC A 12 C 115 290 ZT | 1994 | | Electric High Lift Truck | 7.3313.23.06 | Capacity: 1200 KG, Battery Typ: Pb, 24 V DC, Cell Type: 2 EPzS 230, Year: 2012, Serial No. 143885, Performance: 4,2 kWh, Capacity: 230 Ah, Weight: 212 kg | ASK |
| Photos | more-Nissan | Nissan | Electric Forklift | | | Electric Forklift | | Electric Forklift | ASK |
| Photos | fork-OMG-715-K | OMG | 715 K | 2000 | | Electric High Lift Truck | 12581 | Capacity: 1500 KG, Weight: 1250 KG, Triplex | ASK |
| Photos | more-Steinbock-2 | Steinbock | Boss 4545011 | 1995 | | Electrical TruckLift | 95-70125 | Capacity 1200 KG, Hubhöhe 1,6m | ASK |
| Photos | more-Steinbock-126888 | Steinbock | Boss LE16 MK IV A-1 | 1992 | | Electric Forklift | 126888 | Tyres: SE, Lifting Height: 3300 mm, Capacity: 1600 KG, Side Shifting | ASK |
| Photos | fork-still-RX-20-18-2010 | Still | RX 20-18 | 2010 | | Electric Forklift | 516213A00198 | Capacity: 1800 KG | ASK |
| Photos | fork-still-RX-20-16-2011 | Still | RX 20-16 | 2011 | | Electric Forklift | 916211B0095 | Capacity: 1600 KG | ASK |
| Photos | fork-still-RX-20-16-2012 | Still | RX 20-16 | 2012 | | Electric Forklift | 516211C00154 | Capacity: 1600 KG | ASK |
| Photos | fork-still-R-60-40-2002 | Still | R 60-40 | 2002 | | Electric Forklift | O516027004796 | Capacity: 4000 KG | ASK |
| Photos | fork-still-R-60-40-2006 | Still | R 60-40 | 2006 | | Electric Forklift | O516047003037 | Capacity: 4000 KG | ASK |
| Photos | fork-Still-R70-16T-517077000937 | Still | R70-16T | 2000 | | Forklift | 5,17077E+11 | LPG, Capacity: 1600 KG | ASK |
| Photos | fork-STILL-RX-60-25 | Still | RX 60-25 | 2011 | | Forklift | 516321B00342 | Electric Lifter, Capacity: 2500 Kg | ASK |
| Photos | fork-STILL-RX-60-25-2011 | Still | RX 60-25 | 2011 | | Forklift | 516321B00342 | With Reel Clamp | ASK |
| Photos | fork-STILL-RX-20-20 | Still | RX 20-20 | 2014 | | Forklift | 516215E00823 | Electric Lifter, Capacity: 2000 Kg | ASK |
| Photos | fork-Still-R60-35 | Still | R60-35 | 1998 | | Electro Forklift | O516026001611 | Electric, 3500 KG Capacity, Lifting Height: 3,4m, Overhead guard height: 2,3m, fork 1,4m | ASK |
| Photos | fork-Still-ecotron-xm-24v-30a | Still | ecotron XM E 24V-30A | | | Forklift Battery | 3,76811E+14 | Forklift Battery | ASK |
| Photos | fork-Still-ecotron-xm-24v-40a | Still | ecotron XM E 24V-40A | 2018 | | Forklift Battery | 6,27E+11 | Forklift Battery | ASK |
| Photos | fork-Toyota-electric-lifter | Toyota | 7FBEF15 | 2005 | FSV E911 | Forklift | 7FBEF15 12301 | Electric Lifter, Capacity: 1500 KG | ASK |
| Gluing Machines: | | | | | | | | | |
| Photos | glu-Gluing-AL-CE | AL-CE | Gluing Machine | | | Anleimmaschine / Kaschiermaschine | 8053 | Anleimmaschine / Kaschiermaschine | ASK |
| Photos | glu-Cappelletti | Cappelletti | | | | Gluing Machine | | Gluing Machine | ASK |
| Photos | Glu-Machine | Gluing Machine | Gluing Machine | | | Gluing Machine | | Gluing Machine | ASK |
| Photos | glu-Gluing-PL | Gluing Machine | | | | Gluing Machine | | | ASK |
| Photos | glu-prakma-178109 | Prakma | | | | Anleimmaschine / Kaschiermaschine | 178109 | Anleimmaschine / Kaschiermaschine | ASK |
| Photos | glu-sumbel-NN | Sumbel | | | | Gluing Machine | | Gluing Machine | ASK |
| Photos | glu-Tünkers/JagenbergUAM80 | Tünkers / Jagenberg | UAM 800 | | 800mm | Gluing Machine | | Gluing Machine, Format: 800mm, Cold Glue Device, Feeding Table, Belt Delivery | ASK |
| Photos | glu-Tünkers-1 | Tünkers | | | | Gluing Machine | 1230252/48 | Gluing Machine | ASK |
| Index cutting Machine | | | | | | | | | |
| Joint Forming /Nipping Machine | | | | | | | | | |
| Photos | JointForming-Antal-AJ-06-N | Antal Jozsef | AJ-06-NYB | 2007 | 700x750x155 | Book Press with Joint Forming | AJ-06-NYB | Format: 700x750x1550mm, Book Press with Joint Forming | ASK |
| Photos | joint-form-RAEL-Rolong | Gantenbein | RAEL Rolong | 1971 | 500mm | Rückenreibemaschine/Book Back Rubbing Maschine | | This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm | ASK |

| | | | | | | | | | |
|----------------------------------|--------------------------------------|------------------|-----------------------|------|---------|--|--------------|--|-----|
| Photos | joint-form-Rolong | Gantenbein | RAEL Rolong 980 Tisch | 1969 | | Rückenreibemaschine/Book Back Rubbing Maschine | o770 | This back rubbing machine is used to press glued material with its carrier material, It offers unlimited possibilities of use in cardboard processing, book making, etc., Binding width: | ASK |
| Photos | joiningforming-Krause | Krause | FN 3 P | | | Book Press with Joint Forming | 316889 | Joint Forming / Nipping Machine | ASK |
| Photos | diff-schmedt-präform-2100 | Schmedt | Präform 2100 | 2003 | | Book Press with Joint Forming | 113 | Format: 400x520x100mm, Book Height: upto 520mm, Book Width: 120-445mm, Book thickness: 8-100mm, Capacity: ca. 150 Pieces/hour | ASK |
| Photos | joint-form-Sealmaster-580 | Sealmaster | 580, AE 580.SA | | | Joint Forming | 930.408.177 | Joint Forming | ASK |
| <u>Knife Sharpner</u> | | | | | | | | | |
| <u>Label Applicator</u> | | | | | | | | | |
| Photos | more-Lable-Applicator-hun | Lable Applicator | | | | Lable Applicator | | Lable Applicator | ASK |
| Photos | more-Labelpack-Label-X-JR-SX | Labelpack | Label X/JR/SX | 2010 | | Lable Applicator | 1101E104. | Lable Applicator | ASK |
| Photos | more-SMC-CXSM15-50 | SMC | CXSM15-50 | | | Lable Applicator | I1141725 | Lable Applicator, Max press 7 bar | ASK |
| <u>Lamination Machine</u> | | | | | | | | | |
| Photos | lam-Biedermann-RollLam-140WN | Biedermann | RollLam 140WN | | 140 | Lamination Machine | 140WN.438.10 | Roller Widht: 150cm, Thermo Laminator, Heating of Silicon Roller ca. 30°C up to 60°C Possible, Max. Board Thickness: 25mm, Diameter of Rollers: 112mm, Capacity: Max Speed: 3,5 m/min. | ASK |
| Photos | laminator-Foliant-Orpheus-Compressor | Foliant | Orpheus Compressor | | | Lamination Machine | | Fully Automatic, Compact, Industrial Singel-Side Sheet Laminating Machine, Max. Width: 530mm (B2+), Max. Sheet Size: 530x740mm, Min. Sheet Size: 320x250mm, Material 125-500 GSM, Max. Speed: 22M/Min., Max. Productivity 1900 B2 Sheets/Hour, Deep Pile Feeder, Intergral Compressor, Chromed Heating Cylinder, High Pneumatic Pressure System, Automatic Compact Separator With Shafts, PLC Controller, Touch Screen Panel, Preset Temperature, Adjustable Laminating Speed, Jogging Table On Delivery | ASK |
| Photos | lam-GBC-Voyager-3 | GBC | Voyager 3 | 2004 | 76x102 | Lamination Machine | 1204 | Automatic Gremser Pallet Feeder S80x120 AO/BTH, Automatic Sheet Seperator with Electronic Lap Control, Deep Pile Delivery, Table Delivery Size: Max. 76x102cm, Min. 30,5x30,5, Max. Speed up To: 10.000 Sheets/Hour, Feeder Capacity: 880 KG, Dry Lamination Unit, Separating Unit, Paper Weight: 150-350 gr/m2, Speed Max. 30 M/Min (Production 20-25 M/Min), Standard Accessories | ASK |
| Photos | lam-GBC-400 | GBC | 400 | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | lam-GBC-DocuSeal-30 | GBC | DocuSeal 30 | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | laminator-karmaplanomatVA130 | Karma Planomat | VA 130 | | 100x130 | Lamination Machine | 723901 | Sheet To Sheet Laminator, Format: Max. 130x100cm, Min. 60x50cm, Speed: Max. 2400 Sheets/Hour, Mirus Feeder Working Width: 1300mm | ASK |

| | | | | | | | | | |
|---|------------------------------------|--------------------|-------------------|----------|---------|---|-----------------|--|-----|
| Photos | lamina1620-Blackline-2011 | Lamina | Blackline 1620 BL | 2011 | 160x210 | Lamination Machine | | FA Feeder 800/500, Top Sheet: 130-450 gm/m2, Bottom Sheet: from 250 gm/m2, Thickness: 0,6 - 10mm, Glue: PVA Type or As Specified, Feeder Height: Bottom: 1600mm, Top: 800mm, Registration Accuracy: <+- 0,5mm or Top Sheet Overlap, Operation Speed: Up to 6000 Sheets/Hour, Total Installed Power: 4,0 Kw, Maximum Sheet Size: Widht: 1600mm, Lenght: 2100mm, Minimum Sheet Size: Width: 350mm, Lenght: 500mm, Electics: 400V, 3 Phase, Neutral, 50/60 Cycles | ASK |
| Photos | lam-Thermo-Lamination-Machine | Lamination Machine | | | | Thermo Lamination Machine | | Thermo Lamination Machine | ASK |
| Photos | lam-Lamination-mx6 | MX6 | | | | Lamination Machine | | Lamination Machine | ASK |
| Photos | lam-Peach-Lamination-SKY-330R8 | Peach Lamination | SKY 330R8 | | | Lamination Machine | O9EK8R009 | Lamination Machine | ASK |
| Photos | lam-Seal-Laminator-Image-60S | Seal Laminator | Image 60S | | | Lamination Machine | | Lamination Machine | ASK |
| Pallet Wrapping Machine | | | | | | | | | |
| Photos | more-Siat-AF1-CF2 | Siat | AF1.CF2 | 1988 | | Palletenwickler / Pallet Wrapping Machine | | Serial 786, Palletenwickler / Pallet Wrapping Machine | ASK |
| Photos | pall-wrapp-Siat-SW2-16-FM-4CF-2012 | Siat | SW2 16-FM-4CF+ | 2012 | | Palletenwickler / Pallet Wrapping Machine | 51782 | Palletenwickler / Pallet Wrapping Machine | ASK |
| Photos | more-Siat-muh-de | Siat | | | | Palletenwickler / Pallet Wrapping Machine | | Palletenwickler / Pallet Wrapping Machine | ASK |
| Paper Drilling/Eyletting Machines: | | | | | | | | | |
| Photos | dril-AEG-Drill-Machine | AEG | DT-10 | | | Drill Machine | 87155726 | Drilling machine | ASK |
| Photos | dril-Citoborma-270B | Citoborma | 270B | | | Drill Machine | | Paper Drilling Machine | ASK |
| Photos | dril-Dürselen-Corta-PB04-N | Dürselen | Corta PB04 N | 2005 | | Drill Machine | PB0403.05/1304N | 4 Heads, Drill Bit Cooling and Lubrication, Continously Variable Stroke and Spindle Speed Control, Dürselen Drill Belt for Drilling Support | ASK |
| Photos | dril-Droi-MTPP | Droi | MTPP | | | Drill Machine | 304 | Paper Drilling Machine | ASK |
| Photos | dril-DVS-120 | DVS | 120 | | | Drill Machine | | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Georgii-Kobold-KS0122-S215 | Georgii-Kobold | KS0122 S215 | | | Drill Machine | 105662 | Drilling machine | ASK |
| Photos | dril-Hang-136DK-72184 | Hang | 136 DK | | | Drill Machine | 72184 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-71711 | Hang | 136D | | | Drill Machine | 71711 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-70349 | Hang | 136D | | | Drill Machine | 70349 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-22089 | Hang | 136D | | | Drill Machine | 22089 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136D-18289 | Hang | 136D | | | Drill Machine | 18289 | 2 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-136-17233 | Hang | 136 | | | Drill Machine | 17233 | 1 Head Paper Drilling Machine | ASK |
| Photos | dril-Hang-106DT20 | Hang | 106DT20 | | | Drill Machine | 15466 | 2 Heads Paper Drilling Machine | ASK |
| Photos | dril-Hang-106DTK | Hang | 106DTK | | | Drill Machine | 91545 | 2 Heads Paper Drilling Machine | ASK |
| Photos | drill-hang106DTK4 | Hang | 106 DTK4 | ca. 1993 | | Drill Machine | 92203 | 4 Heads Paper Drilling Machine with Automatic Table Lift, Approx. 35cm Drilling Depth, Drill Heads Approx. 50cm Adjustable to Each Other Tab | ASK |
| Photos | dril-Hang-106-DTK4-90813 | Hang | 106 DTK4 | | | Drill Machine | 90813 | 4 Heads Paper Drilling Machine | ASK |
| Photos | drill-hang-2-head | Hang | 106DT20 | | | Drill Machine | 90031 | 2 Head Drilling Machine | ASK |
| Photos | drill-Hans-Maisel-2-Head | Hans Maisel | | | | Drill Machine | | 2 Head Drilling Machine | ASK |
| Photos | dril-Modena-Venus-2-1983 | Modena | Venus 2 | 1983 | | Drill Machine | | 2 Heads Paper Drilling Machine | ASK |

| | | | | | | | | | |
|------------------------------|------------------------------------|--------------------------------|------------------------|------|----|----------------------------|------------|--|-----|
| Photos | drill-Nagel-Citoborma-280 | Nagel | Citoborma 280 | | | Drill Machine | | Drilling machine | ASK |
| Photos | drill-Nagel-Citoborma-280b | Nagel | Citoborma 280b | | | Drill Machine | | Drilling machine | ASK |
| Photos | drill-Nagel-Citoborma-280-B-DE-24 | Nagel | Citoborma 280 B | | | Drill Machine | | 2 Head Drill Machine | ASK |
| Photos | drill-Nagel-Citoborma-KOD-524S-129 | Nagel | Citoborma KOD 524S 129 | | | Drill Machine | | 1 Head Paper Drilling Machine | ASK |
| Photos | drill-Nagel-Citoborma-hip-bg | Nagel | Citoborma 490 | | | Drill Machine | 1854040 | Drilling machine, SN: 0009 3558 | ASK |
| Photos | drill-Proma-PTB16B-230 | Proma | PTB16B/230 | 2009 | | Drill Machine | B2009/0931 | Total Height: 1,065mm, Head Handle: 1-16mm, 12 Stages of Speed Adjustment, Maximum Distance Of The Spindle From The Base: 600mm, Maximum Distance Of The Spindle From The Table: 350mm, Maximum Drilling Diameter: 20mm, Spindle Feed: 80mm, Table Size: 300 x 300mm, Base Dimensions: 500 x 285mm, Spindle Reach (Distance From The Spindle To The Column): 195mm, Speed Range: 180 / 250, 300 / 400, 480 / 580, 970 / 1,280, 1,410 / 1,540, 2,270 / 2,740 rpm., Column Diameter: 73mm, "T" Table Grooves: 16mm | ASK |
| Photos | drill-Stago | Stago | | | | Drill Machine | | Drilling machine | ASK |
| Photos | drill-WP22 | WP 22 | Paper Drill | | | Drill Machine | | 2 Head Paper Drill Machine | ASK |
| Photos | drill-2-Heads-Drill-Machine | 2 Heads Paper Drilling Machine | | | | Drill Machine | | 2 Heads Paper Drilling Machine | ASK |
| Photos | eylett-Constantin-Hang | Constantin Hang | | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Eyeletting-Machine-NN | Eyeletting Machine | | | | Eyeletting Machine | | Eyeletting Machine | ASK |
| Photos | eylett-Facom-INOX | Facom | INOX | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-hang-167-12 | Hang | 167-12 | | | Eyleting/Rivetting Machine | 38131 | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-hang-Sey-at | Hang | Piccolo 101 F | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-hang-3-fach | Hang | 87 F | | | Eyleting/Rivetting Machine | 37954 | 3 Head Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Hang-103-LOK | Hang | 103 LOK | | | Eyleting/Rivetting Machine | 31133 | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Hang-103-SPK-15464 | Hang | 103 SPK | | | Eyleting/Rivetting Machine | 15464 | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Hang-Piccolo-III-2 | Hang | Piccolo III | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Hang-Piccolo-III | Hang | Piccolo III | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Siac | Siac | | | | Eyleting/Rivetting Machine | | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-Textima-Schuma-13811-73333 | Textima | Schuma 13811 | 1967 | | Eyleting/Rivetting Machine | 73333 | Eyleting/Rivetting Machine | ASK |
| Photos | eylett-WSK-Fritz-Wagner-ED10 | WSK Fritz Wagner | ED10 | 1990 | | Eyleting/Rivetting Machine | 138 | Eyleting/Rivetting Machine | ASK |
| Perforation Machines: | | | | | | | | | |
| Photos | perf-bickel-H1-50 | Bickel | H1-50 | 1980 | 50 | Perforation | 21053 | Perforation Machine | ASK |
| Photos | perf-CCCP-Y06 | CCCP | Y06 | 1976 | | Perforation | 227 | Perforation Machine | ASK |

| | | | | | | | | | |
|--------------------------------------|------------------------------------|-------------------------|----------------------------------|----------|---------|-------------------------------|-----------|--|-----|
| Photos | perf-Crease-Matic-Electril-Creaser | Crease Matic | Electril Creaser | | | Perforation | 304111 | Perforation Machine | ASK |
| Photos | diff-Foellmer-EXPO | Foellmer | EXPO | 1998 | | Perforation | 858 | Nutting Machine | ASK |
| Photos | perf-Friedrich-Walter-Muller | Friedrich Walter Müller | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Fürcht-Zoltan-R-760 | Fürcht Zoltan | R-760 | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Grafotechna | Grafotechna | | | 700 | Perforation | | Perforation and Creasing, Workig Space Height: 2,5mm, | ASK |
| Photos | perf-Perforation-Tall | Kroll | Creasing and Perforation Machine | | | Perforation | R740202 | Creasing and Perforation Machine | ASK |
| Photos | perf-Kroll-PF | Kroll | | | | Perforation | | Creasing and Perforation Machine | ASK |
| Photos | perf-Kroll-&Co.-2 | Kroll & Co. | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-OM-245A | O.M. | 245A | 1997 | | Perforation | 1149M | Rotary Creasing and Perforation Machine | ASK |
| Photos | perf-Perforation-roj-es | Perforation | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Perforation-machine-deg | Perforation Machine | | | | Perforation | | Perforation Machine | ASK |
| Photos | perf-Polygraph-Titan | Polygraph | Titan CTK VII | 1951 | | Rilling / Perforation Machine | 91887 | Rilling / Perforation Machine | ASK |
| Photos | perf-Shaw-Merlin-4040 | Shaw | Merlin | 1973 | | Perforation | 4040 | Rotary Creasing and Perforation Machine | ASK |
| Photos | perf-Table-Perforation | Table Perforation | | ca. 1975 | | Perforation | | Table Perforation | ASK |
| Photos | perf-Perforator-hu | Unimark | G.M. U.M. 931.0 | 1997 | | Perforation | | Perforation Machine | ASK |
| Screen Printing | | | | | | | | | |
| Shrink Wrap/Sealing Machines: | | | | | | | | | |
| Photos | seal-beck-S12-24 | Beck | S12-24 | 1985 | | Shrink Wrap/Foil Sealing | 3893042 | with B200/25 and Number: 6852884, Shrink Wrap / Foil Sealing | ASK |
| Photos | seal-Beck-packautomat-2 | Beck | Packautomat | | | Shrink Wrap/Foil Sealing | | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Beck-TL50-40E | Beck | TL50 40E | 1992 | | Shrink Wrap/Foil Sealing | o808 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-belca-2001 | Belca | BE 85 | 2001 | | Shrink Wrap/Foil Sealing | L216N | Shrink Wrap, Front shuttle feeder, Rotary side feeder, Friction feeder, Shrink tunnel, Maximum Speed: 85 cycles per minute, Length: 85 to 395 mm, Width: 85 to 300 mm, Height: 2 to 70 mm | ASK |
| Photos | foil-seal-Albipack | Italdibipack | Albipack ECO 650 | 2010 | | Shrink Wrap/Foil Sealing | 503 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Italdibipack-199-9 | Italdibipack | Speed Bag V | | | Shrink Wrap/Foil Sealing | 199-9 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Italdibipack-Baby-Pack | Italdibipack | Baby Pack | | | Shrink Wrap/Foil Sealing | 2109-9 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-kalfass5050-400 | Kalfass | 5050/400 | 1980 | | Shrink Wrap/Foil Sealing | T05.80.61 | Shrink Wrap/Foil Sealing With Dryer | ASK |
| Photos | seal-Kalfass-KW3535 | Kalfass | KW3535 | 1986 | | Shrink Wrap/Foil Sealing | E986695 | Shrink Wrap/Foil Sealing | ASK |
| Photos | Foil-seal-MAFWS2 | MAF | WS2 | 1989 | | Foil Sealing | 24151089 | | ASK |
| Photos | seal-Minipack-Mailbag-Digit | Minipack | Mailbag Digit | 2000 | | Shrink Wrap/Foil Sealing | 001071/D | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-SE-450 | Smipack | SE 450 | 2004 | A3 | Shrink Wrap/Foil Sealing | o011104 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Smipack-SL-45 | Smipack | SL45 | | 440x300 | Shrink Wrap/Foil Sealing | | Power Supply: 230V / 50 Hz, Max. Heating Output: 1,65kW, Foil Sealing Frame Format: 440x300mm, Max. Insertion Area: 430x240mm, Max. Product Height: 210mm, Max. Size Of The Film Roll: Ø 250x450mm, 6 Storable Programs For Recurring Work Processes, Easy Adjustment Of The Shrinkage Time On The Display | ASK |

| | | | | | | | | | |
|------------------------------------|--------------------------------|---------------------------|---------------------|----------|--|--------------------------|-----------|---|-----|
| Photos | seal-Smipack-S560-Red | Smipack | S560 Red | | | Shrink Wrap/Foil Sealing | | Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display | ASK |
| Photos | seal-Smipack-S560-White | Smipack | S560 White | | | Shrink Wrap/Foil Sealing | | Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display | ASK |
| Photos | seal-Soldi-Baby-Pack | Soldi | Baby-Pack | | | Shrink Wrap/Foil Sealing | 116 | Shrink Wrap/Foil Sealing | ASK |
| Photos | seal-Zappe-851124 | Zappe | KS44 | ca. 1985 | | Shrink Wrap/Foil Sealing | 851124 | Shrink Wrap/Foil Sealing | ASK |
| Stapling/Stiching Machines: | | | | | | | | | |
| Photos | stap-Guternic-AB-Plockmatic 36 | Guternic AB | Plockmatic 36 | ca. 1985 | | Stapler | 366031051 | Stapling Machine | ASK |
| Photos | stap-gw-km17-586 | GW | KM17 | 1997 | | Stapler | 586 | Stapling Machine | ASK |
| Photos | stap-gw-km17 | GW | KM17 | 1994 | | Stapler | 572 | 2 Head Stapling Machine | ASK |
| Photos | stap-Hans-Opitz-&Co | Hans Opitz & Co. Hannover | | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Isaberg-Rapid-AB | Isaberg | Rapid AB A106 | | | Stapler | 43028 | Stapling Machine | ASK |
| Photos | stap-Isaberg-Rapid-AB-57542 | Isaberg | Rapid AB Type: A106 | | | Stapler | 57542 | 2 Head Stapling Machine | ASK |
| Photos | stap-Koboldt | Koboldt | | ca. 1972 | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak2 | Nagel | Foldnak 2 | ca. 1987 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-DE-24 | Nagel | Foldnak 2 | | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak | Nagel | Foldnak | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-3 | Nagel | Foldnak | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Foldnak-slow | Nagel | Foldnak | | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-2005 | Nagel | Multinak-S | 2005 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-krode | Nagel | Multinak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-deg | Nagel | Multinak-S | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-Multinak-S-DE-24 | Nagel | Multinak S | | | Stapler | | 2 Head Stapler | ASK |
| Photos | stap-Nagel-Multinak-2 | Nagel | Multinak | | | Stapler | | 2-Head Stapler | ASK |
| Photos | stap-nagel-rinak | Nagel | Rinak | ca. 1974 | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-2-Head | Nagel | Stapler | | | Stapler | | 2-Head Stapler | ASK |
| Photos | stap-Nagel-6236-1 | Nagel | Stapler | | | Stapler | 6236-1 | Stapling Machine | ASK |
| Photos | stap-Nagel-föhl | Nagel | Stapler | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-Nagel-TAK-18 | Nagel | TAK 18 | | | Stapler | | Pads Upto Approx. 140 Sheets, Staple Sizes: 50/6, 50/18, The Electric Pad Stapler NAGEL TAK 18, With Its Powerful Electric Motor And Integrated Foot Solution, Is Specialized In Stapling Thick Blocks. Blocks With A Thickness Of Upto 14mm Can Be Stapled. The Block Stapler Is Made From A Torsion-Free Cast Body And Has A Robust Stapling Head. All Wearing Parts Are Easily Replaceable. The Rear Stop Is Infinitely Adjustable | ASK |

| | | | | | | | | | |
|------------------------|---|-------------------|----------------------------|----------|-------------------|--|-------------|---|-----|
| Photos | stap-Plokmatik-BK-5010-F102-002 | Plokmatik | BK 5010 F102-002 | | 297x427 | Stapler | 960854 | Stapling Machine | ASK |
| Photos | stap-stapler-bru-mett | Stapler | | | | Stapler | | Stapling Machine | ASK |
| Photos | stap-stapler-6276 | Stapler | | ca. 1976 | | Stapler | 6276 | 2 Head Manual Stapling Machine | ASK |
| Photos | stap-stapler | Stapler | | ca. 1971 | | Stapler | | 2 Head Stapling Machine | ASK |
| Photos | stap-Stapling-Machine-NN3 | Stapling Machine | | | | Stapler | | Stapling Machine | ASK |
| Photos | stich-Agrafix-BX | Agrafix | BX | | | Sticher | 19318 | Wire Sticher for Block and Pamphlets, Sticking Thickness: 2-25mm (up to 40 mm with Open Staples), Lenght of the Staple's Back: 14mm, For Round Wire n°21-30 or Flate Wire n°0-V, Upto 170 Stitches/min. | ASK |
| Photos | stich-Bostich | Bostich | | | | Sticher | 65055 | Stiching Machine | ASK |
| Photos | stich-brehmer-bkb-de | Brehmer | | | | Sticher | | Stiching Machine | ASK |
| Photos | stich-Grapha-B1 | Grapha | B1 | | | Sticher | 61901 | Size Register Table: 500x210mm, Back Gauge Distance: 310mm, Thickness: Up to 10mm, 380V, 3 Ph, 50Hz, 1.15A | ASK |
| Photos | stich-Kaev-P710-9125-1989 | Kaev | P710/9125 | 1989 | Arm Lenght: 125cm | Sticher | 307 | Board Sticher | ASK |
| Photos | stic-Mueller-HF33 | Müller Langenfeld | HF33 | 1988 | | Sticher | 667 | Board Sticher | ASK |
| Photos | stich-VEB-Leipzig | VEB Leipzig | Sticher | | | Sticher | 66.01.68 | Stiching Machine | ASK |
| Transferbelt | | | | | | | | | |
| Photos | belt-Conveyor Belt | Conveyor Belt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | trans-belt-Filma-TTLI-500VR | Filma | TTLI/500VR | 1997 | | Transferbelt | 0871 | Transferbelt | ASK |
| Photos | more-Kolbus-TG | Kolbus | TG | 1989 | | Conveyor Belt | 1032 | Transferbelt | ASK |
| Photos | more-Kolbus-FS-Z-011 | Kolbus | FS.Z 011 | 1987 | | Conveyor Belt | 59 | Transferbelt | ASK |
| Photos | more-Kolbus-TN | Kolbus | TN | 1980 | | Conveyor Belt | 944 | Transferbelt | ASK |
| Photos | more-Markem-9064 | Markem | 9064 | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-MK-Typ-GUF-P | MK | Typ GUF-P 2000 AC 2000-200 | 2008 | | Conveyor Belt | 20224101001 | Motorized Belt | ASK |
| Photos | more-Motorized-Belt | Motorized Belt | | | | Conveyor Belt | | Motorized Belt | ASK |
| Photos | trans-belt-Multi-Mount-IP66 | Multi-Mount | IP66 | 2010 | | Transferbelt | | Typ, 4, 12,13, Standard Enclosure | ASK |
| Photos | more-Müller-Martini | Müller Martini | 36.200.162 | | | Transferbelt | 99.25077.01 | Transferbelt | ASK |
| Photos | more-Solema-1992 | Solema | | 1992 | | Conveyor Belt | 4031 | Transferbelt | ASK |
| Photos | more-Solema-3 | Solema | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-Tec-Graf-S84-210 | Tec-Graf | S84 | 1988 | | Transferbelt | 210 | Transferbelt | ASK |
| Photos | more-transferbelt | Transferbelt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-transferbelt-hun | Transferbelt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | more-transferbelt-hun2 | Transferbelt | | | | Conveyor Belt | | Transferbelt | ASK |
| Photos | trans-belt-Transferbelt-45° | Transferbelt | 45° | | | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-green-ei | Transferbelt | | | 142x65 | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-NN1 | Transferbelt | | | | Transferbelt | | Transferbelt | ASK |
| Photos | belt-Transferbelt-3,70-Length | Transferbelt | | | | Transferbelt | | 3,70 Length | ASK |
| Photos | trans-belt-Transport-belt-Lenght-4-meters | Transport Belt | | | 405x63 | Transport Belt | | Transport Belt | ASK |
| Photos | more-Trapo-Stumpf | Trapo | Stumpf | 1994 | | Conveyor Belt | 501407 | Transferbelt | ASK |
| More: | | | | | | | | | |
| Photos | mores-buhrs | Buhrs | Variadress 218 | 1997 | | Adressing machine | 4453-027 | Adressing machine | ASK |
| Photos | more-Krumm-LRF20 | Krumm | LRF20 | 2009 | | Air Filter System / Abluftfilteranlage | O0054-09 | Air Filter System / Abluftfilteranlage | ASK |

| | | | | | | | | | |
|------------------------|-----------------------------------|---------------------|--------------------|------|--|--|-----------|---|-----|
| Photos | more-small-compressed | Small compressed | | | | Air Punch | | air punch with punches and dies (Kleine Druckluft-Lochstanze mit Stempel und Matrizen) | ASK |
| Photos | more-Binder-Block-Press-obsteiKar | Binder, Block Press | | | | Binder, Block Press | | Binder, Block Press | ASK |
| Photos | more-MAC-Computer | MAC | Computer | | | Computer | | Computer | ASK |
| Photos | more-Sharp-Digital-Copy-machine | Sharp | MX 3050N | | | Digital Copy machine | 75064641 | Digital Copy machine | ASK |
| Photos | more-Druckschrank-k-h-irg | Druckschrank | | | | Druckschrank | | Druckschrank / Print Wardrobe | ASK |
| Photos | more-sauger-KF-1300 | Sauger | Type KF 1300 | 2004 | | Dust-Exhaust | | Dust-Exhauster for Perfect Binder | ASK |
| Photos | more-Edge-protection-machine | Edge | Protection machine | | | Edge protection machine / Kantenschutzmaschine | | Edge protection machine / Kantenschutzmaschine | ASK |
| Photos | more-Kolbus-FS.Z | Kolbus | FS.Z | 2000 | | Electric Panel | 227 | Electric Panel | ASK |
| Photos | more-Foilcutter-AK | Foil Cutter | | | | Foil Cutter | | Foil Cutting Unit | ASK |
| Photos | more-Hefter-Systemform-si-4400 | Hefter Systemform | SI 4400 B | 2016 | | Folding and Inserting Machine | 440396 | Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230 V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2, single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programmable Jobs: upto 20 jobs. | ASK |
| Photos | more-Pitney-Bowes-7-Series | Pitney Bowes | 7 Series | | | Folding and Inserting Machine | | MPS Mailstream Productivity Series, Folding And Inserting Machine | ASK |
| Photos | more-Pitney-Bowes-DE-24 | Pitney Bowes | | | | Folding and Inserting Machine | | MPS Mailstream Productivity Series, Folding And Inserting Machine | ASK |
| Photos | more-Pitney-Bowes-D1-600 | Pitney Bowes | D1 600 | | | Folding and Inserting Machine | | Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2 single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programable Jobs: upto 20 jobs | ASK |
| Photos | more-Albert-Siebdruck | Albert | Siebdruck | | | Grinding Machine / Doctor Blade Grinder | | Grinding Machine / Doctor Blade Grinder | ASK |
| Photos | more-METABO-730 | METABO | 730 | | | Grinding Machine | 206407 | Grinding Machine | ASK |
| Photos | more-Helmut-Diebold-HSD01 | Helmut Diebold | HSD01 | | | Grinding Machine / Schleifmaschine | o493286 | Grinding Machine / Schleifmaschine | ASK |
| Photos | more-Heater | Heater | | | | Heater | | Heater | ASK |
| Photos | more-hole-punch-tool | Hole | punch tool | | | Hole punch tool/Loch-Werkzeug | | Hole punch tool/Loch-Werkzeug | ASK |
| Photos | more-Kern-K610-Ident No. 811 | Kern | K610 Ident No. 811 | 1978 | | Inserting Machine | K610.6406 | Kuvertiermaschine / Inserting machine | ASK |
| Photos | insert-Sitma-1005-BW | Sitma | 1005-BW | 2011 | | Inserting Machine | | Inserting and Foiling Machine, Details: 2 Feeders, IJC Injet-Controller and Video Jet Printer, Packaging Possibilities: >Lenght Min./Max. in mm: 150/420, Width: Min./Max. in mm: 100/305, Height Min./Max. in mm: 1-20 (upto 35mm When Working At Long Distances) Capacity: 15000 Products/Hour<; Foil: > Typ: PE-PVC-PPO, Thickness Min./Max. in µ: 18/50, Width: Min./Max. in mm: 200/700, Max. Roll Diameter in mm: 450, Min. Roll Diameter in mm: 76,2<) (Einsteck- und Foliermaschine | ASK |

| | | | | | | | | | |
|------------------------|---------------------------------|-------------------------|-----------------------|------|--|---|------------|--|-----|
| Photos | more-Einhell-KBS-500 | Einhell | KBS 500 | 1984 | | Kombi-Kreissäge | O02204 | Kombi-Kreissäge / Combi-Circular Saw, 2800 U/Min., 3KW/4PS, 380V/50Hz, Saw Blade: 315/500mm | ASK |
| Photos | more-Lexmark-T640 | Lexmark | T640 | | | Laser Printer | | Laser Printer | ASK |
| Photos | more-FAG-Line-Saw-for-Lead-Type | FAG | J-75 | | | Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype | 34.08.408 | Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype, Klischee Cutter, Volt: 380 | ASK |
| Photos | more-Technotrans-EWP | Technotrans | EWP 1800/225-T | | | Motor | 111749 | Motor | ASK |
| Photos | more-Technotrans-EWP- | Technotrans | EWP 1800/225-T | | | Motor | 121137 | Motor | ASK |
| Photos | more-Josef-Florenz | Josef Florenz | Neigungswaage | | | Neigungswaage | B411162 | Neigungswaage / Scale | ASK |
| Photos | more-Finest-FOG-Osmose | Finest | FOG | 2009 | | Osmoseanlage | B070587 | Osmoseanlage / Somosis System | ASK |
| Photos | more-Paper-wrapping-machine | Paper Wrapping Machine | | | | Paper Wrapping Machine | | Paper Wrapping Machine | ASK |
| Photos | more-Oki-C-9550 | Oki | C.9550 | | | Photo Copy Machine | | Colour Photo Copy Machine / Farbkopierer | ASK |
| Photos | more-Robert-18c72oZ | Robert | 18c72oZ | 1979 | | Regid Plastic creasing with Heating | | Regid Plastic creasing with Heating (Folien-Biegemaschine) | ASK |
| Photos | more-Gandossi-&-Fili-Fossati | Gandossi & Fili Fossati | | | | Rilling Machine | | Rilling Machine | ASK |
| Photos | rill-Nagel-Rillnak-350 | Nagel | Rillnak 350 | | | Rilling Machine | 470358CFAB | Rilling Machine | ASK |
| Photos | more-avdel-rivet-gun | Avdel | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-gesipa-rivet-gun-2 | Gesipa | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-gesipa-rivet-gun-1 | Gesipa | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-rivet-gun | Rivet | | | | Rivet Gun | | (Nietpistolen/Rivet Gun) | ASK |
| Photos | more-pamü | PAMÜ | Scoring Machine | | | Scoring Machine | | Scoring Machine | ASK |
| Photos | more-Scoring-Machine | Scoring Machine | | | | Scoring Machine | | Scoring Machine | ASK |
| Photos | more-höcker-phs-s-2019 | Höcker Polytechnik | A3 Shredder PHS-S D/A | 2019 | | Shredder For Die-Cutters | 521080 | Power: 11,5 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton. | ASK |
| Photos | more-höcker-phss-2017 | Höcker Polytechnik | PHSS Shredder | 2017 | | Shredder For Die-Cutters | 493643 | Power: 11 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton. | ASK |
| Photos | more-höcker-phss-2018 | Höcker Polytechnik | PHSS Shredder | 2018 | | Shredder For Die-Cutters | 509617 | Power: 11,5 kW, Shredder For Die-Cutters (Grip Edges And Stamping Grids), Fast Running Single Shaft Shredders with a Stripper For Crushing Lead Edges, Easy to Use Control Panel, Pneumatic Extraction, Large Format Die Cutting Waste And Solid Fibre Board Or Corrugated Cardboard Skeleton. | ASK |
| Photos | more-yard-king | Yard King | 40,0707 | | | Snow Slider | 92081532 | Typ: 1221 02, Tire pressure: 4x1,5 Bar, Oil: 10W 40 | ASK |
| Photos | more-stückmann-hillen | Stückmann & Hillen | AK200-1250 | 1954 | | Steal Banding Machine | 454.103 | Steal Banding Machine | ASK |
| Photos | more-table-1 | Table | with Foilrolls Holder | | | Table | | (Tisch mit der Möglichkeit für Folienrollen anzuhängen/Table with the possibility of hanging film rolls) | ASK |
| Photos | more-Table-Hole-Punch | Table Hole Punch | | | | Table Hole Punch | | Table Hole Punch | ASK |

| | | | | | | | | | |
|------------------------|-------------------------|--------------|-----------|---------|--|---------------------------------------|------------|--|-----|
| Photos | more-linotype | Mergenthaler | Linotype | unknown | | Typesetting machine / Setzmaschine | | Linotype, Typesetting machine / Setzmaschine | ASK |
| Photos | more-linotype-280-18120 | Linotype | 280 | | | Typesetting machine / Setzmaschine | 18120 | Linotype, Typesetting machine / Setzmaschine | ASK |
| Photos | more-Dalex-PL40-1 | Dalex | PL40-1 | | | Welding Machine / Schweißmaschine | 18913670/1 | Welding Machine /Schweißmaschine | ASK |
| Photos | more-Dalex-SF16-71 | Dalex | SF16/71 | | | Welding Machine / Schweißmaschine | 28611677/5 | Welding Machine /Schweißmaschine | ASK |
| Photos | more-Bacher-180-1989 | Bacher | 180 | 1989 | | | | | ASK |
| Photos | more-Diverse-1 | Diverse-1 | | | | | | | ASK |
| Photos | more-Diverse-2 | Diverse-2 | | | | | | | ASK |
| Photos | mores-Kärcher-KSM-950-B | Kärcher | KSM 950 B | | | | | | ASK |
| Photos | mores-Kärcher-BR-55-60W | Kärcher | BR 55/60W | | | | | | ASK |
| Photos | more-Polygraph-62-1-4 | Polygraph | 62 1/4 | | | | 63021 | | ASK |
| Photos | more-Prym-SP-3-71 | Prym | SP 3/71 | | | | | | ASK |
| Photos | more-Rhewa-83Z | Rhewa | 83Z | | | | 120394 | | ASK |
| Photos | more-Solema-2007 | Solema | | 2007 | | | 7.017 | | ASK |
| Photos | more-Ulico-Herotherm | Ulico | Herotherm | | | | 481 | | ASK |
| Photos | more-ulmia-5653 | Ulmia | 1605-7 | 1960 | | | 5653 | | ASK |

AGM Anwar Graphische
Friedenstrasse 1, D38259-
E-Mail: agm@agm-graphics.com, WEB: www.agm-graphics.com